


**BUMPER
TO
BUMPER**
Auto Parts Specialists
BTBAUTOPARTS.COM



HEAVY DUTY

REFERENCE GUIDE



**Reference Guide For All Your
Heavy Duty Needs!**



Reference Guide For All Your Heavy Duty Needs!

Table Of Content

BATTERY & ELECTRICAL 1 - 39

A. Batteries 1 - 3

- A. Commercial/Fleet Batteries 1
- B. Mixtech Batteries 1
- C. Trojan & Odyssey Batteries 2
- D. Marine Batteries 2
- E. Battery Boxes 3
- F. Specialty Batteries 3

B. Battery Cables & Terminals 4 - 9

- A. Cable Lugs 4
- B. Cable Connectors/Splicers/Adaptors 5
- C. Overmolded Cable Assembly 6
- D. Clamps / Tester Clips 6
- E. Battery Cables 7
- F. Bulk Cable Wire 8 - 9
- G. Terminal Lugs 9 - 10

D. Battery Nut & Bolt 11

F. Battery Terminal Protector 11

G. Terminal Junction Box 11

H. Battery Booster Cables 11 - 12

- A. Booster Cables 11
- B. Service Booster Cables 11
- C. Jumper Cables 12
- D. Medium Booster Cables 12
- E. Commercial Booster Cables 12
- F. Standard Booster Cables 12
- G. Professional Booster Cables 12
- H. Copper Clad Aluminum Cables 12

I. Fuses 13-14

- A. Illuminating Blade Fuses 14
- B. Stud Mount Circuit Breaker 14
- C. Glass Tube Circuit Breakers 14
- D. ATC & Max Blade Fuse Repair Kit 14

BATTERY & ELECTRICAL CONT...

J. Gauges 15 - 22

- A. Mounting Panels 15
- B. Volt Gauge Kit 15
- C. Hourmeter 15
- D. Fuel Level Gauges 15 - 16
- E. Fuel Level Senders 16
- F. Cooling System Sight Gauge 16
- G. Tattletale 16
- H. Water Temperature Gauges 17 - 18
- I. Oil Temperature Gauge 19 - 20
- J. Oil Pressure Tubbing 21
- K. Oil Pressure Adapter Kit 21
- L. Temperature Switchage 21
- M. Ammeter 21
- N. Tachometer 22
- O. Voltmeters 22

K. Switches 23 - 27

- A. Toggle Switch 23, 26
- B. Disconnect Switch 23 - 24
- C. Rotary Switch 24
- D. Axle Switch 24
- E. Push Button Switch 24 - 25
- F. Ignition & Start Switch 25
- G. Battery Disconnect Switch 26
- H. Rocker Switch 27
- I. Switch Boot 27
- J. Pressure Switch 27

L. Socket / Plug 28 - 29

- A. 7 Way Plug 28 - 29
- B. Single Pole Socket/Plug 28
- C. 2 Pole Socket/Plug 28
- D. 6 Way Socket / Plug 28

BATTERY & ELECTRICAL CONT...

M. Solenoids 29 - 30

- A. Push / Pull Solenoid
- B. Continuous Duty Solenoid 30
- C. Intermittent Duty Solenoid 30

N. Alternators / Starters 31 - 32

BODY AND CABIN 33 - 39

A. Crankcase Breather Element 33

B. Ventilation/Defrost Fans 33

C. Door Actuator 33

D. Coolant Reservoir 33

E. Hood Latch 34

F. Trailer Supply Knob 34

G. Cab Roof Marker Light 34

H. Tractor Light 34

I. Headlight Access Cap 35

J. Headlight Filler Panel 35

K. Cam Shaft Sensor 35

L. Air Shift Knob 35

M. Hood Control Cable 35

N. Fuel Injection Pressure Sensor 36

O. Caps 36

- A. Fuel Cap 36
- B. Oil Filler Cap 36 - 91, 92
- C. Fluid Reservoir Caps 36

P. Windshield Wipers & Parts 36 - 39

- A. Windshield Washer Nozzel Kits 36
- B. Window Wiper Arms & Adapter 37
- C. Wiperblades 37-39

Table Of Content

BRAKE & WHEEL END 40 - 57

A. Brake Lining Selection Guide 40-41

B. Brake Drums 42

C. Wheel Hubs 42

D. Air Brake Anti-Freeze 42

E. Brake Shoes & Kits 43

F. Camshafts 43 - 44

A. Camshafts 44

B. Camshaft Bushing 44

C. camshaft Adapter Plate 44

D. Camshaft Seal & Lock Rings 44

E. Camshaft Washers 44

F. Camshaft Kits 44

G. Slack Adjusters 45

A. Automatic Slack Adjusters 45

B. Air Brake Slack Adjusters 45, 124

C. Slack Adjuster Wrenches 45

H. Clevis Assemblies & Pins 45

I. Air Brake Chamber/Diaphragms 46

A. Release Tools 46

J. Hub Caps 47 - 48

A. Hub Cap Window Kits 47

B. Hub Cap Plugs 47

C. Oil Fill Hub Caps 47

D. Hub Cap Gaskets 48

E. Hub Cap Gaskets & Plug 48

K. Wheel End Hardware 48

L. Wheel Nuts & Bolts 49 - 52

A. Disc Wheel Outer & Inner Nuts 49

B. Inner Cap Nut For Steel Wheels 49

C. Metric Flange Nuts 49

D. Metric Wheel Studs 49

F. Headed Disc Wheel Studs 50

G. Budd Unimount Wheel Studs 50

H. Wheel End Single End Studs 50 - 51

I. Wheel End Metric Studs 51

J. Wheel End Wheel Studs 52

K. Wheel End Double End Stud 52

M. Axle Spindle Nut 52

N. Axle Spindle Washer 52

O. Oil Bath Seals 53

P. Bearings 53

Q. Wheel Rim Clamps 53

R. Grit Guard Wheel Seal 54

S. Shaftseals 54

T. Drive Flange Wedge 54

U. Drive Axle Filtered Vent 54

BRAKE & WHEEL END CONT...

V. Pro-Torq Drive Axle Fasteners 55

W. Wheel Seals 55

X. ADB Brake Pads 55

Y. ADB Rotors 55

Z. Air Disc Calipers 56

AA. Performance SD Brake Pads 56

BB. Brake Pads 57

VALVE HOSES & FITTINGS 58 - 76

A. Brass Fittings 59 - 60

B. Air Brake Fittings 60 - 64

A. Unions 61

B. Male Connector 61

C. Branch Tee 61

D. Female Elbow 61

E. 90° Male Elbow 61

F. Bushing 61

G. Female Coupling 61

H. Female Tee 61

I. Shut Off Valves 61

J. 45° Elbow 61

K. Hose Union 62

L. Sleeve 62

M. SAE 45° 62

N. Hose Coupling W/ Spring Guard 62

O. Union Tee 62

P. Hose Coupling Less Spring Guard 62

Q. Male Elbow 62

R. Insert 62

S. Male Connector 62

T. Nuts 62, 64

U. Compression Fitting 62

V. 45° Swivel Male Elbow 62

W. Terminal Bolts 62

X. Pressure/Safety Valve 63

Y. D.O.T. Push Lock Fitting 63

Z. Brass Fitting Assortments 63 - 64

AA. Collette Style Fitting 64

BB. Surelok Quick-Release Pliers 64

C. Air Brake Gladhands & Pogos 65

D. Air Brake Air Hose Repair Kit 65

E. Air Brake Dryer Check Valves 65

F. Air Brake Air Dryer Cartridges 65

G. Air Brake Air Dryers 66

VALVE HOSES & FITTINGS CONT...

H. Air Brake Air Compressors 66

I. Dash Control Module & Valves 67

J. Air Brake Emergency Relay Valves 67

K. Brake Valve (Foot Valve) 68

L. Check Valves 68

M. Compressor Air Cleaner Assembly 68

N. Compressor Air Cleaner Filter 68

O. Control Valve (Flipper Valve) 68

P. Power Brake Boosters 69

Q. Pressure Protection Valves 69

R. Pressure Relief Valves 69

S. Pressure Relief Valves 69

T. Full Function Valves 70

U. Governors 70

V. Height Control Valves 70

W. Hydraulic Booster 70

X. Low Pressure Switches 70

Y. Spring Brake Valves 71

Z. Stop Light Switch 71

AA. Assortment Repair Kits 71

BB. Low Air Switches 71

CC. Quick Release Valves 72

DD. Relay Valves 72

EE. Solenoid Air Valve 72

FF. Push Pull Valves 73 - 74

GG. Drain Valves 73

HH. Purge Valve Kits 73

II. Tractor Protection Valves 74

JJ. Vacuum Booster Check Valve Kit 74

KK. Vacuum Boosters 74

LL. Air Brake Hose Assemblies 75 - 76

MM. Air Brake Tubing 75

NN. Power Cords 76, 125

OO. Cable Support Clamps 76

PP. Air Brake Hoses 76

QQ. Thermo Air Brake Tubing 76

DRIVELINE SUSPENSION 77-81

A. Air Springs 77

B. Alignment Block 77

C. Axle Cap 77

D. Axle Wrap Pad 77

E. Bracket & Hangers 78

F. Bushing 78

Table Of Content

DRIVELINE SUSPENSION CONT...

- G. Suspension Hardware 78**
- H. Brake Spring Kit 78**
- I. Equalizers 78**
- J. Equalizer Shaft, Bolt, Kit 79**
- K. Hardware 79**
- L. King Pin Locks 79**
- M. Suspension Leaf Springs 79**
- N. Leveling Hardware 80**
- O. Leveling Valve, Repair Kit 80**
- P. Shackle Pin 80**
- Q. Torque Arm & Bushing 80**
- R. Trunnion Hubs 80**
- S. U-Bolts 81**
- T. Pads 81**
- U. Wheel End Hardware 81**
- V. U-Joints 81**

ENGINE & COOLING 82 - 87

- A. Clutches 83 - 85**
- B. Flywheels 85**
- C. Clutch Brakes 86, 87**
- D. ACE Alignment Tools 86**
- E. Water Pumps 86**
- F. Idler Pulleys 86**
- G. Cross Shaft Bushing 87**
- H. Block Heaters 87**
- I. Turbochargers 88**
- J. WIX Filters 89-90**
- K. Reach Radiators 90**
- L. Fuel Caps 91**
- M. Oil Filler Caps 92**

EXHAUST 93 - 96

- A. Exhaust Hangers 93**
- B. Exhaust Hanger Rubber 93**
- C. Exhaust Clamps 93-94**
- D. Exhaust Elbows 94**
- E. Gaskets 94**
- F. Exhaust Mufflers 95**
- G. Muffler Putty 95**
- H. Exhaust Adapters 95**
- I. Rain Caps 95**
- J. Exhaust Stacks 96**
- K. Tubing 96**

TEMPERATURE CONTROL 97 - 101

- A. AC Clutches 97**
- B. AC Accumulators 97, 99**
- C. Blowers 97 - 98**
 - A. AC Blowers 97**
 - B. Blower Switch 98**
- D. Evaporator Cores 98**
- E. Expansion Valves 99**
- F. Heater Fittings 100**
- G. Compressors 101**
- H. Orifice Tubes 101**
- I. Resistors 101**

LIGHTING 102 - 110

- A. Bezel 102**
- B. Certificate Holder 102**
- C. Flashers 102**
- D. Clearance Lights 103 - 104**
- E. Incandescent Lights 104 - 105**
- F. LED Lights 106 - 107**
- G. LED Light Plugs & Harness 108**
- H. License Plate Brackets 108**
- I. Mounting Brackets 108**
- J. Universal Antennas 108**
- K. Mirrors 109**
- L. Reflectors 109**
- M. Reflective Tapes & Triange Kit 110, 127**
- N. Replacement Lens 110**
- O. Tractor Lights 110**

TOOLS & ACCESSORIES 111 - 119

- A. Tire Tools**
 - A. Chemicals 111**
 - B. Balancing Compounds 111**
 - C. Repair Tire Inserts 111**
 - D. Air Chucks 112**
 - E. Patches & Patch Inserts 112**
 - F. ATV Repair Kit 112**
 - G. Tire Tool Cabinet 113**
 - H. Tire Balance 113**
 - I. Tractor Core Housing 113**
 - J. Tire Markers 113**
 - K. Valve Cap Adapter 113**
 - L. Tire Valve Grommet 113**
 - M. Tire Tools 113 - 114**
 - N. Demounting Tire Tool 114**

TOOLS & ACCESSORIES CONT...

- O. Tire Valves 115 - 116**
- P. Valve Core Tools 115**
- Q. Valve Cap 115**
- R. Tire Gauges 115**
- B. Shop Air 116 - 117**
- C. Blow Guns 117**
- D. Retractable Cord Reel 118**
- E. Ice Scrapers 118**
- F. Siphon Pumps 118**
- G. Car Wash Tools 118**
- H. Funnels 119**
- I. Gas Can 119**
- J. Tru-Fuel 119**

TRAILOR CARGO & SAFETY 120 - 130

- A. Trailer Accessories 120 - 121**
 - A. Connectors, Adapters, & Wiring Kits 120**
 - B. 7 Way Receptacle 120**
 - C. Break Away Kits 121**
 - D. Break Away Switch Kit 121**
 - E. Trailer Battery 121**
 - F. Brake Controllers 121**
 - G. Cable Support Clamps 121**
- B. Back Up Alarms & Switches 121 - 122**
- C. Horns 122**
- D. Cargo Supplies 123**
- E. Chains, Hooks, & Loadbinders 124**
- F. Gladhand Seal & Bracket Mount 125**
- G. Mud Flaps, Hangers & Fenders 125**
- H. Lighting 126**
- I. Logger Light 127**
- J. Triangle Flare Kit 127**
- K. Slik Disc Retainers 127**
- L. Protective Masks 127**
- M. 5th Wheel Lubricant 127**
- N. Wheel Chock 127**
- O. Level Chain Binder 128**
- P. G70 Chain 128**
- Q. Air Horn Kit & Accessories 128**
- R. Heavy Duty Tarp Motor 128**
- S. Fire Extinguishers & Brackets 129**
- T. Long Nose Pliers 129**
- U. Work Lights 129**
- V. New Pig Oil Mat 130**

HD RESOURCES

FLEETCROSS:

FleetCross is an online interchange program designed specifically for the medium and heavy duty truck world, and is very useful with ag, construction or industrial part numbers. FleetCross enables you to take all, or a portion, of a casting number, manufactures number or competitive number to come up with a bunch of options to help you find the part you need. FleetCross is also adding images to help your find the correct parts. To access FleetCross, click on the FleetCross icon on your point-of-sale screen

WEBSITES:

Automann.com

The Automann website offers a unique way to identify parts and accessories for HD trucks and trailers. Their 'Wizards' allow you to find items via a process of elimination. Contact Karl Beck at APH to get your own login to the Automann website.

BBB-cv.com

This website covers the lookup capability of commerical vehicles air disc brakes, rotating electrical, turbochargers or even cross reference part numbers.

Gates.com

Offers a vin decoder under the 'tools and applications' section that will get you engine make, model, cab size, in addition to a lot of other build specs, along with Gates belt numbers, water pump, thermostat, and radiator hoses part numbers that can be crossed to lines we carry.

Haldex.com

This website shows great images of their products along with informative descriptions and also shows how many they have on hand at the factory.

MonroeHeavyDuty.com

If you have a competitive number, or a manufacturing number off of any shock, this may be the quickest way to find the Monroe replacement number.

Vindecoderz.com

This is a universal VIN decoder. Every car has a unique identifier code called a VIN. This number contains vital information about the car, such as its manufacturer, year of production, the plant it was produced in, type of engine, model and more.

Wilsonautoelectric.com

If you click on their E-catalog, click 'application search' and you can select starters and alternators from year, make, model, and engine model information.

Wixfilters.com

If you go under filter look up, you can select commercial vehicle. Enter in what you are working with and it will give you every filter that is on the vehicle.

GLOSSARY OF HD TERMS

- Bob Tailing - Refers to when a semi is driving without a trailer
- Buttons - Refer to the number of friction material's around the outside of a clutch.
- Caging Bolt - Comes with a park chamber is used to compress the spring to aid in installation. Also used to move a truck without air pressure.
- Crack Pressure - Used with air valves, the pressure at which the valve energizes.
- Full Round - Bearing plate style u-joint with four bolted plates.
- Glad Hand - This is the coupler that connects the truck to the trailer to supply air.
- Glad Hand Seal - Sealing rubber that prevents air leaks. (high failure rate)
- Half-Round - Bearing plate style u-joint with only two bolted plates.
- Handed - Slack adjusters that are designed that only fit one side of the truck (right or left).
- Indexing - Calibrating a slack adjuster to ensure proper operation.
- Julian Code - Style of dating that uses year and day number. (Example. 97010, Model year 97 day 010 (January 10th)
- Pancake - Diaphragm inside a brake chamber.
- PC number - Piece number associated with air compressors.
- Pogo stick - Used to support air, electrical, and hydraulic lines between a truck and trailer.
- Puck - Same as a button, refers to number of friction material around a clutch.
- Stab Kit - Clutch installation kit.
- Wing series - Style of HD u-joint.

CLASS THREE 10,001 - 14,000 lbs.



CLASS FOUR 14,001 - 19,000 lbs.



CLASS FIVE 19,001 - 26,000 lbs.



CLASS SIX 26,001 - 33,000 lbs.



CLASS SEVEN 33,001 - 44,000 lbs.



CLASS EIGHT 44,000 lbs. & Over



HEAVY DUTY BATTERIES



Tech: 1-800-442-0081

COMMERCIAL / FLEET BATTERIES

www.continentalbattery.com

Continental Battery has the best power solutions for all fleet sizes. With heavy-duty power and a distribution network that won't quit growing, we will keep your fleet moving from coast to coast.



BCI	Part #	Cranking Amps (CA) @32°F	Cranking Amps (CCA) @0°F	Reserve Capacity @80°F	Volt	Dimensions LxWxH
1	1	750	625	160	6V	9.13 X 7.13 X 9.38
1-8V	1-8V	430	360	110	8V	10.38 X 7.19 X 10.63
2	2	760	610	150	6V	10.38 X 7.13 X 9.38
3EE	3EE	440	370	100	12V	19.31 X 4.38 X 8.88
3EH	3EH	1020	850	280	6V	19.31 X 4.38 X 9.81
3ET	3ET	575	460	120	12V	19.31 X 4.38 X 9.81
4D	4D	1200	1000	295	12V	20.75 X 11.13 X 9.81
4DLT	4D-LT	1050	820	250	12V	19.31 X 4.38 X 8.88
8D	8D	1440	1155	380	12V	20.75 X 11.13 X 9.81
8D-7	8D-7	1560	1300	450	12V	20.75 X 11.13 X 9.81
30H(29H)	30H	825	670	160	12V	13.50 X 6.81 X 9.25
31	HD31A	930	750	180	12V	13 X 6.81 X 9.44
31	HD31C	930	750	180	12V	13 X 6.81 X 9.44
31	XHD31A	1185	950	195	12V	13 X 6.81 X 9.44
31	XHD31C	1185	950	195	12V	13 X 6.81 X 9.44

Discover
MIXTECH

www.continentalbattery.com

Tech: 1-800-442-0081

MIXTECH BATTERIES



Mixtech technology prevents acid build-up from killing your batteries and can greatly extend their life.

BCI	Part #	Cranking Amps (CA) @32°F	Cranking Amps (CCA) @0°F	Reserve Capacity @80°F	Post Type	Volt	Dimensions LxWxH
4D	EFB4D	1800	1400	435	SAE	12V	20.7 X 8.6 X 9.8
8D	EFB8D	1900	1500	225	SAE	12V	20.7 X 11.1 X 9.8
31	MX31A		950	200	SAE	12V	13 X 6.80 X 9.40
31	MX31C		950	200	SAE	12V	13 X 6.80 X 9.40
48	MX48		770	130	SAE	12V	10.88 X 6.88 X 7.50
65	MX65-850		840	135	SAE	12V	11.70 X 7.50 X 7.60
94R	MX94R		800	135	SAE	12V	12.44 X 5.94 X 7.50

HEAVY DUTY BATTERIES

MARINE BATTERIES



www.continentalbattery.com
Tech: 1-800-442-0081

BCI	Part #	Cranking Amps (CA) @32°F	Cranking Amps (CCA) @0°F	Reserve Capacity @80°F	Post Type	Volt	Dimensions LxWxH
24	M24-1000	1000	800	135	MARINE	12V	10.25 X 6.81 X 8.88
24	M24-60	625	500	95	MARINE	12V	11.13 X 6.81 X 10
27	M27-1000	1000	800	180	MARINE	12V	12.06 X 6.81 X 8.88
24	TM24	625	550	140	MARINE	12V	11.13 X 6.81 X 10
27	TM27	730	600	160	MARINE	12V	13 X 6.81 X 10
27	TM27-165	675	675	180	MARINE	12V	12.06 X 6.81 X 8.88
29	TM29	875	675	210	MARINE	12V	13.13 X 6.69 X 9.13

TROJAN BATTERIES



www.continentalbattery.com
Tech: 1-800-442-0081

BCI	Part #	Cranking Amps (CA) @32°F	Cranking Amps (CCA) @0°F	Reserve Capacity @80°F	Volt	Post Type	Dimensions LxWxH
31	31AGM	720	600	100	12v	DT, M6/M8	12.80 X 6.81 X 9.37
GC2	T105			225	6v	ELPT, EHPT, EAP EUT, LT	10.30 X 7.11 X 11.07
GC8	T875				8v	AP, M6/M8	10.27 X 7.10 X 11.14

ODYSSEY BATTERIES



www.continentalbattery.com
Tech: 1-800-442-0081

BCI	Part #	Cranking Amps (CA) @32°F	Cranking Amps (CCA) @0°F	Reserve Capacity @80°F	Volt	Post Type	Dimensions LxWxH
31	31-PC2150S-H	2150	1150	205	12V	SAE	13 X 6.85 X 9.41
65	65-PC1750-H	1750	950	145	12V	SAE	11.83 X 7.20 X 7.50
27	SCS200	760	620	200	12V	DEEP CYCLE	12.75 X 6.75 X 9.75
30H	SCS225	820	665	225	12V	DEEP CYCLE	13.9 x 6.75 x 9.88

Battery & Electrical

Body & Cabin

Brake & Wheel End

Valve Hoses & Fittings

Driveline Suspension

Engine & Cooling

Exhaust

Temperature Control

Lighting

Tools & Accessories

Trailer, Cargo & Safety

BATTERY BOXS

BATTERY BOXS

- Polypropylene boxes protect battery in marine and commercial applications
- Vented for safety
- Includes all hardware for installation
- Snap lid for secure fit



www.eastpenmanufacturing.com

Tech: 1-610-682-6361



Part #	Group Size	Outside Dimensions L X W X H	Inside Dimensions L X W X H
03009	MARINE 24	14-5/16" x 9-3/4" x 10-3/4"	10-5/8" x 7-3/16" x 9-3/4"
03189	MARINE 27/31	17" x 9-3/4" x 11"	13-1/2" x 7-1/8" x 10"

SPECIALTY BATTERIES

www.continentalbattery.com

YELLOWTOP OPTIMA BATTERY

Optima YellowTop Deep Cycle & Starting Battery for extreme conditions where the battery performs deep cycle & starting jobs! Spill-proof AGM design can be mounted in most positions, is more vibration resistant & recharges faster than a standard battery.



Tech: 1-800-442-0081



BCI	Part #	Cranking Amps (CA) @32°F	Cranking Amps (CCA) @0°F	Reserve Capacity @80°F	Post Type	Volt	Dimensions LxWxH
34	OPT-D34/78YT	870	750	120	DUAL SAE/GM	12V	10"X 6 7/8"X 7 13/16"

REDTOP OPTIMA BATTERY

Optima RedTop Batteries are built to withstand the abuse these vehicles experience on and off-road. Spiral Technology® immobilizes the internal components of the battery, enabling Optima batteries to withstand incredible amounts of vibration.



BCI	Part #	Cranking Amps (CA) @32°F	Cranking Amps (CCA) @0°F	Reserve Capacity @80°F	Post Type	Volt	Dimensions LxWxH
34	OPT34/78RT	1000	800	100	DUAL SAE/GM	12V	10"X 6 7/8"X 7 13/16"
75	OPT75-25RT	910	720	90	DUAL SAE/GM	12v	9.38"X 6.81"X 7.75"

BLUETOP OPTIMA BATTERY

Patented Spiral Technology® means more running time, faster recharge and up to twice the life of traditional marine and RV batteries. Plus, it's spill-proof, can be stored longer and has 15 times the vibration resistance, not to mention superior heat resistance. Optima BlueTop Deep Cycle batteries provide the cycling ability while maintaining the cranking ability.



BCI	Part #	Cranking Amps (CA) @32°F	Cranking Amps (CCA) @0°F	Reserve Capacity @80°F	Post Type	Volt	Dimensions LxWxH
34	OPT34M-BT	870	750	120	DUAL SAE	12V	10"X 6 7/8"X 7 13/16"

BATTERY CABLES & TERMINALS



www.forneyind.com
Tech: 1-800-521-6038



www.4s.com/en/ecatalog
Tech: 1-804-862-1500

CABLE LUGS



- Stud premium copper cable lug
- Easily crimped or swaged
- Made from electrolytic copper
- Rated for 100-Percent conductivity

Part #	Description
57645	FOR 8 CABLE W/ #10 STUD
57646	FOR 6 CABLE W/ 1/4" STUD
57647	FOR 4 CABLE W/ 5/16" STUD
57648	FOR 4 CABLE W/ 3/8" STUD
57649	FOR 2 CABLE W 5/16" STUD
57650	FOR 1 CABLE W/ 3/8" STUD
57651	FOR 1/0 CABLE W/ 3/8" STUD
57652	FOR 1/0 CABLE W/ 1/2" STUD
57653	FOR 2/0 CABLE W/ 3/8" STUD
57654	FOR 2/0 CABLE W/ 1/2" STUD
57655	FOR 3/0 CABLE W/ 1/2" STUD
57656	FOR 4/0 CABLE W/ 5/16" STUD
60090	FOR 8 CABLE W/ #10 STUD
60091	FOR 6 CABLE W/ 1/4" STUD
60092	FOR 4 CABLE W/ 3/8" STUD
60093	FOR 4 CABLE W/ 1/2" STUD
60094	FOR 2 CABLE W/ 5/16" STUD
60095	FOR 1 CABLE W/ 3/8" STUD
60096	FOR 1/0 CABLE W/ 3/8" STUD
60097	FOR 1/0 CABLE W/ 1/2" STUD
60098	FOR 2/0 CABLE W/ 3/8" STUD
60099	FOR 2/0 CABLE W/ 1/2" STUD
60100	FOR 3/0 CABLE W/ 1/2" STUD
60101	FOR 4/0 CABLE W/ 1/2" STUD
60102	FOR 8 CABLE W/ 3/8" STUD
60103	FOR 6 CABLE W/ 3/8" STUD
60104	FOR 4 CABLE W/ 1/2" STUD
60105	FOR 2 CABLE W/ 3/8" STUD

CABLE LUGS



- One piece seamless construction. Copper provides maximum conductivity. Repair corroded battery cable ends or make new battery cables using available components.

Part #	Description
BP300	FOR 8 CABLE W/ #10 STUD
BP301	FOR 8 CABLE W/ 1/4" STUD
BP302	FOR 6 CABLE W/ 5/16" STUD
BP303	FOR 6 CABLE W/ 3/8" STUD
BP304	FOR 8 CABLE W/ 3/8" STUD
BP307	FOR 4 CABLE W/ 3/8" STUD
BP308	FOR 4 CABLE W/ 1/2" STUD
BP311	FOR 2 CABLE W/ 1/2" STUD
BP314	FOR 1 CABLE W/ 1/2" STUD
BP316	FOR 1/0 CABLE W/ 3/8" STUD
BP319	FOR 2/0 CABLE W/ 3/8" STUD
BP320	FOR 2/0 CABLE W/ 1/2" STUD
BP322	FOR 3/0 CABLE W/ 3/8" STUD
BP323	FOR 3/0 CABLE W/ 1/2" STUD
BP326	FOR 4/0 CABLE W/ 1/2" STUD
BP327	FOR 1/0 CABLE W/ 1/2" STUD
BP328	FOR 4/0 CABLE W/ 3/8" STUD
BP329	FOR 2 CABLE W/ 3/8" STUD
BP330	FOR 1 CABLE W/ 3/8" STUD
BP331	FOR 6 CABLE W/ 1/4" STUD
BP332	FOR 4 CABLE W/ 5/16" STUD
BP342	FOR 4 CABLE W/ 1/4" STUD

Battery & Electrical

Body & Cabin

Brake & Wheel End

Valve Hoses & Fittings

Driveline Suspension

Engine & Cooling

Exhaust

Temperature Control

Lighting

Tools & Accessories

Trailer, Cargo & Safety

BATTERY CABLES & TERMINALS



www.forneyind.com
Tech: 1-800-521-6038

www.eastpennmanufacturing.com
Tech: 1-610-682-6361

CABLE CONNECTOR, CAMLOCK TYPE



- Camlock type connector for No.1-No.4 welding cable
- Cam like connector
- Heavy duty type cable connector

Part #	Description
57710	CAM LOCK TYPE CONNECTOR
57715	CAM LOCK TYPE CONNECTOR

CABLE SPLICER



- Cable splicer for permanently splicing damaged or broken cables
- Adding additional cable length to existing welding cable leads
- Used on #2 through #6 welding cable

Part #	Description
57705	CABLE SPLICER

BUTT CONNECTORS



- Premium all copper butt connectors for #8 cable
- Carefully manufactured for sound, solid connections
- Easily crimped or swaged
- Made from electrolytic copper, zinc plated

Part #	Description
60108	BUTT CONNECTOR FOR 8/0 CABLE
60110	BUTT CONNECTOR FOR 4/0 CABLE
60111	BUTT CONNECTOR FOR 2/0 CABLE

CONVERSION POST



- Universal HD Commercial; Top Post; Fits 2 To 4/0 Gauge Cable; Bare; Natural; Lead;

Part #	Description
00366	HD TOP POST BATTERY TERMINAL
00370	HD TOP POST BATTERY TERMINAL (10 PACK)

REPAIR SPLICE



- For fast convenient replacement of hard to reach cables
- Replaces corroded portion, not the entire cable
- Ideal for automotive, truck, and farm applications

Part #	Description
08864	QUICK CONNECT BATTERY HARNESS REPAIR SPLICE, BLACK



www.4s.com/en/ecatalog
Tech: 1-804-862-1500

BATTERY TERMINAL ADAPTER



- Side terminal extension bolt, brass.
- Modifies battery connection to various cable styles and batteries.

PART #	DESCRIPTION
BP193	STANDARD IGNITION BATTERY TERMINAL ADAPTER

GAUGE BATTERY CABLE

- Universal battery cable
- Synthetic rubber jacket

PART #	DESCRIPTION
A9-00K	STANDARD IGNITION 2/0 GAUGE BATTERY CABLE

BATTERY CABLES & TERMINALS

OVERMOLDED CABLE ASSEMBLY

- Made with 2/0 PVC starter cable
- Attached protective caps to seal connection
- Fits up to 3/8" stud

www.eastpennmanufacturing.com

Tech: 1- 610- 682-6361



Part

Description

04362	MULTI-BATTERY OVERMOLED CABLE 2 BATTERY RED 7"
04363	MULTI-BATTERY OVERMOLED CABLE 2 BATTERY BLACK 7"
04364	MULTI-BATTERY OVERMOLED CABLE 3 BATTERY RED 14"
04365	MULTI-BATTERY OVERMOLED CABLE 3 BATTERY BLACK 14"



www.eastpennmanufacturing.com

Tech: 1- 610- 682-6361

BOOSTER CABLE CLAMPS

Booster cable clamps are designed to grip securely to side terminal, post terminal batteries, and remote battery access terminals for maximum current carrying capacity



Part

Description

00182	500E PVC COATED STEEL HD 4,6, 8GA CLAMP
-------	---



www.4s.com/en/ecatalog

Tech: 1-804-862-1500

BATTERY TEST CLIP

- 5 amp nickel plated alligator design. spring loaded, serrated jaws make tight, reliable connection. Makes quick, temporary connection for testing and troubleshooting.




PART

DESCRIPTION

BP60	5AMP BATTERY TEST CLIP
------	------------------------

BATTERY TEST CLIP

- 75 amp Plated steel design. spring loaded, serrated jaws make tight, reliable connection. Makes quick, temporary connection for testing and troubleshooting.



PART

DESCRIPTION

BP65	75AMP BATTERY TEST CLIP
BP69	50AMP BATTERY TEST CLIP



www.forneyind.com

Tech: 1-800-521-6038

BATTERY CHARGER CLAMPS



Part

Description

54722	500 AMP CLAMPS #2 GAUGE CABLE
54727	50 AMP COPPER PLATED CLAMPS
54732	75 AMP COPPER PLATED CLAMPS
60348	25 AMP RED BLACK CLIP + INSULATOR

BOOSTER CABLE CLAMPS

- 500 amp heavy duty insulated battery charger clamps with parrot style copper plated jaws
- Includes positive and negative clamps
- Accepts up to #2 gauge cable



Part

Description

54705	500AMP HD BATTERY CHARGER CLAMPS
-------	----------------------------------

Battery & Electrical

Body & Cabin

Brake & Wheel End

Valve Hoses & Fittings

Driveline Suspension

Engine & Cooling

Exhaust

Temperature Control

Lighting

Tools & Accessories

Trailer, Cargo & Safety

BATTERY CABLES

BATTERY CABLES

www.4s.com/en/ecatalog
Tech: 1-804-862-1500



- Premium quality custom cables. Durable synthetic rubber jacket. Won't burn or melt in contact with hot engine parts.

PART #	GAUGE	MATERIAL	LENGTH	CABLE CONFIGURATION	LUG HOLE DIA.
A12-1	1	DIE CAST LEAD TERMINAL	6"	TOP MOUNT	V0.44"
A12-1H	1	DIE CAST LEAD TERMINAL	12"	DUAL JUMPER CABLE	0.44"
A14-4L	4	SYN RUBBER JACKET	14"	SWITCH TO STARTER	0.41"
A14-6L	6	SYN RUBBER JACKET	12"	SWITCH TO STARTER	0.44"
A15-1L	1	SYN RUBBER JACKET	15"	SWITCH TO STARTER	0.44"
A16-1	1	DIE CAST LEAD TERMINAL	16"	TOP MOUNT	0.44"
A16-4	4	DIE CAST LEAD TERMINAL	16"	TOP MOUNT	0.44"
A19-1	1	DIE CAST LEAD TERMINAL	20"	TOP MOUNT	0.44"
A19-4L	4	SYN RUBBER JACKET	19"	SWITCH TO STARTER	0.44"
A22-4	4	DIE CAST LEAD TERMINAL	22"	TOP MOUNT	0.44"
A23-1	1	DIE CAST LEAD TERMINAL	23"	TOP MOUNT	0.44"
A24-4L	4	SYN RUBBER JACKET	24"	SWITCH TO STARTER	0.38"
A30-1	1	DIE CAST LEAD TERMINAL	30"	TOP MOUNT	0.44"
A30-4	4	DIE CAST LEAD TERMINAL	30"	TOP MOUNT	0.44"
A30-4L	4	SYN RUBBER JACKET	30"	SWITCH TO STARTER	0.44"
A32-1L	1	SYN RUBBER JACKET	32"	SWITCH TO STARTER	0.44"
A36-2	2	DIE CAST LEAD TERMINAL	36"	TOP MOUNT	0.44"
A36-4	4	DIE CAST LEAD TERMINAL	36"	TOP MOUNT	0.44"
A40-4L	4	SYN RUBBER JACKET	40"	SWITCH TO STARTER	0.44"
A42-1	1	DIE CAST LEAD TERMINAL	42"	TOP MOUNT	0.44"
A53-1	1	DIE CAST LEAD TERMINAL	53"	TOP MOUNT	0.44"
A65-1	1	DIE CAST LEAD TERMINAL	65"	TOP MOUNT	0.44"

FLEET BATTERY CABLES



- 1/2" stud hole size
- Made with PVC starter cable

Part #	Description
04321	FLEET BATTERY CABLES 2/0 GAUGE BLACK 12"
04322	FLEET BATTERY CABLES 2/0 GAUGE BLACK 24"
04323	FLEET BATTERY CABLES 2/0 GAUGE BLACK 36"

BOOSTER CABLE CLAMPS

- 400 amp heavy duty insulated battery charger clamps with parrot style plated jaws



Part #	Description
BP98R	400AMP HD BATTERY CHARGER CLAMP RED
BP98B	400 AMP HD BATTERY CHARGER CLAMP BLACK

BATTERY CABLES & TERMINALS



www.eastpenmanufacturing.com

Tech: 1- 610- 682-6361

STARTER CABLE WIRE

Full-gauge copper conductor wire ideal for connecting a battery to switch, starter, and ground. Tough, high temperature resistant PVC insulation is durable enough to handle heavy-duty automotive demands. Copper stranding is highly conductive maximizing current transfer while remaining flexible for easy installation.

PART #	DESCRIPTION
4601	STARTER CABLE WIRE 6G BLACK 25'
4606	STARTER CABLE WIRE 4G BLACK 25'
4609	STARTER CABLE WIRE 4G BLACK 100'
4613	STARTER CABLE WIRE 2G BLACK 25'
4619	STARTER CABLE WIRE 1G BLACK 25'
4631	STARTER CABLE WIRE 2/0G BLACK 25'



BULK BATTERY CABLE



www.4s.com/en/ecatalog

Tech: 1-804-862-1500

Bulk Battery Cable. Heavy Duty type SGR cable. Custom make cables using available terminals, adapters and accessories. Maintains flexibility at extreme temperatures.

PART #	GAUGE	CONDUCTOR	LENGTH	COLOR
CS0000V	4/0	COPPER	25'	BLACK
CS0000RV	4/0	COPPER	25'	RED
CS000L	3/0	COPPER	50'	BLACK
CS000V	3/0	COPPER	25'	BLACK
CS00C	2/0	COPPER	100'	BLACK
CS00L	2/0	COPPER	50'	BLACK
CS00RV	2/0	COPPER	25'	RED
CS00V	2/0	COPPER	25'	BLACK
CS0L	1/0	COPPER	50'	BLACK
CS0RC	1/0	COPPER	100'	RED
CS0RV	1/0	COPPER	25'	RED
CS0V	1/0	COPPER	25'	BLACK
CS1L	1	COPPER	50'	BLACK
CS1RV	1	COPPER	25'	RED
CS1V	1	COPPER	25'	BLACK
CS2C	2	COPPER	100'	BLACK
CS2L	2	COPPER	50'	BLACK
CS2RC	2	COPPER	100'	RED

Battery & Electrical

Body & Cabin

Brake & Wheel End

Valve Hoses & Fittings

Driveline Suspension

Engine & Cooling

Exhaust

Temperature Control

Lighting

Tools & Accessories

Trailer, Cargo & Safety

BATTERY CABLE

BULK BATTERY CABLES



www.4s.com/en/ecatalog
Tech: 1-804-862-1500



- Bulk battery cable
- Heavy duty type SGR cable.
- Custom make using available terminals, adapters & accessories
- Maintains flexibility at extreme temperatures.

PART #	GAUGE	MATERIAL	LENGTH
CS2V	2	COPPER	25"
CS2RV	2	COPPER	25"
CS4C	4	COPPER	100"
CS4L	4	COPPER	25"
CS4V	4	COPPER	25"
CS4RC	4	COPPER	100"
CS4RV	4	COPPER	25"
CS6RV	6	COPPER	25"
CS6V	6	COPPER	25"

BATTERY TERMINAL LUGS



PART #	GAUGE	MATERIAL	COLOR/FINISH	DETAIL	DIRECTION
BP19C	6-1	BRASS, NICKLE PLATED		SOLDERLESS	STRAIGHT
BP19U	6-1	BRASS, NICKLE PLATED		SOLDERLESS	STRAIGHT
BP20U	1/0-2/0	LEAD PLATED BRASS		CRIMP	STRAIGHT
BP107	3/0	LEAD PLATED COPPER POSITIVE	PURPLE	CRIMP	STRAIGHT
BP108	3/0	LEAD PLATED COPPER NEGATIVE	PURPLE	CRIMP	STRAIGHT
BP109	4/0	LEAD PLATED COPPER POSITIVE	YELLOW	CRIMP	STRAIGHT
BP110	4/0	LEAD PLATED COPPER NEGATIVE	YELLOW	CRIMP	STRAIGHT
BP115	2/0	LEAD PLATED COPPER POSITIVE	ORANGE	CRIMP	RIGHT ELBOW
BP116	2/0	LEAD PLATED COPPER NEGATIVE	ORANGE	CRIMP	RIGHT ELBOW
BP125	2/0	LEAD PLATED COPPER POSITIVE	ORANGE	CRIMP	LEFT ELBOW
BP126	2/0	LEAD PLATED COPPER NEGATIVE	ORANGE	CRIMP	LEFT ELBOW
BP135	2/0	LEAD PLATED COPPER POSITIVE	ORANGE	CRIMP	FLAG STYLE
BP136	2/0	LEAD PLATED COPPER NEGATIVE	ORANGE	CRIMP	FLAG STYLE
BP137	3/0	LEAD PLATED COPPER POSITIVE	PURPLE	CRIMP	FLAG STYLE
BP203	1/0	COPPER	BLACK	COMPRESSION	STRAIGHT
BP205	2/0	COPPER	ORANGE	COMPRESSION	STRAIGHT

BATTERY TERMINAL LUGS

BATTERY TERMINAL LUGS



PART #	GAUGE	MATERIAL	TERMINOLOGY
BP22	5/16" WING NUT	DIE CAST LEAD	BATTERY TERMINAL
BP22C	5/16" WING NUT	DIE CAST LEAD	MARINE BATTERY TERMINAL
BP22N	5/16" WING NUT	DIE CAST LEAD	MARINE BATTERY TERMINAL
BP22P	3/8" WING NUT	DIE CAST LEAD	MARINE BATTERY TERMINAL
BP22U	5/16" WING NUT	DIE CAST LEAD	MARINE BATTERY TERMINAL
BP23C	4	DIE CAST LEAD	BATTERY TERMINAL
BP23U	4	DIE CAST LEAD	BATTERY TERMINAL
BP24		DIE CAST LEAD	BATTERY TERMINAL ADAPTER MILITARY TYPE
BP28	2-1/0	DIE CAST LEAD - POS/NEG	BATTERY TERMINAL TOP MOUNT 3WAY
BP36N		DIE CAST LEAD - NEG	BATTERY TERMINAL ADAPTER MILITARY TYPE
BP36P		DIE CAST LEAD - POS	BATTERY TERMINAL ADAPTER MILITARY TYPE
BP81C	6-1/0	NICKEL PLATED LEAD	EMERGENCY BATTERY CABLE SIDE TERMINAL
BP90	4	LEAD PLATED COPPER	HD BATTERY TERMINAL STRAIGHT
BP91	2-1	LEAD PLATED COPPER - POS	HD BATTERY TERMINAL PINK STRAIGHT
BP92	2-1	LEAD PLATED COPPER - NEG	HD BATTERY TERMINAL PINK STRAIGHT
BP93	1/0	LEAD PLATED COPPER - POS	HD BATTERY TERMINAL BLACK STRAIGHT
BP94	1/0	LEAD PLATED COPPER - NEG	HD BATTERY TERMINAL BLACK STRAIGHT
BP95	2/0	LEAD PLATED COPPER - POS	HD BATTERY TERMINAL ORANGE STRAIGHT
BP96	2/0	LEAD PLATED COPPER - NEG	HD BATTERY TERMINAL ORANGE STRAIGHT
BP97	2/0-3/0	NICKEL PLATED LEAD	HD BATTERY CABLE TERMINAL UNIVERSAL
BP97C	2/0-3/0	NICKEL PLATED LEAD	HD BATTERY CABLE TERMINAL UNIVERSAL
BP97U	2/0-3/0	NICKEL PLATED LEAD	HD BATTERY CABLE TERMINAL UNIVERSAL
BP224	6-4	STEEL	BATTERY TERMINAL CRIMP
BP226	4&6	STEEL	BATTERY TERMINAL CRIMP
BP318	2/0	COPPER	5/16" STUD

BATTERY POST SHIM



- Pre-formed soft lead. Replaces worn or corroded battery bolts, nuts, or accessories on existing batteries and battery cables. Improves the connection between battery and cable for maximum conductivity.

BATTERY POST CLEANER



- Battery Post and Terminal Cleaner Brush

PART #	DESCRIPTION
BP56	BATTERY POST SHIM

PART #	DESCRIPTION
BP72C	BATTERY POST CLEANER

Battery & Electrical

Body & Cabin

Brake & Wheel End

Valve Hoses & Fittings

Driveline Suspension

Engine & Cooling

Exhaust

Temperature Control

Lighting

Tools & Accessories

Trailer, Cargo & Safety

BATTERY NUT & BOLT

BATTERY NUT & BOLT



- Aimed to ensure your vehicle will start first time back again
- Made to stringent OE standards for quality and safety

PART # DESCRIPTION

BP40	BATTERY NUT AND BOLT 5/16" X 1 7/16" BAT-
BP46	TERY NUT AND BOLT 1/4" X 1 3/8"



www.4s.com/en/ecatalog
Tech: 1-804-862-1500

BATTERY CABLE HOLD-DOWN NUT

- These hold-down nuts are made from stainless steel, resulting in anti-rust properties other fasteners don't offer.



PART # DESCRIPTION

BP99	BATTERY NUT AND BOLT 1/4" X 1 3/8"
------	------------------------------------

BATTERY TERMINAL PROTECTOR

BATTERY TERMIAL PROTECTORS

- Lubricated felt gasket material. Installs between the battery and the terminal to stop corrosion. Prevents corrosive build up that can interfere with connection.



www.4s.com/en/ecatalog
Tech: 1-804-862-1500

PART # MATERIAL COLOR

BPP74	LUBRICATED FELT	BLACK
-------	-----------------	-------

TERMINAL JUNCTION BOX

7 TERMINAL STYLE JUNCTION BOX

- Protect, connect, and organize your wire connections with these high-quality Standard Motor junction blocks.



PART # DESCRIPTION

JB7	7 TERMINAL STYLE JUNCTION BOX
-----	-------------------------------

BATTERY BOOSTER CABLES



www.eastpenmanufacturing.com
Tech: 1- 610- 682-6361

COOPER CLAD ALUMINUM BOOSTER CABLES

- Tough PVC insulation, color-coded tangle-free dual cable construction.



PART # GAUGE LENGTH CLAMP

04852	10	12'	200C
-------	----	-----	------

PROFESSIONAL SERVICE BOOSTER CABLES



- Cables are made of 1/0 gauge 100% copper conductors. Made with welding cable. High stranding and EPR jacket allow for greater cold weather flexibility. Excellent abrasion resistance.

PART # GAUGE LENGTH CLAMP

04424	1/0	20'	600E
-------	-----	-----	------

BATTERY BOOSTER CABLES

www.eastpennmanufacturing.com

Tech: 1- 610- 682-6361



www.forneyind.com

Tech: 1-800-521-6038



BATTERY JUMPER CABLES

- Heavy duty battery jumper cables
- Made with premium copper welding cable
- Super heavy duty 500 amp clamps used on both ends of cable

PART #	DESCRIPTION
--------	-------------

52871	#4 TWINI CABLE - 16'
-------	----------------------

52870	#4 TWIN CABLE - 12'
-------	---------------------

MEDIUM SERVICE BOOSTER CABLES

- Cables are made of 8 gauge 100% copper conductors. Tough PVC insulation, color-coded tangle-free dual cable construction.

PART #	GAUGE	LENGTH	CLAMP
--------	-------	--------	-------

00168	8	12'	200C
-------	---	-----	------



STANDARD SERVICE BOOSTER CABLES

- Cables are made of 10 gauge 100% copper conductors. Tough PVC insulation with tangle-free dual cable and color-coded clamps.

PART #	GAUGE	LENGTH	CLAMP
--------	-------	--------	-------

00153	10	12'	200C
-------	----	-----	------

COMMERCIAL SERVICE BOOSTER CABLES

- Cables are made of 4 gauge 100% copper conductors. Tough PVC insulation, color-coded dual cable construction.

PART #	GAUGE	LENGTH	CLAMP
--------	-------	--------	-------

00159	4	20'	500G
-------	---	-----	------

00170	4	16'	500G
-------	---	-----	------

COOPER CLAD ALUMINUM BOOSTER CABLES



PROFESSIONAL SERVICE BOOSTER CABLES

- Cables are made of 2 gauge 100% copper conductors. Thermoplastic Elastomer (TPE) cable insulation protects against oil, grease, and abrasion. Color-coded, tangle-free dual cable construction, specifically designed for maximum flexibility and easy handling.



- Tough PVC insulation, color-coded tangle-free dual cable construction.

PART #	GAUGE	LENGTH	CLAMP
--------	-------	--------	-------

04848	2	20'	600P
-------	---	-----	------

04955	4	20'	400B
-------	---	-----	------

04850	6	16'	400B
-------	---	-----	------

04851	8	12'	400B
-------	---	-----	------

PART #	GAUGE	LENGTH	CLAMP
--------	-------	--------	-------

00161	2	24'	600P
-------	---	-----	------

Battery & Electrical

Body & Cabin

Brake & Wheel End

Valve Hoses & Fittings

Driveline Suspension

Engine & Cooling

Exhaust




Temperature Control

Lighting

Tools & Accessories

Trailer, Cargo & Safety

FUSE SELECTION MADE EASY

ATR	ATMI	ATC	MAX	FMIM	FLS	FMX	FLF	FLN	FLM	FLB	FLD	AMG	AMI
2-Leg Micro Blade Fuse	Mini Blade Fuse	Blade Fuse	Maxi Blade Fuse	Micro Female Maxi Fuse	Mini Female Fuse	Female Maxi Fuse	Female Fuse	Female Fuse with Tab	Male Fuse	Bolt-Mount Fuse	Bolt-Mount Fuse	Stud-Mount Fuse	Stud-Mount Fuse
 Amp Color 5 Tan 7 1/2 Brown 10 Red 15 Blue 20 Yellow 25 Clear 30 Green	 Amp Color 2 Gray 3 Violet* 4 Pink 5 Tan* 7 1/2 Brown* 10 Red* 15 Blue* 20 Yellow* 25 Clear* 30 Green*	 Amp Color 1 Black 2 Gray 3 Violet* 4 Pink 5 Tan* 7 1/2 Brown* 10 Red* 15 Blue* 20 Yellow* 25 Clear* 30 Green* 35 Bl-Gr* 40 Orange*	 Amp Color 20 Yellow* 25 Green* 30 Brown* 40 Orange* 50 Red* 60 Blue* 70 Tan* 80 Clear* 100 Violet*	 Amp Color 15 Gray 20 Blue 25 White 30 Pink 40 Green	 Amp Color 30 Pink 40 Green	 Amp Color 20 Blue* 25 White* 30 Pink* 40 Green* 50 Red* 60 Yellow*	 Amp Color 20 Lt-Blue 30 Pink 40 Green 50 Red 60 Yellow	 Amp Color 25 Brown 30 Green	 Amp Color 30 Pink 60 Yellow* 80 Black 100 Blue 120 Gray	 Amp Color 30 Pink 40 Green 50 Red 60 Yellow 70 Black 80 Blue 100 Gray 140 Maroon	 Amp Color 30 Pink 40 Green 50 Red 80 Black 100 Blue 120 Gray 140 Maroon	 Amp 80 100 125 150 175 200 225 280 300 500	 Amp 30 40 50 60 70 80
 3-Leg Micro Blade Fuse Amp Color 5 Tan 7 1/2 Brown 10 Red 15 Blue	 Low-Profile Mini Blade Fuse Amp Color 2 Gray 3 Violet 4 Pink 5 Tan 7 1/2 Brown 10 Red 15 Blue 20 Yellow 25 Clear 30 Green												
		 ATL 3-Leg Micro Blade Fuse Amp Color 5 Tan 7 1/2 Brown 10 Red 15 Blue	 ATM-LP Low-Profile Mini Blade Fuse Amp Color 2 Gray 3 Violet 4 Pink 5 Tan 7 1/2 Brown 10 Red 15 Blue 20 Yellow 25 Clear 30 Green										
						 FMX-LP Low-Profile Female Maxi Fuse Amp Color 20 Blue 25 White 30 Pink 40 Green 50 Red 60 Yellow							

Fuses to actual size.
Look for this color code on the package.

*Available in easyID™
**Only available in easyID™

SFE	AGA	AGW	AGX	AGC	GBB	ABC
 Amp 4 6 7 1/2 9 14 20 30	 Amp 1/4, 1, 1 1/4 2, 2 1/2, 3 5, 6, 7 1/2 8, 10, 15 20, 30	 Amp 1, 1 1/2, 2 1/2, 3 4, 5, 6, 7 1/2 10, 15, 20 25, 30	 Amp 1, 2, 2 1/2, 3 5, 7, 8, 10 15, 20, 25 30	 Amp 1/2, 3/4, 1, 1 1/4 1 1/2, 1 3/4, 2 2 1/2, 3, 3 3/4 3 1/2, 4, 5, 6 6 1/2, 7 1/2, 8 10, 12, 15 20, 25, 30 35, 40, 50	 Amp 1 1/4, 10 15, 30	 Amp 1/2, 1, 1 1/2 2, 2 1/2, 3 4, 5, 6, 7 8, 10, 12 15, 20, 25, 30

HEAVY DUTY ELECTRICAL

STUD MOUNT CIRCUIT BREAKER

- Type-I circuit breaker
- 20 amperes
- Two 10-32 threaded studs
- Lengthwise bracket mount
- 12 Volt DC



PART #	DESCRIPTION
--------	-------------

BP/CBC-20HB-RP	STUD MOUNT TYPE I CIRCUIT BREAKER 20 AMP
----------------	--

GLASS TUBE CIRCUIT BREAKERS

- Eaton Bussmann series CB185 automotive circuit breaker, Switchable, 48 Vdc, 100A, 3 kAIC, Automotive, type III, high amp, Single-pole, Waterproof



PART #	DESCRIPTION
--------	-------------

BP/CB185-80	CIRCUIT BREAKER TYPE III HIGH 80AMP (SHOWN)
BP/CB185-100	CIRCUIT BREAKER TYPE III HIGH 100AMP
BP/CB185-150	CIRCUIT BREAKER TYPE III HIGH 150 AMP

FUSE ASSORTMENT KIT

- LED shows fuse has opened
- Universal color coded to easily indicate ampere rating
- Enclosed element protects against shocks and sparks
- Enclosed element is corrosion resistant for longer life

PART #	DESCRIPTION
--------	-------------

ATM-ID-SK	EASYID FUSE ASSORTMENT KIT - 36 PIECE
-----------	---------------------------------------



ATC/ATR BULK FUSE ASSORTMENT

- Contains popular ATC fuses
- Contains popular ATM fuses
- Color coded for easy amp recognition
- Corrosion resistant for longer service life
- Reusable storage container



PART #	DESCRIPTION
--------	-------------

95BK	ATC/ATR BULK FUSE ASSORTMENT - 95 FUSES
------	---

Bussmann
by **EATON**

www.eaton.com

Tech: 1-636-527-3877

ATC & MAX BLADE FUSE REPAIR KIT

- 10 EA ATC-10, 15, 20, 30; 2 EA MAX-30;
- 1 EA MAX-40, 50, FT-3 fuse tester/puller



PART #	DESCRIPTION
--------	-------------

NO.53	ATC & MAX BLADE FUSE REPAIR KIT - 45 PC (SHOWN)
NO. 64	ATM & MAX BLADE FUSE REPAIR KIT - 64 PC

Battery & Electrical

Body & Cabin

Brake & Wheel End

Valve Hoses & Fittings

Driveline Suspension

Engine & Cooling

Exhaust

Temperature Control

Lighting

Tools & Accessories

Trailer, Cargo & Safety

GAUGE MOUNTING PANELS

- Gauge Mounting Panel, Underdash, Aluminum, Chrome,



PART #	DESCRIPTION
9823	EQUUS GAUGE MOUNTING PANELS 3 2"Dia HOLE
9822	EQUUS GAUGE MOUNTING PANELS 2 2"Dia HOLE (SHOWN)
9821	EQUUS GAUGE MOUNTING PANELS 1 2"Dia HOLE (SHOWN)

VOLT TRIPLE GAUGE KIT

- Black triple 2" gauge panel kit with mounting hardware
- Oil: 0-100 PSI / 0 - 700 kPa (90° sweep). Includes 6 ft. nylon tubing with brass compression fittings to 1/8" NPT male and 1/8" NPT to 1/4" NPT adapter bushing.
- Volt: 8 to 18 volt range (90° sweep)
- Water: 130° to 280° F / 60° to 140° C (90° sweep). Includes 6 ft. capillary tubing, and brass adapter bushings for 1/2" and 3/8" NPT.
- Back-Lit™ illumination for night use
- Rear twist-on ring mount design makes mounting simple



PART #	DESCRIPTION
6200	2" VOLT TRIPLE GAUGE KIT - BLACK (SHOWN)
7200	2" VOLT TRIPLE GAUGE KIT - CHROME

HOURLMETER

- Engineered for 12 to 60 Volt DC systems
- Registers up to 9,999.9 hours
- Suitable for use with positive and negative ground electrical systems
- Rear twist-on ring mount design makes mounting simple
- Features 1/4 in. male spade terminals for electrical connections.
- This product is not backlit for night use.



PART #	DESCRIPTION
7210	2" HOURLMETER - CHROME

FUEL LEVEL GAUGE

- Range: Empty=0 Ohm, Full=90 Ohm
- Compatible with most 1965 to 1996 O.E. GM Sender or Equus #9982 Fuel Level Sender (optional)
- Back-Lit™ illumination for night use.
- 90 degree analog needle sweep
- Rear twist-on ring mount design makes mounting simple
- Features 1/4 in. male spade terminals for electrical connections.



PART #	DESCRIPTION
9982	2" GM FUEL LEVEL GAUGE - CHROME

HEAVY DUTY ELECTRICAL



www.equus.com
Tech: 1- 800-576-7929



FUEL LEVEL GAUGE

- Range: Empty=240 Ohm, Full=33 Ohm
- Back-Lit™ illumination for night use.
- 90 degree analog needle sweep
- Rear twist-on ring mount design makes mounting simple
- Features 1/4 in. male spade terminals for electrical connections.

PART # DESCRIPTION

7363 2"CHROME FUEL LEVEL GAUGE AMC &SW

FUEL LEVEL SENDER

- Universal fit. User adjustable for varied fuel tanks from 5-24" of depth.
- Outputs variable resistance. 0 Ω Empty - 90 Ω Full.
- Includes cork gasket
- Fits standard 5-bolt (2.125 in. circle) top mounting flange.



PART # DESCRIPTION

9982 GM FUEL LEVEL SENDER

REPLACEMENT SENDERS

- Used with electrical gauges. They offer senders for electric oil, fuel pressure, and electric temperature gauges




www.stewartwarner.com Tech: 1-800-676-1837

PART # DESCRIPTION

280-EA REPLACEMENT SENDERS

HEAVY DUTY FUEL SENDERS

Made of quality materials, it is engineered for reliable performance and durability.



www.dormanproducts.com Tech: 1-800-523-2492

PART # DESCRIPTION

285-5104	IC 1997-15, INTERNATIONAL 1997-11
285-5401	PETERBILT 1987-19 (SHOWN)
285-5508	MACK 1991-11

www.fwmurphy.com Tech: 1-270-443-4622

COOLING SYSTEM SIGHT GAUGE

- When properly installed and maintained, the float operates the pointer which, in turn, both indicates level during normal operation and closes a switching circuit if the level falls to the low-limit set point. These instruments are built for low pressure systems with a maximum of 25 psi.



PART # DESCRIPTION

L150 COOLING SYSTEM SIGHT GAUGE

TATTLETALE

- 12 volt Tattletale with a manual indicating reset used for distributor ignition or diesel engines.



PART # DESCRIPTION

518PH-12	SHUT DOWN SWITCH
117	SHUT DOWN SWITCH

Battery & Electrical

Body & Cabin

Brake & Wheel End

Valve Hoses & Fittings

Driveline Suspension

Engine & Cooling

Exhaust

Temperature Control

Lighting

Tools & Accessories

Trailer, Cargo & Safety

ELECTRIC WATER TEMPERATURE GAUGE

- 100° to 280° F
- Back-Lit™ illumination for night use. Includes red and green bulb covers.
- 90 degree analog needle sweep provides reliable performance on a budget
- Rear twist-on ring mount design makes mounting simple
- Includes 1/8 NPT sensor, 1/2 NPT, 3/8 NPT, and M16x1.5 adapter bushings.



PART

DESCRIPTION

7262

2" ELECTRIC WATER TEMPERATURE GAUGE - CHROME

ELECTRIC WATER TEMPERATURE GAUGE

- 100° - 280° F / 40° - 130° C
- Back-Lit™ illumination for night use
- 90 degree analog needle sweep provides reliable performance on a budget
- Rear twist-on ring mount design makes mounting simple
- Includes 1/8 NPT sensor, 1/2 NPT, 3/8 NPT, and M16x1.5 adapter bushings.



PART

DESCRIPTION

9982

2" ELECTRIC WATER TEMPERATURE GAUGE - BLACK

MECHANICAL WATER TEMPERATURE ADAPTER KIT

- 72 in. (6 ft. / 1.8 m) copper tubing
- 1/8 in. (3.2 mm) diameter copper tubing
- Replaces old or worn oil pressure lines
- Includes quality 1/8 in. brass compression fittings and ferrules and
- 1/8 NPT to 1/4 NPT adapter bushing



PART

DESCRIPTION

9851

MECHANICAL WATER TEMPERATURE ADAPTER KIT - U.S. DOMESTIC & ASIAN

MECHANICAL WATER TEMPERATURE GAUGE

- 130° - 280° F / 60° - 140° C
- Back-Lit™ illumination for night use
- 90 degree analog needle sweep provides reliable performance on a budget
- Rear twist-on ring mount design makes mounting simple
- Includes 6 ft. capillary tubing, and brass adapter bushings for 1/2" and 3/8" NPT.



PART

DESCRIPTION

6232

2" MECHANICAL WATER TEMPERATURE GAUGE - BLACK 90° ANALOG NEEDLE SWEEP (SHOWN)

7232

2" MECHANICAL WATER TEMPERATURE GAUGE - CHROME (NO ADAPTER) 90° ANALOG NEEDLE SWEEP

7242

2" MECHANICAL WATER TEMPERATURE GAUGE - CHROME 270° ANALOG NEEDLE SWEEP

MECHANICAL WATER TEMPERATURE GAUGE

- 130° - 280° F / 60° - 140° C
- Back-Lit™ illumination for night use
- 270 degree analog needle sweep provides improved visibility and resolution
- Rear twist-on ring mount design makes mounting simple
- Includes 6 ft. capillary tubing, and brass adapter bushings for 1/2" and 3/8" NPT

www.equus.com

Tech: 1- 800-576-7929



PART

DESCRIPTION

6242

2" MECHANICAL WATER TEMPERATURE GAUGE - BLACK

ULTRA LIGHT WATER TEMPERATURE GAUGE

- 100-250° F
- 2-1/16" Diameter.
- Silver bezel/finish
- Analog Gauge
- Sending Unit Electrical
- Short Sweep



PART

DESCRIPTION

4337

2 1/16" WATER TEMPERATURE GAUGE 100-250° ANALOG

SPORT-COMP WATER TEMPERATURE GAUGE

- 100-250° F
- 2-1/16" Diameter.
- Silver Bezel/Finish
- Analog Gauge
- Sending Unit Electrical
- Short Sweep



www.autometer.com

Tech: 1- 866-883-8378



PART

DESCRIPTION

3337

2 1/16" WATER TEMPERATURE GAUGE 100-250° ANALOG

www.stewartwarner.com



Tech: 1-800-676-1837

DELUXE WATER TEMPERATURE GAUGE

- 100-240° F
- 2-1/16" Diameter.
- Polished bezel/finish
- 12 volt



PART

DESCRIPTION

82306

2 1/16" DELUXE WATER TEMPERATURE GAUGE ELECTRICAL 240° (SHOWN)

82326-144

2 1/16" DELUXE WATER TEMPERATURE GAUGE MANUAL 265°

82326-72

2 1/16" DELUXE WATER TEMPERATURE GAUGE MANUAL 265°

82326-96

2 1/16" DELUXE WATER TEMPERATURE GAUGE MANUAL 265°

HEAVY DUTY ELECTRICAL



www.fwmurphy.com
Tech: 1-270-443-4622

OIL PRESSURE GAUGE

- Pressure lockout switchgauge by Murphy.
- 0-100 PSI (0-689 kPa) pressure range (dual scale)
- 2 in (51 mm) dial gage
- Polycarbonate high impact lens
- Standard polished stainless steel bezel



PART #	DESCRIPTION
20P-100	2" OIL PRESSURE GAUGE - 100PSI (SHOWN)
20P-775	2" OIL PRESSURE GAUGE - 75PSI

OIL & WATER GAUGE W/ PANEL

- The standard WD300 Series panel includes basic engine protection for low oil pressure and high coolant temperature.
- Low Lube Oil Pressure Switchgauge instrument.
- High Coolant/Temp Switchgauge instrument.
- 117PH Magnetic Switch.
- PB128S Emergency Stop Push Button.



PART #	DESCRIPTION
WD300	OIL & WATER GAUGE W/PANEL
WD300LV	OIL & WATER GAUGE W/PANEL(FOR ENGINES THAT HAVE THE FUEL SHUT-OFF SOLENOID BUILT INTO THE INJECTION PUMP)

ELECTRIC OIL PRESSURE GAUGE



Tech: 1- 800-576-7929

- 0 to 100 PSI / 0 - 70 kPa
 - Back-Lit™ illumination for night use. Includes red, green, blue and yellow bulb covers.
 - 270 degree analog needle sweep provides improved visibility and resolution.
 - Rear twist-on ring mount design makes mounting simple
- Includes 1/8 NPT sensor with brass adapters for 1/4 NPT and 1/8 BSPT
Features 1/4 in. male spade terminals for electrical connections.



PART #	DESCRIPTION
8264	2" ELECTRIC OIL PRESSURE GAUGE - ALUMINUM

SPORT-COMP OIL TEMPERATURE GAUGE

www.autometer.com
Tech: 1- 866-883-8378

- 0-100 PSI
- 2-1/16" Diameter.
- Silver bezel/finish
- Analog Gauge
- Sending Unit Mechanical
- Short Sweep



PART #	DESCRIPTION
3327	2 1/16" OIL TEMPERATURE GAUGE 0-100 PSI ANALOG

HEAVY DUTY ELECTRICAL

www.autometer.com

Tech: 1- 866-883-8378

ULTRA LIGHT OIL TEMPERATURE GAUGE

- 100-250 PSI
- 2-1/16" Diameter.
- Silver bezel/finish
- Analog Gauge
- Sending Unit Electrical
- Full Sweep



PART

DESCRIPTION

4321	2 1/16" OIL TEMPERATURE GAUGE 100-250 PSI ANALOG
------	--

www.stewartwarner.com

Tech: 1-800-676-1837



STANDARD OIL PRESSURE GAUGE

- Mechanical Oil Pressure Gauge
- 0-80 PSI
- 2 1/32"
- Polished bezel/finish

PART

DESCRIPTION

8220	2-1/32" STANDARD OIL PRESSURE GAUGE 0-80° F (SHOWN)
82210-72	2-1/32" STANDARD OIL PRESSURE GAUGE 100-250° F



www.equus.com

Tech: 1- 800-576-7929

MECHANICAL OIL PRESSURE GAUGE

- 0-100 PSI / 0 - 700 kPa
- 90 degree analog needle sweep provides reliable performance on a budget
- Rear twist-on ring mount design makes mounting simple
- Includes 6 ft. nylon tubing with brass compression fittings to 1/8" NPT male and 1/8" NPT to 1/4" NPT adapter bushing.



PART

DESCRIPTION

6234	2" MECHANICAL OIL PRESSURE GAUGE - BLACK 90° ANALOG NEEDLE SWEEP (SHOWN)
7234	2" MECHANICAL OIL PRESSURE GAUGE - CHROME 90° ANALOG NEEDLE SWEEP
7244	2" MECHANICAL OIL PRESSURE GAUGE - CHROME 270° ANALOG NEEDLE SWEEP

OIL PRESSURE LINE KIT

- Gauge Supply Line, Oil Pressure Type, Nylon Tubing, Clear, 6 ft. Length, Fittings, Kit



PART

DESCRIPTION

9801	MECHANICAL OIL PRESSURE LINE KITS 1/8 & 1/4" NPT ADAPTORS
------	---

Battery & Electrical

Body & Cabin

Brake & Wheel End

Valve Hoses & Fittings

Driveline Suspension

Engine & Cooling

Exhaust

Temperature Control

Lighting

Tools & Accessories

Trailer, Cargo & Safety

OIL PRESSURE COPPER TUBING KIT

- 72 in. (6 ft. / 1.8 m) copper tubing
- 1/8 in. (3.2 mm) diameter copper tubing
- Replaces old or worn oil pressure lines
- Includes quality 1/8 in. brass compression fittings and ferrules and
- 1/8 NPT to 1/4 NPT adapter bushing



PART #	DESCRIPTION
--------	-------------

9901	OIL PRESSURE COPPER TUBING KIT
------	--------------------------------

OIL PRESSURE/ELECTRONIC TEMPATURE METRIC ADAPTER KITS

- One 1/8 in.-27 NPT to M10 adapter
- One M12 x 1.50 in. adapter
- One M14 x 1.50 in. adapter
- One M16 x 1.50 in. adapter
- One 1/8 in.-28 BSP adapter



PART #	DESCRIPTION
--------	-------------

9848	OIL PRESSURE/ELECTRONIC TEMPATURE METRIC ADAPTER KITS
------	---



www.fwmurphy.com
Tech: 1-270-443-4622

TEMPERATURE SWICHGAGE

- Diaphragm-actuated, temperature-indicating gage, with a built-in electrical switch for tripping alarms and/or shutdown devices. This model has an 8 foot capillary length with a standard 1/2-14 NPT threading, and a temperature range from 130-250°F



PART #	DESCRIPTION
--------	-------------

20T-250-8-1/2	2" TEMPATURE SWICHGAGE 8-1/2" (SHOWN)
20T-250-6-1/2	2" TEMPATURE SWICHGAGE 6-1/2"
20T-250-4-1/2	2" TEMPATURE SWICHGAGE 4-1/2"
20T-250-12-1/2	2" TEMPATURE SWICHGAGE 12-1/2"

STANDARD AMMETER

- Ammeter (internally shunted)
- 30-0-30A scale
- 2-1/32" diameter
- Polished bezel/finish
- 12 volt



PART #	DESCRIPTION
--------	-------------

82200	2-1/32" STANDARD AMMETER 30-0-30A (SHOWN)
82202	2-1/32" STANDARD AMMETER 60-0-60A

HEAVY DUTY ELECTRICAL



www.equus.com

Tech: 1- 800-576-7929

TACHOMETER

- Monitors and Displays 0 to 8000 RPM in 100 RPM increments
- Classic black racing tach design
- OEM-style lighted pointer
- Back-Lit™ illumination for night use
- 270 degree analog needle sweep provides improved visibility and resolution.
- Compatible with 4, 6, and 8 cylinder engines with conventional and electronic ignition systems
- Adjustable shift indicator / red line marker
- Includes pedestal mounting base and hardware for installation.



PART #	DESCRIPTION
--------	-------------

6088	3 3/8" TACHOMETER - BLACK
------	---------------------------

VOLTMETERS

- OE-type Electric Aircore meter movement or solid brass mechanical Bouron tube meter movement—and all feature backlit illumination and easy mounting instructions.



PART #	DESCRIPTION
--------	-------------

7268	2" 8-18 VOLTMETER 7000 SERIES - CHROME
6268	2" 8-18 VOLTMETER ANALOG GAUGE - BLACK

www.stewartwarner.com
Tech: 1-800-676-1837

DELUXE VOLTMETER

- 10-16 VDC
- 2-1/16" Diameter.
- Polished bezel/finish
- 12 volt



PART #	DESCRIPTION
--------	-------------

82309	2 1/16" DELUXE VOLTMETER
-------	--------------------------

HAND-HELD TACHOMETER

- Mechanical, Clockwise & counterclockwise rotating shaft
- 0-4,000 RPM



PART #	DESCRIPTION
--------	-------------

96798	HAND-HELD TACHOMETER
-------	----------------------

Battery & Electrical

Body & Cabin

Brake & Wheel End

Valve Hoses & Fittings

Driveline Suspension

Engine & Cooling

Exhaust

Temperature Control

Lighting

Tools & Accessories

Trailer, Cargo & Safety

HEAVY DUTY ELECTRICAL



www.littlefuse.com

Tech: 1-800-365-2653

TOGGLE SWITCH

- Circuitry: SPST
- Electrical rating: 25A/12V DC 15A/24V DC 10A/36V DC
- Housing: Weather-Resistant, PVC-Coated, Plasticized Housing
- Terminals: 2 Leads (203mm, 16AWG, Stripped), 1 Plug
- Handle size: 0.6875"
- Handle size: 17.4625mm
- Mounting hardware: Nickel Plated Brass Face Nut



PART

DESPRICTION

5582-10-BX

ON-OFF TOGGLE SWITCH SPST HENCOL 12 #7

EXTRA HEAVY DUTY TOGGLE SWITCH

- Circuitry: SPDT
- For stem- or bracket-mounting
- Chrome-plated brass handle, 1 1/16" long (27.0mm)
- Plated steel hex nut. 30A at 6-12V DC, 15A at 24-36V DC
- Up: Mom On, Center: Off, Down: Mom On
- Three screw terminals



PART

DESPRICTION

551844-BX

EXTRA HEAVY DUTY TOGGLE SWITCH SPDT MOM #7

TOGGLE SWITCH

- Circuitry: Mom On-Off, Mom On
- No. of Terminals: 3
- Current Rating: 50 DC Amp
- Voltage Rating: 12 VDC



PART

DESPRICTION

34-215P

3-TERMINAL TOGGLE SWITCH 50A 12V WITH CHROME HANDLE

MASTER DISCONNECT SWITCH

- Details: Single Pole battery disconnect, Two Positions: Off-On
- Rating: 12V DC; 20A continuous 125A intermittent 15 sec. On, 5 min. Off
- Terminals: Two 3/8" copper studs
- Actuators: Diecast lever
- Mounting Stem: Brass, 3/4" - 16 thread, 23/32" long, fits panel through 3/16" thick
- Case: Plated steel
- Installation: Through hole - Clearance for 3/4" dia. mounting stem
- Contacts: Copper



PART

DESPRICTION

2484-BX

MASTER DISCONNECT SWITCH 2POS LEV

HEAVY DUTY ELECTRICAL



www.littlefuse.com

Tech: 1-800-365-2653

BATTERY DISCONNECT SWITCH

- Details: Double Pole - Two Positions: Off-On
- Rating: 6-36 Vdc; Large studs 175A continuous - 1000A intermittent 15 sec. On 5 min. Off; Small studs 20A continuous
- Terminals: two 3/8 copper studs two 10-32 studs
- Case: Plated Steel
- Installation: 3/4in Through hole
- Max Voltage Rating: 36V
- Max Total Continuous Current: 175A
- Inrush Rating (2 seconds): 1000A x 15 sec.
- Contacts: Silver



PART

DESCRIPTION

75920-BX

BATTERY DISCONNECT SWITCH 175A 36V DPST

ROTARY SWITCH

- Case material: Steel Plated
- With harness: No
- Key positions: On (Reverse); Off; On (Forward)
- Spring return to Off Spring Return to Off
- O-Ring seal in stem: No
- Voltage Rating (V): 12V DC



PART

DESCRIPTION

75712-04-BX

3 POSITION UNIVERSAL FORWARD & REVERSE LEVERED ROTARY SWITCH

AXLE SWITCH

- Circuitry: SPST
- Two-circuit, On-On
- 12V DC
- For mounting on gear shift lever with a clamp (not supplied)
- Red plastic knob with 1 1/4" (31.8mm) diameter
- Three female bullet terminals
- Zinc diecast case with protective rubber boot



PART

DESCRIPTION

50036-BX

TWO-SPEED AXLE SWITCH 12V SPST

PVC-COATED PUSH BUTTON MOMENTARY SWITCH

- Two 12" (304.8mm) 18AWG leads
- Brass mounting stem 5/8"-32, 15/16" (23.8mm), fits panels up to 1/2" (12.7mm) thick
- SPST. Off - Momentary On. On with button depressed, spring return to Off
- Corrosion-resistant brass case, plunger button and mounting hardware
- Moisture-repellent insulators



PART

DESCRIPTION

M-608-BP

PVC- COATED PUSH BUTTON SWITCH

Battery &
Electrical

Body &
Cabin

Brake &
Wheel End

Valve Hoses
& Fittings

Driveline
Suspension

Engine &
Cooling

Exhaust

Temperature
Control

Lighting

Tools &
Accessories

Trailer,
Cargo
& Safety

HEAVY DUTY ELECTRICAL



www.littlefuse.com

Tech: 1-800-365-2653

PUSH BUTTON SWITCH

- 2 screw terminals
- With screw-on rubber cap
- Silver contacts
- Off-On
- 6-36V DC



PART

DESPRICTION

90030-BP

PUSH BUTTON 6-36V DC

HD DIESEL IGNITION & START SWITCH

- Number of positions: 4
- With anti-restart: No
- Actuator: Hencol Key
- Positions: Mom Fuel - Off - Ign/Acc - Start
- Spring return to Off Spring return to Ign/Acc
- Terminals: 5 screw
- O-Ring seal in stem: Yes
- Accessory: 10A/12V DC
- Ignition/Run: 5A/12V DC
- Start: 5A/12V DC
- Mounting stem: 1 (25.4mm)
- Ground: Fuel 10A
- Contacts: Bronze
- Ignition-proof: SAE J259



PART

DESPRICTION

956-9100-BX

HD SERIES DIESEL IGNITION & START SWITCH 12V DC 4 POS #7

BATTERY MASTER DISCONNECT SWITCH

- One piece die-cast housing sealed with O-rings at base and mounting stem to keep out dust and moisture.
- Large die-cast, lever for ease of operation.
- Two 3/8" copper alloy stud terminals with hex nuts and lock washers.
- Overall length 4 3/8". Diameter 2 5/8" approx.
- Mounting stem 3/4" diameter, 1/2" long, with two hexnuts and lock washer. (Note: Mounting nuts not to exceed 12 ft. lbs. torque).
- Designed for protection against electrical fires, tampering and theft.
- Fits panels up to 1/4" thick.
- Current Rating: 180 DC Amp
- Voltage Rating: 6-36 VDC

Pollak[®]
by SMP[®]

www.pollakaftermarket.com

Tech: 1-888-224-4981



PART

DESPRICTION

11-702P

HD STANDARD 7-WAY PLUG WITH CABLE GUARD

WARNING BUZZER

- Buzzer
- Packaged
- Universal- Truck Low Air Pressure And Bus Rear Door Warning
- 2 Screw Terminals.
- 76db @ 4



PART

DESPRICTION

52-400P

WARNING BUZZER 12V

HEAVY DUTY ELECTRICAL



www.pollakaftermarket.com

Tech: 1-888-224-4981



4 STUD BATTERY MASTER DISCONNECT SWITCH

- One piece die-cast housing sealed with O-rings at base and mounting stem to keep out dust and moisture
- Two 3/4" and two No 10-32 copper alloy stud terminals hexnuts and lock washer
- Rating: Continuous Rating (Make Break)
- Large Studs: 180 Amps
- Small Studs: 20 Amps
- Intermittent Rating (Carrying)
- Large Studs: 1000 Amps (20 sec. "On" - 5 Minutes "Off")

PART

DESCRIPTION

51-904EP

4 STUD TERMINAL BATTERY MASTER DISCONNECT SWITCH DPST

BATTERY SELECTOR/MASTER DISCONNECT SWITCH

- Heavy-Duty Construction
- Vaporproof, weather-, dust- and corrosion-resistant
- Conforms to USCG section 183.410 for ignition protection
- Heavy duty copper stud terminals, with brass hexnuts
- Can be surface mounted, or installed through a 3 5/16" diameter hole in the panel
- Have no small terminals in the middle. Full wiring instructions are included.
- Durable, fracture-resistant high temperature plastic case, knob and insulator
- It gives a reliable shutdown of power during maintenance
- It helps protect against electrical fires, when the vehicle is not in use, and minimizes battery drain



PART

DESCRIPTION

M-750-BP

BATTERY SELECTOR/MASTER DISCONNECT SWITCH

HD TOGGLE SWITCH

- Circuitry: On-Off SPST
- No. of Terminals: 2
- Type of Terminals: Screw
- Handle Type: Standard
- Handle Length: 1-inch
- Handle Finish: Chrome
- Current Rating: 50 DC Amp
- Voltage Rating: 12 VDC



PART

DESCRIPTION

34-212EP

HD TOGGLE SWITCH 12V 50AMP SPST

Battery &
Electrical

Body &
Cabin

Brake &
Wheel End

Valve Hoses
& Fittings

Driveline
Suspension

Engine &
Cooling

Exhaust

Temperature
Control

Lighting

Tools &
Accessories

Trailer,
Cargo
& Safety

HEAVY DUTY ELECTRICAL



www.pollakaftermarket.com

Tech: 1-888-224-4981

ROCKER SWITCH

- New Universal Design for Automotive, Truck, Bus, Marine, & Recreational Vehicles.
- Snap-in mounting fits .830 x 1.450 panel cutout in .093, .125, .187 thick panels.
- Brass screw or .250 blade terminals.
- Nylon bezel actuator and housing.
- Circuitry: On-Off, SPST
- No. of Terminals: 3
- Type of Terminals: 3-Screw
- Actuator: Black



PART

DESCRIPTION

34-306P

3 TERMINAL UNIVERSAL ROCKER SWITCH SPST WITH GREEN PILOT LIGHT

THERMAL TYPE BREAKER

- Standards: Complies with SAE Standard J553
- Current Rating: 30 DC Amp
- Voltage Rating: 12 VDC
- Applications: Accessory Circuit Cooling Fan, Door Locks, Headlamps, Window Lift, Sunroof, Trailing Package, Battery Charges, Trucks, Buses, RV's, Trolling motors, etc.



PART

DESCRIPTION

54-230P

SINGLE POLE THERMAL TYPE BREAKER 30A 12V DC W/ CYCLING AUTOMATIC RESET & 90 DEG. MOUNTING BRACKET (SHOWN)

54-250P

SINGLE POLE THERMAL TYPE BREAKER 50A 12V DC WITH METAL HOUSING

SWITCH BOOT

- This small Switch boot from Pollak, as it provides protection against salt spray and is resistant to weather and ozone effects
- Rubber material
- Mounting Stem Diameter: 15/32"



PART

DESCRIPTION

25-370P

BLACK SWITCH BOOT

PRESSURE SWITCH

- The Stewart Warner Hobbs Pressure Switch with part number 76052 features a set point of 15 psi and has a normally open circuitry. This pressure switch also comes with 2 screw terminals.



Tech: 1-800-676-1837

www.stewartwarner.com



PART

DESCRIPTION

SW76052

PRESSURE SWITCH 15 PSI NORMALLY OPEN 2 TERMINAL (SHOWN)

SW76074

PRESSURE SWITCH 60 PSI NORMALLY OPEN OR CLOSED 3 TERMINAL

SW76575

5000 SERIES SINGLE CIRCUIT PRESSURE SWITCH 4 PSI 2 SCREW OPEN TERMINAL

HEAVY DUTY ELECTRICAL

Pollak[®]
by ESMP

CH Cole Hersee

www.littlefuse.com
Tech: 1-800-365-2653



- The Pollak Heavy Duty 7-Way Plug 11-702P is a plug with cable guard made from zinc die-cast material and comes in 6-28 Voltage rating. This 7-way plug also has 40 continuous duty amp.

PART #	DESPRICTION
11-702P	HD STANDARD 7-WAY PLUG WITH CABLE GUARD

SINGLE POLE POWER TAKE-OFF SOCKET/PLUG

- Material: Diecast Metal
- Housing: Zinc Die Cast
- Circuits: 1
- Contacts: Solder
- Terminals: Brass



PART #	DESPRICTION
11041-BX	SINGLE POLE POWER TAKE-OFF SOCKET 1 WAY #18
11042-BX	1 POLE TAKE-OFF PLUG #12

2 POLE SOCKET/PLUG

- Plug latches solidly with the socket cover
- Suitable replacement for connectors in tarping applications
- Vertically-aligned machined brass contacts, diecast zinc plug and socket housings, engineering grade plastic
- Terminations accept 6AWG wire
- Gasket-sealed socket keeps out dirt and moisture when plug is not in use




PART #	DESPRICTION
11041-06-BX	2 POLE SOCKET 2 WAY #18 - COLE HERSEE
11042-05-BX	2 POLE PLUG #8 - COLE HERSEE
12-801EP	2 POLE SOCKET 2 WAY #18 - POLLAK
12-800EP	2 POLE PLUG #8 - POLLAK

HEAVY DUTY ELECTRICAL

www.pollakaftermarket.com
Tech: 1-888-224-4981

6 WAY SOCKET CONCEALED TERMINAL & PLUG

- High impact interiors of super strength keyed for proper assembly.
- Brass terminal pins for best conductivity, terminals accept up to #12 gauge wires.
- Plug available with or without cable guard.
- Replaceable plug interior helps keep down maintenance costs.
- Plated steel cable guard prevents cable chafing.
- Two 1/4" mounting holes on 6-way sockets, 2-7/8" on center. Mounts through 1-3/8" hole.



PART #	DESPRICTION
11-604P	6 CONNECTOR PLUG WITHOUT CABLE GUARD
11-605P	6 CONNECTOR PLUG WITH CABLE GUARD
11-609P	6-WAY SOCKET CONCEALED TERMINAL

Battery & Electrical

Body & Cabin

Brake & Wheel End

Valve Hoses & Fittings

Driveline Suspension

Engine & Cooling

Exhaust

Temperature Control

Lighting

Tools & Accessories

Trailer, Cargo & Safety


HEAVY DUTY ELECTRICAL

www.pollakaftermarket.com

Tech: 1-888-224-4981

7 WAY SOCKET CONCEALED TERMINAL & PLUG

- Zinc die-cast.
- Split pin, 2 hole mount.
- Floating pins for ease of alignment and maximum contact.
- Optimum slant mount and drain slot rid housing interior of accumulated moisture.
- Will accept the widest range of gauges from #16 wires to #8 ground wire. Ground Terminal Pin #1 will accept #14 gauge min. to #8 gauge max. Other terminals will accept #16 gauge min to #10 gauge max.
- 40 amps continuous duty @ 6-28 VDC.



PART

DESCRIPTION

11-700P

7-WAY HEAVY DUTY PLUG 40AMP

11-721EP

7-WAY ROUND TRAILER WIRING CONNECTOR SOCKET

CONNECTOR CABLE GUARD SPRING

- Length: 3.56'
- Material: Plated Steel
- Dust and water resistant
- Fits 11-700, 11-704, 11-900, 11-904, 11-852



PART

DESCRIPTION

11-763

7 CONTACT TRAILER CONNECTOR CABLE GUARD SPRING

DIESEL FUEL SHUTOFF VALVE

- Electrical Rating: 12 VDC, 10 watts
- Orifice: 1/4 inch (6 mm) diameter
- Body Connections: 1/4 NPT inlet/outlet
- Maximum Opening Pressure: 1/4 inch (6 mm) diameter orifice: 30 psi (207 kPa) [2.07 bar]



www.fwmurphy.com

Tech: 1-270-443-4622

PART

DESCRIPTION

SV-12

MURPHY DIESEL-FUEL SHUTOFF VALVE 12V W/ 1/4" (6 mm)



PUSH / PULL DC SOLENOID

- Maximum Stroke In. (mm): 1-1/2 (38)
- Power in Watts Seated: 18
- Power in Watts Inrush: 1029
- Continuous Hold: 32 [14.52] <19> [8.62]
- DC Solenoid: 12 VDC, 1-1/2 in. (38 mm) stroke, 14 lbf (62 N) pull, 34 lbf (151 N) hold



PART

DESCRIPTION

RP2309B

PUSH/PULL DC SOLENOID 12V

HEAVY DUTY ELECTRICAL

www.wilsonautoelectric.com

Tech: 1-800-280-2737

SOLENOID

- 12 Volt Fits Starters 1119885, 1119890, 1119935



PART #	DESPRICTION
60-01-3542	SOLENOID 12V (SHOWN)
60-01-3542	SOLENOID 24V



www.littlefuse.com

Tech: 1-800-365-2653

CONTINUOUS DUTY SOLENOID

- Normally Open/Normally Closed: Normally Open
- Circuitry: SPST
- Contacts: Silver
- Contact Stud Material: Copper
- Coil Stud Material: Steel
- Housing: Plated Steel
- Voltage Rating: 12V DC
- Continuous Current: 85A
- Bracket Mounting: Holes 5/16 x 19/32 2-13/64 on center
- Contact Stud Threads: 5/16"-24 Threads hex nuts and lock washers included
- Coil Stud Threads: 10-32" hex nuts and lock washers included



PART #	DESPRICTION
24063-BX	CONTINUOUS DUTY SOLENOID 24V SPST W/ STEEL HOUSING 71OHM 85AMP 4 STUD
24080	CONTINUOUS DUTY SOLENOID 36V SPST W/ STEEL HOUSING 4 STUD - SINGLE
24080-BX	CONTINUOUS DUTY SOLENOID 36V SPST W/ STEEL HOUSING 130 OHM 85AMP 4 STUD
24106-BX	CONTINUOUS DUTY SOLENOID 12V SPST W/ STEEL HOUSING 17.5OHM 3 STUD (SHOWN)
24401-BX	CONTINUOUS DUTY SOLENOID 12V DPST W/ STEEL HOUSING 17.5 OHM 6 STUD

INTERMITTENT DUTY SOLENOID

- F bracket
- Copper contacts
- 12V DC
- Maximum operating voltage 14.5V DC
- Cycle life 10,000 cycles at 5 secs On, 25 secs Off
- DPDT - Double Pole Double Throw intermittent duty
- Common ground coil
- Two blade coil terminals; 5/16" -24 large studs



PART #	DESPRICTION
24450-BX	REVERSING INTERMITTENT DUTY SOLENOID 12V DPDT

Battery &
Electrical

Body &
Cabin

Brake &
Wheel End

Valve Hoses
& Fittings

Driveline
Suspension

Engine &
Cooling

Exhaust

Temperature
Control

Lighting

Tools &
Accessories

Trailer,
Cargo
& Safety

HEAVY DUTY ELECTRICAL

www.wilsonautoelectric.com

Tech: 1-800-280-2737



ALTERNATORS

- Wilson alternators are not just rebuilt, they are remanufactured. That means a complete process of tear down, cleaning, reassembly with components made to our high standards and rigorous testing to meet and exceed OE specifications. That gives you confidence that you can repair your vehicle or equipment once, ensuring you have uptime for your revenue source.

PART #	TYPE	RATED OUTPUT	CLOCK POSITION	MOUNT TYPE	VOLT
90-01-3081	10SI	72 AMP	PLUG CLOCKING 12:00	SPOOL	12V
90-01-3125	10SI	61 AMP	PLUG CLOCKING 3:00	SPOOL	12V
90-01-3131	10SI	72 AMP	PLUG CLOCKING 12:00	SPOOL	12V
90-01-3135	10SI	61 AMP	PLUG CLOCKING 12:00	SPOOL	12V
90-01-3151	15SI	105 AMP	PLUG CLOCKING 12:00	SPOOL	12V
90-01-4016	10SI	61 AMP	PLUG CLOCKING 12:00	SPOOL	12V
90-01-4058	21SI	100 AMP	PLUG CLOCKING 12:00	J180	12V
90-01-4074	21SI	130 AMP	PLUG CLOCKING 12:00	J180	12V
90-01-4270	22SI	145 AMP	PLUG CLOCKING 12:00	J180	12V
90-01-4297	22SI	61 AMP	PLUG CLOCKING 12:00	J180	12V
90-01-4118	21SI	100 AMP	PLUG CLOCKING 12:00	J180	12V
90-01-4119	21SI	130 AMP	PLUG CLOCKING 12:00	J180	12V
90-04-7020	2300, 2500, 2600	105 AMP	BATTERY TERMINAL 1:30	J180	12V
90-04-7039	2800	160 AMP	BATTERY TERMINAL 1:30	J180	12V
90-15-6170	K1	65 AMP	BATTERY TERMINAL 5:30	SPOOL	12V
90-15-6218	K1	95 AMP	BATTERY TERMINAL 5:30	SPOOL	12V
90-15-6230	K1	65 AMP	BATTERY TERMINAL 3:30	SPOOL	12V
90-29-5036		90 AMP	PLUG CLOCKING 2:30		12V
90-29-5095		120 AMP	PLUG CLOCKING 12:00		12V
90-29-5180		40 AMP	PLUG CLOCKING 9:00		12V

www.delcoremy.com

Tech: 1-765-778-6874

ALTERNATORS

- Delco Remy alternators mean premium quality, increased efficiency, and measurable fuel savings for the commercial and off-road vehicle industry worldwide.

We continue to leverage our experience to provide our OE and aftermarket partners with innovative solutions for today's vehicle electric system challenges.



PART #	MODEL	TYPE	RATED OUTPUT	OUTPUT TERMINAL	MOUNT TYPE	VOLT
8600307	28SI	NEW	160 AMP	5/16	J180 LONG HINGE	12V
8600310	24SI	NEW	200 AMP	5/16	J180 LONG HINGE	12V
8600314	28SI	NEW	200 AMP	5/16	PAD	12V
8600889	24SI	NEW	160 AMP	5/16	PAD	12V

HEAVY DUTY ELECTRICAL

www.delcoremy.com

Tech: 1-765-778-6874



STARTERS

- Designed to start heavy duty and off-road vehicles in all conditions and environments, Delco Remy starters are engineered to perfection. Available proprietary features also protect the starter from system problems including over cranking, low battery capacity, voltage spikes, high-starting circuit resistance, or operator misuse.



PART #	MODEL	TYPE	SOLENOID POSITION	PINION PITCH	PINION TEETH	MOUNT TYPE	VOLT
8200308	39MT	NEW	082	6/8	11	SAE 3	12V
8200433	39MT	NEW	082	8/10	12	SAE 3	12V
10461052	42MT	RENEW	082	6/8	11	SAE 3	12V

www.wilsonautoelectric.com

Tech: 1-800-280-2737



STARTERS

- Wilson remanufactured starters meet or exceed OE standards because they're remanufactured with in-process inspections/tests throughout the production process. Components are gauged, sorted, tested, and renewed, while vital parts are replaced with new.



PART #	TYPE	DESIGN	ROTATION	NO. OF TEETH	VOLT
91-01-3693	20MT	DD	CW	10	12V
91-01-3701	40MT	DD	CW	11	12V
91-01-3703	40MT	DD	CW	12	24V
91-01-3736	10MT(SD300)	DD	CW	9	12V
91-01-3780	40MT	DD	CW	10	12V
91-01-3865	35MT	DD	CW	9	12V
91-01-4037	20MT	DD	CW	10	12V
91-01-4158	42MT	DD	CW	12	24V
91-01-4161	42MT	DD	CW	12	12V
91-01-4166	42MT	DD	CW	11	12V
91-01-4307	37MT	DD	CW	10	12V
91-01-4313	28MT	OSGR	CW	10	12V
91-01-4354	28MT	OSGR	CW	10	12V
91-01-4356	28MT	OSGR	CW	10	12V
91-01-4367	28MT	OSGR	CW	10	12V
91-01-4508	40MT	DD	CW	11	12V
91-29-5018		DD	CW	10	12V
91-29-5035		OSGR	CW	13	12V
91-29-5138		OSGR	CW	13	12V
91-29-5372		OSGR	CW	13	12V
91-29-5396		OSGR	CW	14	12V
91-02-5783		DD	CW	9	6V
91-02-5799	4 1/2	DD	CW	10	12V
91-15-7159	EV	PLGR	CW	9	12V
91-17-8869	M127, M50	DD	CW	10	12V
91-17-8879	M127, M50	DD	CW	10	12V
91-17-8882	M50	DD	CW	10	12V

Battery & Electrical

Body & Cabin

Brake & Wheel End

Valve Hoses & Fittings

Driveline Suspension

Engine & Cooling

Exhaust

Temperature Control

Lighting

Tools & Accessories

Trailer, Cargo & Safety

BODY AND CABIN

www.dormanproducts.com
Tech: 1-800-523-2492

DORMAN
NEW SINCE 1918

ENGINE CRANKCASE BREATHER ELEMENT

- This replacement crankcase ventilation filter matches the fit and function of a cracked, clogged or missing original equipment filter. Made of quality materials, this filter is designed to withstand engine oil and heat.



PART #	APPLICATION
904-7902	VENTILATION FILTER - FREIGHTLINER 2008-18
904-7903	VENTILATION FILTER - FREIGHTLINER 2012-17, KENWORTH 2011-17, PETERBILT 2011-17, MORE... (SHOWN)

HEAVY DUTY VENTILATION/DEFROST FANS

- Heavy Duty Die Cast Base
- Square Four-Hole Mount
- Adjustable Position Swivel
- One or Two-Speed Wound Field Motor
- Mounting Hardware & Gasket (included)

www.maradynemobile.com
Tech: 1- (216) 265-8006

MARADYNE
HIGH PERFORMANCE FANS

300012



PART #	DESCRIPTION
300012	HD VENTILATION/DEFROST FAN 12V
300024	HD VENTILATION/DEFROST FAN 24V

www.dormanproducts.com
Tech: 1-800-523-2492

DORMAN
NEW SINCE 1918

HVAC AIR DOOR ACTUATOR

- This HVAC heater blend door actuator is precision-engineered to match the quality and performance of the original blend door actuator on specific vehicle years, makes and models.

604-5155



604-5101

PART #	APPLICATION
604-5155	GENERAL MOTORS 1991-2019, MACK 200-2017
604-5101	INTERNATIONAL 2001-12

COOLANT RESERVOIR

- Direct replacement - this engine coolant reservoir matches the fit and function of the original part
- Ideal solution - engineered for a seamless installation

603-5403



PART #	DESCRIPTION
603-5403	HD PRESSURIZED COOLANT RESERVOIR 15PSI APP: KENWORTH 2008-2017, PETERBILT 2008-2018

BODY AND CABIN

www.dormanproducts.com
Tech: 1-800-523-2492



HEAVY DUTY HOOD LATCH ASSEMBLY

- Direct replacement - this hood latch assembly matches the fit and function of the original equipment latch
- Durable construction - corrosion-resistant housing enhances this latch's durability and prevents functional deterioration



PART #	DESCRIPTION
315-5101	HD HOOD LATCH KIT APP: INTERNATIONAL 1980-2011
315-5206	HD HOOD LATCH KIT APP: FREIGHTLINER 1994-05
315-5401	HD HOOD LATCH KIT APP: KENWORTH 2003-2010, KENWORTH 1987-1996 (SHOWN)
315-5502	HD HOOD LATCH KIT APP: BLUE BIRD VISION SCHOOL BUS 2009-2015, MACK CH 2001-2003

TRAILER SUPPLY KNOB



www.haldexproductcatalog.com
Tech: 1-800-643-2374

- Trailer Supply Knob for Pin Type Push-Pull Valves
- Made using premium-quality materials for superior durability
- Built to last longer than the competing brand
- Designed to meet your specific needs
- A perfect replacement knob at a budget-friendly price

KN20901

KN20900



PART #	APPLICATION
KN20900	TRAILER SUPPLY KNOB - FOR PIN TYPE PUSH-PULL VALVES
KN20901	PARKING BRAKE KNOB FOR PIN TYPE PUSH-PULL VALVES

www.dormanproducts.com
Tech: 1-800-523-2492



CAB ROOF MARKER LIGHT

- A cracked, hazy or leaking roof marker light can lead to DOT or state inspection failure. This direct replacement roof marker light assembly restores the appearance and functionality of the original lamp to ensure proper operation.



PART #	DESCRIPTION
888-5125	CAB ROOF MARKER LIGHT APP: IC 2005-2014, IC CORPORATION 2003-2019, INTERNATIONAL 1986-2018

TRACTOR LIGHT

- Utility/work/ag light with shock proof rubber housing
- #4411 sealed beam
- Include both lead and ground wires
- Steel bracket, 5/16" mounting post
- 35 -Watt two-wire



www.optronicsinc.com
Tech: 1-800-364-5483

PART #	DESCRIPTION
TL10CBP	TRACTOR LIGHT 35-WATT

Battery &
Electrical

Body &
Cabin

Brake &
Wheel End

Valve Hoses
& Fittings

Driveline
Suspension

Engine &
Cooling

Exhaust

Temperature
Control

Lighting

Tools &
Accessories

Trailer,
Cargo
& Safety

HEAVY DUTY HEADLIGHT ACCESS CAP

- This replacement headlight bulb cap matches the fit and function of the original part. Made of quality materials to seal out dust and moisture, this cap restores the integrity of the headlight assembly when the original part is missing or damaged.

**PART #****DESCRIPTION**

888-5901

HD HEADLIGHT ACCESS CAP APP: VOLVO VN 2004, VOLVO VNL 2004-18, MORE...

HEADLIGHT FILLER PANEL

- This fender panel is a direct replacement for the original equipment fender, matching the stock fit and materials.

**PART #****DESCRIPTION**

889-5103

HEADLIGHT FILLER PANEL APP: IC CORPORATION 2006-16, INTERNATIONAL 2002-18 FRONT LEFT (SHOWN)

889-5104

HEADLIGHT FILLER PANEL APP: IC CORPORATION 2006-16, INTERNATIONAL 2002-18 FRONT RIGHT

HEAVY DUTY CAM SHAFT SENSOR

- This direct replacement camshaft position sensor matches the fit and performance of a failed original equipment sensor to restore proper engine starting and running, made of quality materials for a reliable service life.

**PART #****DESCRIPTION**

505-5110

HD CAM SHAFT SENSOR APP: IC CORPORATION 2001-04, INTERNATIONAL 1997-04

HEAVY DUTY AIR SHIFT KNOB

- Dorman's Air Shift Knob restores functionality of alternating ranges and gears. Often fails due to lack of maintenance and breakage, our Air Shift Knobs are constructed from durable aluminum and plastic for a long service life.

**PART #****DESCRIPTION**

455-5001

HD AIR SHIFT KNOB APP: MACK, FREIGHTLINER

HOOD CONTROL CABLE

- Ideal replacement - this hood restraint cable matches the fit and function of the original equipment

**PART #****DESCRIPTION**

315-5401

HOOD CONTROL CABLE APP: PETERBILT 1987-2010

HEAVY DUTY FLUID RESERVOIR CAPS

- Direct replacement - this washer fluid reservoir cap is designed to match the fit and function of the original cap on specified vehicles

PART #	DESCRIPTION
--------	-------------

902-5102	HD FLUID RESERVOIR CAP APP: FORD 2015, FORD 2004-2013, IC CORP 2005-2016
----------	--



FUEL INJECTION FUEL RAIL PRESSURE SENSOR

- This fuel injection fuel rail pressure sensor is designed to match the fit and function of the original sensor on specified vehicles, and is engineered for durability and reliable performance.

PART #	DESCRIPTION
--------	-------------

904-7149	FREIGHTLINER 2013, BLUE BIRD 2013, MORE...
----------	--



www.motorad.com
Tech: 1-800-523-2492

MotoRAD

HEAVY DUTY FUEL CAP

- It is a vented and non-locking Fuel Cap. Made from OEM quality materials. Manufactured from durable, long-life materials and independently tested for emission control.

PART #	DESCRIPTION
--------	-------------

2003-11	HD FUEL CAP - BRASS
---------	---------------------



HEAVY DUTY OIL FILLER CAP

- Made of high quality construction and meets all OEM specifications.

PART #	DESCRIPTION
--------	-------------

6024-02	TEMPERATURE CONTROL OIL FILLER CAP 1"
6025-02	TEMPERATURE CONTROL OIL FILLER CAP 1 1/4"
6029-02	TEMPERATURE CONTROL OIL FILLER CAP 1 1/2"
6031-02	TEMPERATURE CONTROL OIL FILLER CAP 1 3/4"
6033-02	TEMPERATURE CONTROL OIL FILLER CAP 2"

6024-02



6025-02



www.dormanproducts.com
Tech: 1-800-523-2492

WINDSHIELD WASHER NOZZLE KITS

- This replacement nozzle matches the fit and function of the factory part on specified vehicles to restore use of the washer system. This part is engineered for reliable performance and durability.

PART #	DESCRIPTION
--------	-------------

924-5101	WIPER NOZZLE KIT APP: IC 2003-15, IC CORP 2001-02, INTERNATIONAL 2001-12
924-5403	WIPER NOZZLE KIT APP: PETERBILT 1987-96, PETERBILT 2003-11 (SHOWN)



DORMAN
NEW SINCE 1918

BODY AND CABIN

www.ancowipers.com
Tech: 1-800-388-7426



ADJUSTABLE WINDOW WIPER ARMS & ADAPTER

- Vented bridge and metal flexor for O.E. fit and function
- KwikConnect Installation System installs and removes easily



PART

DESCRIPTION

41-01	ADJUSTABLE WINDOW WIPER ARM - 8" TO 11.5"
41-02	ADJUSTABLE WINDOW WIPER ARM - 10.75" TO 14.5"
41-03	ADJUSTABLE WINDOW WIPER ARM - 14" TO 19"

CLEAR-FLEX WIPER BLADES



ANCO's Heavy Duty Blades have heavy duty construction throughout—for the toughest wiping jobs on trucks, buses, streetcars, locomotives, ships, and boats. (Blade width: 250" w/ spacer; 200" w/o spacer.)

HY-BRIDGE WIPER BLADES



This blade is designed for commercial vehicles with highly curved windshields such as Ford Louisville series trucks and Kenworth AeroCab series.

HEAVY DUTY WIPERS FOR PIN TYPE ARMS



The S2-38 & S7-40 are a special blade approved as original equipment on International XL-Series trucks. The S7-22 is fitted to Ford CL3500 trucks, International, Navistar Transfer II, XL-Series and Mack MH series trucks. Blade S7-40 is O.E. on Navistar 9600, 9700 and 5870 trucks. Blade S2-24 is O.E. on Freightliner FL series business class conventional trucks.

TEN-EDGE WIPER BLADES



Ten-Edged Blades are nonrefillable and available in either high-quality natural rubber or ANCO's "HYCAR" synthetic rubber for use only where wiping element comes in contact with petroleum based products.

MEDIUM DUTY BLADES



Wiper blades for commercial vehicle applications. Extra heavy duty construction for wide saddles and 12mm J-Hook.

HEAVY DUTY WINTER BLADES



Super Heavy Duty wiping element to remove the heaviest rain, sleet, and snow. Riveted metal frame links for greater strength and a quality wipe. Rubber cover prevents ice and snow build-up in wiper super-structure for the best wipe in the most severe conditions.



Heavy Duty Wiper Blades Specification Chart

31 SERIES
10" - 28"

UR SERIES
(REAR WIPER BLADE)
10" - 16"

CONTOUR
14" - 28"

97 Series
12" - 28"

BODY AND CABIN

www.ancowipers.com
Tech: 1-800-388-7426



WIPER BLADE CHART

J-Hook						
Length (in)	Beam		Hybrid	Conventional		Wiper
	Custom®	ProBeam®		Auto/Intermittent	20-Series	
10				91-10	20-10	
11				91-11	20-11	
12				91-12	20-12	30-11
13				91-13	20-13	30-11
14	C-14-08	A-14-M	1-14-08	91-14	20-14	
15	C-15-08	A-15-M		91-15	20-15	30-15
16	C-16-08	A-16-M	1-16-08	91-16	20-16	30-16
17	C-17-08	A-17-M	1-17-08	91-17	20-17	
18	C-18-08	A-18-M	1-18-08	91-18	20-18	30-18
19	C-19-08	A-19-M	1-19-08	91-19	20-19	
20	C-20-08	A-20-M	1-20-08	91-20	20-20	30-20
21	C-21-08	A-21-M	1-21-08	91-21	20-21	
22	C-22-08	A-22-M	1-22-08	91-22	20-22	30-22
24	C-24-08	A-24-M	1-24-08	91-24	20-24	30-24
26	C-26-08	A-26-M	1-26-08	91-26	20-26	
28	C-28-08	A-28-M	1-28-08	91-28	20-28	

Pinch Tab & 22mm Bayonet			
Length (in)	Beam		Wiper
	Custom®	ProBeam®	
14		A-14-M	
15	C-15-08	A-15-M	
16		A-16-M	
17	C-17-08	A-17-M	
18	C-18-08	A-18-M	30-18-08
19	C-19-08	A-19-M	
20	C-20-08	A-20-M	30-20-08
21	C-21-08	A-21-M	
22	C-22-08	A-22-M	30-22-08
24	C-24-08	A-24-M	30-24-08
26	C-26-08	A-26-M	
28	C-28-08	A-28-M	

3/16" Side Pin				
Length (in)	Beam		Conventional	Wiper
	Custom®	ProBeam®		
10			91-10	20-10
11			91-11	20-11
12			91-12	20-12
13			91-13	20-13
14	C-14-08	A-14-M	91-14	20-14
15	C-15-08	A-15-M	91-15	20-15
16	C-16-08	A-16-M	91-16	20-16
17	C-17-08	A-17-M	91-17	20-17
18	C-18-08	A-18-M	91-18	20-18
19	C-19-08	A-19-M	91-19	20-19
20		A-20-M	91-20	20-20
21		A-21-M		
22		A-22-M		
24		A-24-M		

1/4" Side Pin						
Length (in)	Beam		Conventional	Wiper	Heavy Duty	
	Custom®	ProBeam®			Clear View	Black
11		A-11-M				
12		A-12-M				
13		A-13-M				
20	C-20-08	A-20-M	91-20	20-20	12-20	12-20
21	C-21-08	A-21-M	91-21	20-21		
22	C-22-08	A-22-M	91-22	20-22	12-22	12-22
24	C-24-08	A-24-M	91-24	20-24		
26	C-26-08	A-26-M	91-26	20-26		
28	C-28-08	A-28-M	91-28	20-28		

0.200" (5.0mm) & 0.250" (6.4mm) Saddle							
Length (in)	FLAT / CURVED WINDSHIELD				FLAT WINDSHIELD		
	Clear View			Wiper (20-Series)	Two-Edge		
	Metac	Black	+ HYCAR		Metac	Black	+ HYCAR
8					51-08		
9					51-09		
10					51-10		
11					51-11		
12	52-12	52-05			51-12		54-11
13				53-13	51-13	52-13	54-12
14	52-14	52-04			51-14	52-14	54-13
15		52-15		53-15	51-15	52-15	54-14
16	52-16	52-06	55-16	53-16	51-16	52-16	54-15
17					51-17		
18	52-18	52-08	55-18	53-18	51-18	52-18	54-16
19					51-19		
20	52-20	52-10	55-20		51-20	52-20	54-17
21					51-21		
22					51-22		

*HYCAR is synthetic rubber for use where wiping element comes in contact with petroleum based products.

0.500" (12.7mm) Saddle			
Length (in)	Clear View		Wiper (20-Series)
	Metac	Black	
18			53-18
20			53-20
22		52-22	53-22
24		52-24	53-24
26	52-26	52-26	

0.535" (13.6mm) & 0.640" (16.3mm) Saddle	
Length (in)	Metac Duty
20	53-20
24	53-24
26	53-26
28	53-28



"HYCAR" synthetic rubber for use where wiping element comes in contact with petroleum based products.

Battery & Electrical

Body & Cabin

Brake & Wheel End

Valve Hoses & Fittings

Driveline Suspension

Engine & Cooling

Exhaust

Temperature Control

Lighting



Tools & Accessories

Trailer, Cargo & Safety

BODY AND CABIN

www.tricoproducts.com
Tech: 1-800-388-7426

TRICO®
seeing you through.



20,000 lbs Brake Lining Selection Guide (Rev. 6/14)

	Green Zone	Yellow Zone	Red Zone
General Application	"Lighter Loads, Flatter Roads"	"Coast to Coast"	"Steep Grades, Heavy/ Moving/ Liquid Loads, City Roads"
Braking Frequency	Very Low, Mostly Interstate	Moderate, Mix of Interstate/Urban	Moderate - High, Any Environment
Maintenance Habits	Very Good - Regular Maintenance and Complete Brake Jobs	Good - Maintenance as Needed, But Always Complete Brake Jobs	Poor - Outsourced Service, One Wheel Brake Jobs Common
Driver Habits	Average - Non aggressive	Average	Average - Aggressive
Haldex Brake Lining	HV-77 20,000 lbs @ 165 AL 550° Temp Range Good Braking Power	GN-2017 20,000 lbs @ 165 AL 625° Temp Range Very Good Brake Power	GF-2008 20,000 lbs @ 165 AL 750° Temp Range Excellent Drum Compatibility
	GR-2015 20,000 lbs @ 165 AL 775° Temp Range High Heat Temperature 20K Lining		
	Competitive Brake Lining Listing		
- Alcoa - Bendix* - Cubing - Meritor - Flex-L - Marethon - New Brake - TruckPro/Armada - Fleetpro/CTR - H.D. America - Vgus - Freightliner/Almarco 1067/Diamond - Paccar/Blaupunkt - Corolla	6005 - ES410 - AP940 - P20 - T2P	6014 - SAVER - NAK102 - NAK112 - AP550 - DB - SH200-NAK102 20PRE	6011 - ES4200

Fleets should always choose brake linings based on their unique application. Competitive lining listing for reference only - no assumption of lining performance made.

Trailer,
Cargo
& SafetyTools &
Accessories

Lighting

Temperature
Control

Exhaust

Engine &
CoolingDriveline
SuspensionValve Hoses
& FittingsBrake &
Wheel EndBody &
CabinBattery &
Electrical

23,000 lbs Brake Lining Selection Guide (Rev. 6/14)

General Application
Braking Frequency
Maintenance Habits
Driver Habits

Green Zone		Yellow Zone		Red Zone	
"Lighter Loads, Flatter Roads"	"Coast to Coast"	"Steep Grades, Heavy / Moving / Liquid Loads, City Roads"			
Very Low, Mostly Interstate	Moderate, Mix of Interstate / Urban	Moderate - High, Any Environment			
Very Good - Regular Maintenance and Complete Brake Jobs	Good - Maintenance as Needed, But Always Complete Brake Jobs	Poor - Outsourced Service, One Wheel Brake Jobs Common			
Gentle - Non aggressive	Gentle - Average	Average - Aggressive			
Brake linings should be chosen based on a variety of application parameters. Fleets must consider other factors besides axle rating to determine the proper lining, load, road type, braking frequency, maintenance practices, AI factor and driver habits all affect braking performance.					
HV88 23,000 lbs @165 AI, 650° Temp Range Good Brake Power	GD-2016 23,000 lbs @165 AI, 750° Temp Range Very Good Brake Power	GG-2020 23,000 lbs @165 AI, 925° Temp Range Exceptional Brake Power	GC-20/35 23,000 lbs Combination 1000° Temp Range Exceptional Brake Power	GZ-2035 23,000 lbs Semi-Met 1000° Temp Range Exceptional Brake Power	

Allen
 Bender
 Coblenz
 Member
 Treble
 Marathon
 New York
 Track/Pro/Amateur
 Ruediger/GTR
 H.O. America
 Vice
 Knight/First Alliance
 Int'l Diamond
 Packer/Roadster
 Corolla

Competitive Brake Lining Listing

[illegible]

MS/MS	MS/MS	MS/MS
-------	-------	-------



BRAKE & WHEEL END

www.webbwheel.com
Tech: 1-800-633-3256



BRAKE DRUMS

PART #	BRAKE SURFACE DIA.	BRAKE SHOE WIDTH	OVERALL DEPTH WIDTH	PILOT DIA.	BOLT CIRCLE DIA.	BOLT HOLE	BOLT HOLE SIZE	TYPE	MOUNT	BACK PLATE THICKNESS	SURFACE FLAT	MAX WEAR DIA.	WEIGHT
51528B	15.00	4	8.86	8.78	11.25	10	1.31	K	OUTBOARD	0.50	4.78	15.12	69LBS
52200F	16.50	7	9.50	9.44	11.25	10	0.81	H	INBOARD	0.50	7.38	16.62	109LBS
56353F	16.50	7	11.18	8.78	11.25	10	1.00	K	OUTBOARD	0.50	7.44	16.62	113LBS
56864B	16.50	7	10.52	8.78	11.25	10	1.08	K	OUTBOARD	0.48	7.54	16.62	104LBS
56884B	16.50	7	10.62	8.78	11.25	10	1.00	K	OUTBOARD	0.50	7.62	16.62	116LBS
56893F	16.50	7	10.62	8.53	11.25	10	0.81	K	OUTBOARD	0.50	7.62	16.62	112LBS
56895B	16.50	7	10.62	9.00	11.25	10	0.81	K	OUTBOARD	0.50	7.81	16.62	108LBS
63680F	12.25	7.5	11.22	9.00	10.83	8	1.00	A	OUTBOARD	0.50	9.95	12.37	93LBS
65152B	16.50	6	9.75	8.78	11.25	10	1.31	H	OUTBOARD	0.62	6.50	16.62	120LBS
65547B	15.00	4	8.76	8.78	11.25	10	1.31	H	OUTBOARD	0.62	4.50	15.12	78LBS
65548B	15.00	4	9.04	8.78	11.25	10	1.31		OUTBOARD	0.50	4.50	15.12	67LBS
65710B	16.50	5	9.37	8.78	11.25	10	1.31	V	OUTBOARD	0.50	5.70	16.62	93LBS
66854B	16.50	8.62	11.46	8.78	11.25	10	1.00	K	OUTBOARD	0.56	9.12	16.62	120LBS
66873F	16.50	7	10.30	8.78	11.25	10	1.00	K	OUTBOARD	0.50	7.30	16.62	107LBS
67518F	16.50	7	8.38	9.44	11.00	5OR6	6=0.66	K	INBOARD	0.50	7.38	16.62	100LBS

WHEEL HUBS

PART #	HUB MATERIAL	MOUNTING TYPE	DRUM TYPE	DISC WHEEL	WHEEL STUD	# STUD	BOLT CIRCLE	STUD DESCRIPTION	CUP CODE
20231-3T	CAST	FN	OUTBOARD	STEEL(DUAL)	101162	10	11.25	M22 X 1.5MM SERRATED STUD	1
20231-5T	CAST	FN	OUTBOARD	ALUMINUM (DUAL)	101160	10	11.25	M22 X 1.5MM SERRATED STUD	1



20231-3T

AIR BRAKE SYSTEM ANTI-FREEZE & RUST GUARD



For Use With Automotive Brake System, Backing Plates, Brake Pad Contact Points, Disc Brake Pads



PART #	DESCRIPTION
M28-32	AIR BRAKE ANTI-FREEZE RUST GUARD 32 OZ.
M28-34	AIR BRAKE ANTI-FREEZE RUST GUARD 1 GAL.

Battery & Electrical

Body & Cabin

Brake & Wheel End

Valve Hoses & Fittings

Driveline Suspension

Engine & Cooling

Exhaust

Temperature Control

Lighting

Tools & Accessories

Trailer, Cargo & Safety

BRAKE & WHEEL END



www.haldexproductcatalog.com

Tech: 1-800-247-2725

BRAKE SHOES & KITS



GF4515QG
16-1/2" X 7"
KIT - CQ66867



GG4515QG
16-1/2" X 7"
KIT - CQ66867



GG4702QG
15" X 4"
KIT - CQ65642



GG4707QG
16-1/2" X 7"
KIT - CQ66867



GG4709ES2G
16-1/2" X 7"
KIT - CQ65477



HV761308EG
15" X 4"
KIT - CQ66917



HV761443EG
15" X 4"
KIT - CQ66917



HV764702QG
15" X 4"
KIT - CQ65642



HV774515QG
16-1/2" X 7"
KIT - CQ66867



HV774707QG
16-1/2" X 7"
KIT - CQ66867



HV884311EG
16-1/2" X 7"
KIT - CQ67319



HV884515QG
16 1/2" X 7"
KIT - CQ66867



HV884707QG
16 1/2" X 7"
KIT - CQ66867



HV884709ES2G
16-1/2" X 7"
KIT - CQ66867

CAMSHAFTS



* Left or Right Hand description refers to the rotation of the Camshaft Head. This description does not always match the position of the Camshaft on the axle.


AXLE - S=Steering D=Drive T=Trailer

www.meritorpartsexpress.com

Tech: 1-866-535-5560


How to Measure a Camshaft

1. Measure Camshaft Length. All Euclid Camshaft Lengths are measured from under the camshaft head to the beginning of the lock ring groove.



2. Locate approximate camshaft length in guide (Camshafts are listed in order of length, from shortest to longest).
3. After finding camshafts in the approximate length area, determine Camshaft Head Type, using Head Type photos and Head Width Dimensions.
4. Narrow your final selection by Spline, Journal Diameter, and any other notes listed.

Listed by Camshaft Length from under head to beginning of lock ring groove.



Camshaft Head photos are for identification purposes only — Actual camshaft head may vary slightly in dimension or appearance.

BRAKE & WHEEL END



www.meritorpartsexpress.com

Tech: 1-866-535-5560

CAMSHAFTS

PART #	LENGTH	HEAD TYPE	SPLINE	JRNL. DIA.	HEAD END	AXLE	CAMSHAFT KIT	NOTES
E-1094	23.44"	01	1.5" - 10	1.50	RH	T	E2287 MOST COMMON	DOUBLE GROOVE JOURNAL
E-1095	23.44	11	1.5" - 10	1.50	LH	T	E2287 MOST COMMON	DOUBLE GROOVE JOURNAL
E-5510	24.06"	11	1.5" - 28	1.50	LH	T	E-9079HD (BOLT ON BUSHING)	
E-5511	24.06"	11	1.5" - 28	1.50	RH	T	E-9079HD (BOLT ON BUSHING)	
E-9659	11.13"	11	1.5" - 28	1.50	LH	D	E3993B	E5094A(MACK)E-9090(2 1/2" OFFSET SPIDER
E-9660	11.13"	11	1.5" - 28	1.50	RH	D	E3993B	E5094A(MACK)E-9090(2 1/2" OFFSET SPIDER
E-9661	11.56"	11	1.5" - 28	1.50	LH	D	E-9080	E-9090(2 1/2" OFFSET SPIDER
E-9662	11.56"	11	1.5" - 28	1.50	RH	D	E-9080	E-9090(2 1/2" OFFSET SPIDER
E-9735	23.56"	02	1.5" - 28	1.625	LH	T	E-11910, E-9790A	SINGLE GROOVE JOURNAL
E-9736	23.56"	02	1.5" - 28	1.625	RH	T	E-11910, E-9790A	SINGLE GROOVE JOURNAL

CAMSHAFT BUSHING

- Bushing is made from molybdenum disulfide impregnated material. Grease fitting extends directly to inside diameter of the bushing. Lateral grooves help distribute grease. O-rings installed in grooves inside the bushing.

PART #	DESCRIPTION
E-1318A	BUSHING ASSEMBLY REPLACEMENT BUSHING IS E-2361
E-661	BUSHING L=2", I.D.=1-1/2", O.D.=1-7/8" NYLON
E-759	BUSHING L=1-1/2", I.D.=1-1/2", O.D.= 1-7/8" NYLON



E-1318A

CAMSHAFT ADAPTER PLATE

PART #	DESCRIPTION
E-2365	CAMSHAFT ADAPTER PLATE



CAMSHAFT SEAL & LOCK RINGS

PART #	DESCRIPTION
E-654	CAMSHAFT SEAL 2.6"H X 7.75"W X 5.2"L
E-526	CAMSHAFT LOCK RING FOR ALL 1-1/2" DIA. CAMSHAFT
E-801	CAMSHAFT LOCK RING. FOR MERITOR 4000-6000 SERIES AXLES



E-526

E-1565

E-801

CAMSHAFT WASHERS

PART #	DESCRIPTION
E-1565	CAMSHAFT WASHER 2-3/8"
E-719	CAMSHAFT WASHER 2-7/16"OD, 1-9/32"ID, 1/8" THICK
E-656	CAMSHAFT WASHER 3-7/8"OD, 1-1/2"ID, 1/16"THICK
E-581	CAMSHAFT WASHER 2.25" OD/1-17/32" ID 1/32"



E-581

CAMSHAFT KITS

PART #	DESCRIPTION
E-2125	CAMSHAFT KIT - BRAKE SIZE 15" 16.5"
E-2287	CAMSHAFT BUSHING KIT - BRAKE SIZE 16.5"
E-3520A	CAMSHAFT REPAIR KIT- TRAILER AXLE TYPE, BRAKE SIZE 16.5"
E-3993B	CAMSHAFT REPAIR KIT FOR MERITOR Q & Q+ FOR DRIVE AXLES BRAKE SIZE 15, 16.5"
E-9078HD	CAMSHAFT KIT - BRAKE SIZE 16.5"
E-9079HD	CAMSHAFT REPAIR KIT FOR MERITOR Q & Q+ FOR TRAILER AXLES BRAKE SIZE 16.5"
E9790A	CAMSHAFT REPAIR KIT - BRAKE SIZE 15", 16.5" CAMSHAFT DIA. 1-5/8"

E-2125

E9790A



Battery & Electrical

Body & Cabin

Brake & Wheel End

Valve Hoses & Fittings

Driveline Suspension

Engine & Cooling

Exhaust

Temperature Control

Lighting

Tools & Accessories

Trailer, Cargo & Safety

BRAKE & WHEEL END

AUTOMATIC SLACK ADJUSTERS



www.haldexproductcatalog.com

Tech: 1-800-247-2725

PART #	PRODUCT DESCRIPTION	SPLINE	ARM LENGTH	ANCHOR BRACKET STYLE	BRACKET NUMBER
40010141	ABA Service Kit For Standard Application	1 1/2" - 28"	5 1/2"	STRAP	40020231
40010143	ABA Service Kit For Standard Application	1 1/2" - 10"	5.5"	STRAP	40020228
40010144	ABA Kit For Mack Application with 3" and Longer Cam Shaft Tubes	1 1/2" - 28"	6"	CLAMP	40020243

AUTOMATIC SLACK ADJUSTERS

Bendix

www.bendix.com

Tech: 1-800-247-2725



www.meritorpartsexpress.com

Tech: 1-866-535-5560

BENDIX PART #	HALDEX PART #	EUCLID PART #	SPLINE	ARM LENGTH	THREAD SIZE
K041877	40010140	E11402	1 1/2" - 28	6"	5/8 - 18"
K043197	40010141	E11401	1 1/2" - 28	5 1/2"	5/8 - 18"
K041870	40010143	E11398	1 1/2" - 10C	5 1/2"	5/8 - 18"
K041876	40010142	E11399	1 1/2" - 10C	6"	5/8 - 18"



BENDIX

EUCLID

1. Determine if straight or offset arm. If offset determine if RH or LH is needed.
2. Identify spline size (diameter and number of (teeth).
3. Select model needed.
4. Determine the arm hole used (if slack contains more than one).L5. Identify bushing diameter.
5. Measure from center of splined hole to determine armlength (A,B,C).



www.automann.com

Tech: 1-888-288-6626

MANUAL SLACK ADJUSTERS

EUCLID PART	SPLINE	A	B	C
E612S	1 1/2"	7.0	6.0	5.0
E940S	1 1/2"	6.5	5.5	4.5
E2458S	1 1/2"	6.0	5.0	
E2459S	1 1/2"	6.5	5.5	

SLACK ADJUSTER WRENCHES

PART #	DESCRIPTION
579.1075	AUTOMATIC SLACK ADJUSTER TOOLS FOR MERITOR TYPE
579.1076	SLACK ADJUSTER WRENCH 7/16"
579.1077	SLACK ADJUSTER WRENCH 9/16"



CLEVIS ASSEMBLIES AND PINS



www.meritorpartsexpress.com

Tech: 1-866-535-5560

CLEVIS ASSEMBLIES



E-8897

PART # DESCRIPTION

E11430A	CLEVIS ASSEMBLY .25"H X 10"W X 8"L
E-11989	CLEVIS PIN

EUCLID PART #	THREAD SIZE	PIN DIA.
E9133	5/8" - 18	
E-8896	1/2" - 20	1/2"
E-8897	5/8" - 18	1/2"
E-8898	5/8" - 18	5/8"

BRAKE & WHEEL END



www.meritorpartsexpress.com

Tech: 1-866-535-5560

AIR BRAKE CHAMBER DIAPHRAGMS

Brake Service Chamber Diaphragms - Nylon Fabric Reinforced Rubber

PART #	MODEL	OUTSIDE DIAMETER	STROKE	CHAMBER TYPE	BRAKE TYPE
E-11889	T30	7.825"	3.00"	SERVICE CHAMBER	S-CAM BRAKE (DRUM)
E-8889	T20	6.50"		SERVICE CHAMBER	S-CAM BRAKE (DRUM)
E-8890	T16	6.219"		SERVICE CHAMBER	S-CAM BRAKE (DRUM)
E-8891	T20	6.50"		SERVICE CHAMBER	S-CAM BRAKE (DRUM)
E-8895	T36	8.75"		SERVICE CHAMBER	S-CAM BRAKE (DRUM)



www.haldexproductcatalog.com

Tech: 1-800-247-2725

AIR BRAKE CHAMBER DIAPHRAGMS



PART #	MODEL	OUTSIDE DIAMETER	STROKE	CHAMBER TYPE	BRAKE TYPE
DP30	T-30	7.88"	2.50"	SERVICE CHAMBER	S-CAM BRAKE (DRUM)
DP24L	T-24	7.00"	2.25"/2.50"	SERVICE CHAMBER	S-CAM BRAKE (DRUM)



AIR BRAKE CHAMBER



www.bendix.com

Tech: 1-800-247-2725

PART #	MODEL	STROKE	PUSH ROD LENGTH	BRAKE TYPE
NT3030STD-78TC	T30/30	2.5"	7.8"	SPRING BRAKE S-CAM
NT3030ELS-80	T30/30	3"	8"	SPRING BRAKE
NT3030STDKIT	T30/30			SPRING BRAKE PIGGYBACK KIT
5007121N	TYP - 30			BRAKE CHAMBER S-CAM
800823	TYP - 16			BRAKE CHAMBER S-CAM
800824	TYP - 20			BRAKE CHAMBER S-CAM
800825	TYP - 24			BRAKE CHAMBER S-CAM

5007121N



NT3030STD-78TC

RELEASE TOOLS

PART # DESCRIPTION

RT1	RELEASE TOOL
RTP2	DUST PLUG

RT1



www.haldexproductcatalog.com

Tech: 1-800-247-2725

RTP2



AIR BRAKE CHAMBER



www.autometer.com

Tech: 1-866-883-8378

PART #	MODEL	STROKE	BRAKE TYPE
179.SB3030S	T30/30	2.5"	SPRING BRAKE S-CAM W/CLEVIS
179.SB3030SL	T30/30	LONG	SPRING BRAKE SEALED
179.SB2424S	T24/24	STANDARD	SPRINK BRAKE SEALED
179.SB1824DB	T18/24	2.5"	SPRING BRAKE



179.SB3030S



179.SB3030SL

Battery & Electrical

Body & Cabin

Brake & Wheel End

Valve Hoses & Fittings

Driveline Suspension

Engine & Cooling

Exhaust

Temperature Control

Lighting

Tools & Accessories

Trailer, Cargo & Safety

BRAKE & WHEEL END

www.stemco.com
Tech: 1-903-758-9981



HUB CAP

PART #	DESCRIPTION
300-4009	HUB CAP 4009 NO SIDE PLUG OIL/GREASE W/GASKET, B
303-4009	HUB CAP 6 HOLE W/SIDE PLUG 5-1/2" BC
340-4009	HUB CAP 6 HOLE 5-1/2" BC
340-4024	HUB CAP 6 HOLE 4-1/2" BC
340-4195	HUB CAP 6 HOLE OILCAP 6-3/4" BC PROPAR W/GASKET
343-4249	HUB CAP 6 HOLE 5-1/2" BC
343-4009	HUB CAP 6 HOLE 5-1/2" BC
343-4024	HUB CAP 6 HOLE 4-1/2" BC
343-4195	HUB CAP 6 HOLE OILCAP 6-3/4" BC PROPAR W/GASKET



HUB CAP WINDOW KITS

PART #	DESCRIPTION
359-5995	3-1/2" HUB CAP WINDOW KIT
359-5999	2-3/4" HUB CAP WINDOW KIT



www2.chicago-rawhide.com
Tech: 1-847-742-7840

OIL FILL HUB CAPS

PART #	DESCRIPTION
1711	OIL FILL HUB CAP
1612	OIL FILL HUB CAP
1643	OIL FILL HUB CAP
1743	OIL FILL HUB CAP
1282	OIL FILL HUB CAP



HUB CAP WINDOW KITS

PART #	DESCRIPTION
453795	HUB CAP GASKET 6 HOLE
453869	HUB CAP GASKET 6 HOLE
450293	HUB CAP GASKET FOR 4195 6-6-3/4" BC

453795

453869



HUB CAP PLUGS

PART #	DESCRIPTION
359-5915	HUB CAP PLUG 3/4" RED VENT PLUG
359-5990	HUB CAP PLUG 1-1/8" RED VENT PLUG



359-5915

BRAKE & WHEEL END



www.midwesttruck.com
Tech: 1-800-934-2727



WA14-5054



WA14-5048

HUB CAPS, GASKETS

Midwest Truck & Auto Parts, Inc., a leading supplier of high-quality replacement and aftermarket truck parts.

PART #	DESCRIPTION
WA14-5054	STANDARD PLUG FOR ALL CENTER FILL HUB CAPS BLACK
WA14-5048	STANDARD GASKET FOR 6 HOLE HUBCAPS



www.meritorpartsexpress.com
Tech: 1-866-535-5560

HUB CAP, GASKETS AND PLUG

PART #	DESCRIPTION
E-2431	AXLE SHAFT FLANGE GASKET 10 HOLE
E-2435	AXLE SHAFT FLANGE GASKET 8 HOLE
E-2437	AXLE FLANGE GASKET 12 HOLE
E04975	CLEAR POLYCARBONATE HUB CAP
E-05500	HUB CAP GASKET O RING FOR POPULAR HU
E-04000	HUB CAP PLUG

E-2435

E04975



E-2437

E-04000



A Higher Standard of Performance™

www.stemco.com
Tech: 1-903-758-9981

HUB CAP GASKETS

PART #	DESCRIPTION
330-3009	HUB CAP GASKET 6 HOLE
330-3024	HUB CAP GASKET 6 HOLE
330-3118	HUB CAP GASKET FOR 4195 6-6-3/4BC

330-3024

330-3118



330-3009

WHEEL END HARDWARE

- Rim Stud Nut

PART #	THREAD	HEX
E-4962	5/8" - 11	1 1/4"
E-4963	3/4" - 10	1 1/4"



www.meritorpartsexpress.com
Tech: 1-866-535-5560



Battery & Electrical

Body & Cabin

Brake & Wheel End

Valve Hoses & Fittings

Driveline Suspension

Engine & Cooling

Exhaust

Temperature Control

Lighting

Tools & Accessories

Trailer, Cargo & Safety

BRAKE & WHEEL END




www.midwesttruck.com

Tech: 1-800-934-2727

DISC WHEEL OUTER AND INNER NUTS

Midwest Truck & Auto Parts, Inc., a leading supplier of high-quality replacement and aftermarket truck parts.



PART #	REPLACES	THREAD	HEX	HEIGHT	APPLICATION	GRADE
WA07-5022	EUCLID E-5977R	RH 1 1/8"-16	1 1/2"	7/8"	STANDARD FOR STEEL AND ALUMINUM DUAL & SINGLE WHEELS W/1/8" DIA STUDS	5
WA07-5023	EUCLID E-5977L	LH 1 1/8"-16	1 1/2"	7/8"	STANDARD FOR STEEL AND ALUMINUM DUAL & SINGLE WHEELS W/1/8" DIA STUDS	5




STANDARD INNER CAP NUT FOR STEEL WHEELS

PART #	REPLACES	OUTER THREAD	INNER THREAD	LENGTH	SQUARE HEAD	GRADE
WA07-5024	EUCLID E-7895R	RH 1 1/8"-16	3/4"-16	2 1/8"	13/16"	8
WA07-5025	EUCLID E-7895L	LH 1 1/8"-16	3/4"-16	2 1/8"	13/16"	8



EXTRA LENGTH INNER CAP NUT FOR STEEL WHEELS


PART #	REPLACES	OUTER THREAD	INNER THREAD	LENGTH	SQUARE HEAD	GRADE
WA07-5027	EUCLID E-7896L, MORE...	LH 1 1/8"-16	3/4"-16	2 9/16"	13/16"	8
WA07-5031	EUCLID E-5548L, MORE...	LH 1 1/8"-16	3/4"-16	2 5/8"	13/16"	8



METRIC FLANGE NUTS

PART #	REPLACES	THREAD	HEX	HEIGHT	GENERAL INFO	BRAND
WA07-5035	EUCLID E-6000A, MORE...	M22X1.5	33MM	31MM	BUDD UNIMOUNT 10 WHEEL STUDS	BUDD
WA07-5036	EUCLID E-5991, MORE...	M22X1.5	38MM	34.9MM	MOTRO WHEEL 8 STUD WHEEL	METFORM SECUREX
WA07-5037	EUCLID E-9020, MORE...	M22X1.5	33MM	32MM	ALCOA HUB PILOTTED WHEELS	MOTOR WHEEL

WEBB METRIC WHEEL STUDS




PART #	REPLACES	A	B	C	D
WA07-5038	EUCLID E-6035, WEBB 101162	3 15/16"	23/32"	2 11/16"	3/8"
WA07-5039	EUCLID E-6034, WEBB 101160	4 25/32"	23/32"	3 17/32"	3/8"

BRAKE & WHEEL END



www.midwesttruck.com
Tech: 1-800-934-2727

HEADED DISC WHEEL STUDS (SERRATED BODY)



PART #	REPLACES	A	B	C	D
WA07-6066	EUCLID E-8969R, MORE...	2 15/16"	1 5/16"	1.41	1/2"

BUDD UNIMOUNT WHEEL STUDS



PART #	REPLACES	A	B	C	D	E
WA07-6193	EUCLID E-9010L, WEBB 101173	2 7/8"	13/16"	1 1/8"	1/2"	1/4"

SEE STUD CHART FOR MORE REFERENCES!



www.meritorpartsexpress.com
Tech: 1-866-535-5560

WHEEL END HARDWARE-SINGLE END STUDS



PART #	L/R HAND WHEEL STUD	HEAD STYLE	A-LENGTH FROM UNDER HEAD	B-BODY LENGTH	THREAD	D-SERRATION LENGTH	GRADE
E-5683		ROUND	3 1/4"	1.03"	11/16"-16	0.65"	8
E-5718R	R	ROUND	2 3/8"	0.78"	3/4"-16	0.50"	8
E-5720L	L	ROUND	2 23/32"	0.78"	3/4"-16	0.50"	8
E-5720R	R	ROUND	2 23/32"	0.78"	3/4"-16	0.50"	8
E-6033L	L	ROUND	3 5/8"	1.44"	1 1/8"-16	0.59"	8
E-6033R	R	ROUND	3 5/8"	1.44"	1 1/8"-16	0.59"	8
E-8983L	L	ROUND	2 11/16"	0.97"	3/4"-16	0.50"	8
E-8983R	R	ROUND	2 11/16"	0.97"	3/4"-16	0.50"	8
E-8986		ROUND	4 13/32"	1.00"	M22X1.5	0.437"	10.9
E-10208L	L	ROUND	3 13/32"	1.44"	3/4"-16	0.38"	8
E-10208R	R	ROUND	3 13/32"	1.44"	3/4"-16	0.38"	8
E-10209R	R	ROUND	3 5/32"	1.44"	3/4"-16	0.50"	8
E-10210L	L	ROUND	3 25/32"	1.44"	3/4"-16	0.38"	8
E-10210R	R	ROUND	3 25/32"	1.44"	3/4"-16	0.38"	8
E-10217		ROUND	4 31/32"	1.03"	M22X1.5	0.50"	10.9
E-10230		ROUND	3 3/16"	1.36"	5/8"-18	0.953"	8
E-10257		CLIPPED	4 3/16"	0.50"	M22X1.5	PLAIN	10.9
E-10259R	R	CLIPPED D HEAD	2 11/32"	0.63"	3/4"-16	PLAIN	8

Battery & Electrical

Body & Cabin

Brake & Wheel End

Valve Hoses & Fittings

Driveline Suspension

Engine & Cooling

Exhaust

Temperature Control

Lighting

Tools & Accessories

Trailer, Cargo & Safety



BRAKE & WHEEL END



WHEEL END HARDWARE-SINGLE END STUDS

www.meritorpartsexpress.com

Tech: 1-866-535-5560



PART #	L/R HAND WHEEL STUD	HEAD STYLE	A-LENGTH FROM UNDER HEAD	B-BODY LENGTH	THREAD	D-SERRATION LENGTH	GRADE
E-5757L	L	ROUND	3 5/8"	2.25"	3/4"-16	0.50"	8
E-5900R	R	ROUND	2 23/32"	0.78"	3/4"-16	0.50"	8
E-5910L	L	ROUND	3 1/8"	0.81"	3/4"-16	0.44"	8
E-5910R	R	ROUND	3 1/8"	0.81"	3/4"-16	0.44"	8
E-5924L	L	WEDGE	3 13/32"	1.44"	3/4"-16	PLAIN	8
E-5924R	R	WEDGE	3 13/32"	1.44"	3/4"-16	PLAIN	8
E-5983L	L	ROUND	3 3/4"	1.37"	3/4"-16	1.015"	8
E-5983R	R	ROUND	3 3/4"	1.37"	3/4"-16	1.015"	8
E-5986L	L	ROUND	2 61/64"	0.75"	1 1/8"-16	0.50"	8
E-5986R	R	ROUND	2 61/64"	0.75"	1 1/8"-16	0.50"	8
E-5987L	L	ROUND	2 29/32"	1.16"	3/4"-16	1.00"	8
E-5987R	R	ROUND	2 29/32"	1.16"	3/4"-16	1.00"	8
E-5997		ROUND	3 21/32"	0.88"	M22 X 1.5	0.39"	10.9
E-6028L	L	CLIPPED	3 25/32"	1.57"	3/4"-16	PLAIN	8
E-6057L	L	ROUND	3 3/16"	1.19"	3/4"-16	1.00"	8
E-6057R	R	ROUND	3 3/16"	1.19"	3/4"-16	1.00"	8
E-6059L	L	CLIPPED	3 17/32"	1.55"	3/4"-16	PLAIN	8
E-6059R	R	CLIPPED	3 17/32"	1.55"	3/4"-16	PLAIN	8
E-8946R	R	ROUND	2 15/16"	0.94"	5/8"-18	0.42"	8
E-8949L	L	ROUND	2 19/32"	0.98"	3/4"-16	0.39"	8
E-8949R	R	ROUND	2 19/32"	0.98"	3/4"-16	0.39"	8
E-8969L	L	ROUND	2 15/16"	1.28"	3/4"-16	0.50"	8
E-8969R	R	ROUND	2 15/16"	1.28"	3/4"-16	0.50"	8
E-8977R	R	ROUND	3 7/8"	2.00"	3/4"-16	0.50"	8
E-8985R	R	ROUND	3 13/16"	1.22"	1 1/8"-16	0.75"	8
E-8996R	R	ROUND	3 1/4"	0.75"	1 1/8"-16	0.56"	8
E-9003L	L	ROUND	2 29/32"	1.06"	3/4"-16	0.44"	8
E-9003R	R	ROUND	2 29/32"	1.06"	3/4"-16	0.44"	8
E9010R	R	ROUND	2 27/32"	0.812"	3/4"-16	0.357"	8



WHEEL END HARDWARE - METRIC STUDS

PART #	L/R HAND WHEEL STUD	HEAD STYLE	LENGTH FROM UNDER HEAD	BODY LENGTH	THREAD	SERRATION LENGTH	GRADE
E-6036		ROUND	3 1/2"	0.72"	M22 X 1.5	0.341"	10.9
E-8981		ROUND	4"	0.73"	M22 X 1.5	0.50"	10.9
E-8986		ROUND	4 13/32"	1.00"	M22 X 1.5	0.437"	10.9
E-8988		ROUND	3 11/16"	0.86"	M22 X 1.5	0.50"	10.9
E-9526		ROUND	4 5/16"	0.72"	M22 X 1.5	0.41"	10.9
E-9837		ROUND	3 23/32"	0.87"	M22 X 1.5	0.38"	10.9
E-10217		ROUND	4 31/32"	1.03"	M22 X 1.5	0.50"	10.9
E-10219		ROUND	4 15/32"	1.55"	M22 X 1.5	0.50"	10.9
E-10221		ROUND	5 11/32"	1.55"	M22 X 1.5	0.48"	10.9
E-10257		CLIPPED	4 3/16"	0.50"	M22 X 1.5	PLAIN	10.9
E-10676		ROUND	4 1/4"	0.72"	M22 X 1.5	0.50"	10.9
E-17001		ROUND	3 1/2"	0.67"	M22 X 1.5	0.67"	10.9

BRAKE & WHEEL END

WHEEL END HARDWARE - WHEEL STUDS



www.meritorpartsexpress.com

Tech: 1-866-535-5560



PART #	LENGTH	HUB END THREAD	WHEEL END THREAD
E-5706	3 1/8"	3/4"-10	3/4"-10
E-5872	3 11/16"	5/8"-18	5/8"-11
E-5955	3 1/4"	3/4"-10	3/4"-16

WHEEL END HARDWARE - DOUBLE END STUDS



PART #	L/R HAND WHEEL STUD	LENGTH	COLLAR STYLE	COLLAR LENGTH	HUB END LENGTH	WHEEL END LENGTH	WHEEL END THREAD
E-5551L	L	4 7/32"	CLIPPED	0.19"	2.69"	1.37"	3/4"-16
E-5585R	R	4 11/32"	CLIPPED	0.22"	2.81"	1.36"	3/4"-16
E-5589L	L	4 5/8"	ROUND	0.09"	3.40"	1.28"	3/4"-16
E-5589R	R	4 5/8"	ROUND	0.09"	3.40"	1.28"	3/4"-16

AXLE SPINDLE NUT

Trailer Axle Outer Spindle Nut

PART #	HEX	THREAD	INSIDE DIAMETER	THICKNESS	APPLICATION
E-572	3 1/4"	2 5/8"-16	2 5/8"	3/8"	TRAILER
E-540	3 3/16"	2 5/8"-16	2 5/8"	3/8"	TRAILER
E-2305	4"	3 1/4"-12	3 1/4"	3/8"	DRIVE & TRAILER
E-2303	4"	3 1/4"-12	3 1/4"	3/8"	DRIVE & TRAILER INNER WHEEL BEARING ADJ. NUT
E-3506	4 1/8"	2 7/8"-12	2 7/8"	3/8"	DRIVE
E-1251	3 1/4"	2 3/8"-16	2 3/8"	3/8"	TRAILER



AXLE SPINDLE WASHER

PART #	OUTSIDE DIAMETER	INSIDE DIAMETER	THICKNESS	APPLICATION
E-2237	4 1/32"	2 41/64"	1/16"	TRAILER
E-3008	3 7/8"	2 41/64"	1/4"	TRAILER
E-2467	4 3/4"	3 1/4"	1/8"	DRIVE
E573	3 15/16"	2 41/64"	1/4"	DRIVE & TRAILER
E-2461	4"	2 5/8"	1/8"	DRIVE
E-2304	4 11/32"	3 9/32"	7/32"	DRIVE



Battery & Electrical

Body & Cabin

Brake & Wheel End

Valve Hoses & Fittings

Driveline Suspension

Engine & Cooling

Exhaust

Temperature Control

Lighting

Tools & Accessories

Trailer, Cargo & Safety

BRAKE & WHEEL END

HD OIL BATH SEALS APPLICATION/INTERCHANGE



www.stemco.com

Tech: 1-903-758-9981

Axle	National Red	National Gold	Stemco Voyager	Stemco Grit Guard	CR Scotseal
Front	370001A	380001A	383-0136	382-8036	35066
Drive	370003A	380003A	393-0173	392-9131	47697
Drive	370005A			392-9132	48001
Drive	370019A			392-9096	43860
Drive	370021A			392-9088	45160
Drive	370022A	380022A	393-0103	392-9094	45099
Drive	370023A	380023A	393-0112	392-9099	38780
Trailer	370025A	380025A	373-0143	372-7097	46305
Drive	370031A	380031A	393-0104	392-9112	42672
Front	370033A		383-0139		39988
Trailer	370036A	380036A	373-0144	372-7098	40136
Trailer	370037A			372-7095	43752
Drive	370047A	380047A	3730123	392-9035	34387
Trailer	370065A	380065A	383-0153	372-7099	42623
Front	370124A		383-0156		44922
Front	370131A	380131A			45103
Front	370182A				43764

BEARINGS

- Milemate™ Matched Wheel Bearing Sets Increase Truck and Trailer Uptime. Matching Cone and Cup Gives Higher Reliability. Made from Timken Steel. Proven Longer Running. To Be Replaced Together. Lengthens Maintenance Intervals.



TIMKEN
Stronger. By Design.

www.timken.com

Tech: 1-866-984-6536

BEARING

SET

580 / 572	Set 401
582 / 572	Set 402
594A / 592A	Set 403
663 / 653	Set 405
3782 / 3720	Set 406
39590 / 39520	Set 408
47686 / 47620	Set 411
HM212049 / HM212011	Set 413
HM218248 / HM218210	Set 414

WHEEL RIM CLAMPS

www.meritorpartsexpress.com

Tech: 1-866-535-5560

PART

DESCRIPTION

E-5571A	WHEEL RIM CLAMP 2.5H X 2.88W X 1.13 OFFSET
E-5040A	GENERAL WHEEL CLAMP 2.5H X 2.88W X 1.5 OFFSET
E-5572A	SPOKE WHEEL CLAMP 2.5H X 2.88W X 1.75 OFFSET



BRAKE & WHEEL END

www.stemco.com
Tech: 1-903-758-9981



GRIT GUARD WHEEL SEAL

- Standard hub seal set trailer axles

PART #	DESCRIPTION
372-7097	STANDARD HUB SEAL SET TRAILER 2.3"H X 7.3"W X 7.25"L
382-8036	HUB SEAL SET FRONT 2.3"H X 7.25"W X 7.3"L
392-9131	GRIT GUARD HUB SEAL SET DRIVE 2.3"H X 7.3"W X 1.6"L



SCOTSEAL SHAFTSEALS

- Wheel seal

PART #	DESCRIPTION
46300	SCOTSEAL PLUS XL SHAFT SEAL 4 5/8" SHAFT, 6.014" HOUSING BORE DIA., 0.912" W
47691	SCOTSEAL PLUS XL SHAFT SEAL 4.467" SHAFT, 6.308" OUTSIDE DIA.
47697	SCOTSEAL SHAFT SEAL 6.311" BORE DIA., WIDTH 1.125", OUTSIDE DIA. 4.766"
35058	SCOTSEAL PLUS XL 4.842", BORE DIA., WIDTH 0.903", OUTSIDE DIA. 3.500"
46305	SCOTSEAL SHAFT SEAL 6.001" BORE DIA., WIDTH 1.063" OUTSIDE DIA. 4.625"
35066	SCOTSEAL SHAFT SEAL 4.842" BORE DIA., WIDTH 0.904" OUTSIDE DIA. 3.500"
38780	SCOTSEAL SHAFT SEAL 5.691" BORE DIA., WIDTH 0.938", OUTSIDE DIA. 3.875"




www2.chicago-rawhide.com
Tech: 1-847-742-7840



DRIVE FLANGE WEDGE

PART #	LENGTH	INNER DIAMETER	OUTER DIAMETER
E-5743	15/32"	5/8"	1.00"
E-5737	13/32"	7/16"	3/4"
E-5740	13/32"	1/2"	13/16"



www.meritorpartsexpress.com
Tech: 1-866-535-5560

DRIVE AXLE FILTERED VENT

- The Sentinel ESP (Extended Service Plug) and Sentinel ESP Filtered Drive Axle Vent allow economical retrofitting of wheel ends and drive axles with the benefits of STEMCO's exclusive Sentinel Technology

PART #	DESCRIPTION
359-6137	DRIVE AXLE FILTERED VENT



www.stemco.com
Tech: 1-903-758-9981



Battery &
Electrical

Body &
Cabin

Brake &
Wheel End

Valve Hoses
& Fittings

Driveline
Suspension

Engine &
Cooling

Exhaust

Temperature
Control

Lighting

Tools &
Accessories

Trailer,
Cargo
& Safety

BRAKE & WHEEL END



PRO-TORQ DRIVE AXLE FASTENERS

www.stemco.com
Tech: 1-903-758-9981

- Controls axial motion. Holding bearing end play at .001" + .003".
That means wheels track truer for longer life extended wheel seal and bearing life and more accurate wheel-end sensor monitoring on ABS.



PART #	DESCRIPTION	KEEPER#
447-4743	TRAILER AXLE FASTENERS	450-4743
449-4904	TRAILER AXLE FASTENERS	450-4904
449-4973	TRAILER AXLE FASTENERS	450-4973

WHEEL SEAL

- Trailer axle Stemco - guardian

PART #	DESCRIPTION
307-0743	WHEEL SEAL TRAILER AXLE - GUARDIAN
309-0973	WHEEL SEAL TRAILER AXLE - GUARDIAN



ADB BRAKE PADS

PART #	BACKING PLATE HEIGHT	BACKING PLATE WIDTH	CALIPER TYPE	DESCRIPTION
GMD1370	4 1/4"	8 1/2"	TWIN PISTON	MERITOR EX+L
GMD1369H	4 1/4"	8 1/4"	TWIN PISTON	BENDIX ADB22X
GMD1370H	4 1/4"	8 1/2"	TWIN PISTON	MERITOR EX+L
GMD2061H	4 1/4"	8 1/4"	SINGLE PISTON	WABCO MAXXUS
GMD1777H	4 1/4"	8 1/4"	SINGLE PISTON	WABCO PAN 22
GMD1311H	4 9/16"	9 13/16"	TWIN PISTON	MERITOR
GMD1203H	4 5/16"	9 3/4"	TWIN PISTON	KNORR-BENDIX
GMD1438H	3 5/8"	8 1/4"	SINGLE PISTON	WABCO
GMD1518H	3 3/8"	6 15/16"	SINGLE PISTON	WABCO



www.meritorpartsexpress.com
Tech: 1-866-535-5560



ADB ROTORS

PART #	ROTOR DEPTH	OUTSIDE DIAMETER	PILOT DIAMETER	FLANGE THICKNESS	ROTOR DEPTH	BOLT HOLE SIZE	TYPE	BOLT CIRCLE DIAMETER
M44D802082	5 7/8"	16 15/16"	8 11/16"	15/16"	5 7/8"	5/8"-11	U-SHAPED	9 13/16"
M44DH802569	1 3/4"	16 15/16"	10 3/16"		1 3/4"	SPLINE	FLAT	9 13/16"



BRAKE & WHEEL END

www.bbb-cv.com (PSC)
Tech:1-800-645-1102

AIR DISC CALIPERS

PERFECT STOP

97B91560



98B93784



99B90176



PART # DESCRIPTION / APPLICATION

87B91560	CCW RIGHT- FIRE TRUCK (PIERCE)
87B91561	CW LEFT- FIRE TRUCK (PIERCE)
88B90032	RIGHT (W/O CARRIER) TRUCK (FREIGHTLINER, MORE)SCHOOL BUS (THOMAS, BLUE BIRD)
88B90033	LEFT (W/O CARRIER) TRUCK (FREIGHTLINER, MORE)SCHOOL BUS (THOMAS, BLUE BIRD)
88B90038	RIGHT (W/O CARRIER) TRAILER (HENDRICKSON, SAF HOLLAND)
88B90039	LEFT (W/O CARRIER) TRAILER (HENDRICKSON, SAF HOLLAND)
88B93783	LEFT (W/O CARRIER) MOTORCOACH, TRANSIT BUS (PREVOST, NEW FLYER)
88B93784	RIGHT (W/O CARRIER) MOTORCOACH, TRANSIT BUS (PREVOST, NEW FLYER)
89B90032-1	AXIAL RH TRUCK (INTERNATIONAL, MORE...) SCHOOL BUS (THOMAS, BLUE BIRD)
89B90032-2	RADIAL RH TRUCK (FREIGHTLINER)
89B90033-1	AXIAL LH TRUCK (INTERNATIONAL, MORE...) SCHOOL BUS (THOMAS, BLUE BIRD)
89B90033-2	RADIAL LH TRUCK (FREIGHTLINER)
89B90038-1	RH TRAILER (HENDRICKSON)
89B90039-1	LH TRAILER (HENDRICKSON)
89B90175	LH - TRAILER, TRUCK (HENDRICKSON, SAF HOLLAND, MACK, DAF)
89B90176	RH - TRAILER, TRUCK (HENDRICKSON, SAF HOLLAND, MACK, DAF)

PERFORMANCE SEVERE DUTY BRAKE PADS

www.pfcbrakes.com
Tech: 1-800-521-8874

Battery & Electrical

Body & Cabin

Brake & Wheel End

Valve Hoses & Fittings

Driveline Suspension

Engine & Cooling

Exhaust

Temperature Control

Lighting

Tools & Accessories

Trailer, Cargo & Safety

POLICE
AND FIRST RESPONDERS

PFC
BRAKES

POLICE APPLICATIONS

APPLICATION	YEAR	MODEL	FRONT PADS	REAR PADS
CHEVROLET	2011-17	CAPRICE	1404.10	1352.20
	2011-15	IMPALA	1159.20	0999.20
	2006-15	IMPALA	1159.20	
	2008-22	TAHOE	1363.20	1194.20
DODGE	2014-22	CHARGER (BR9 BRAKE PACKAGE)	1767.20	1766.20
	2006-14	CHARGER	1058.20	1057.20
FORD	2003-11	CROWN VICTORIA	0931.20	0932.20
	2020-22	INTERCEPTOR	2229.20	2231.20
	2013-19	INTERCEPTOR	1611.20	1612.20
	2018-22	F-150 POLICE RESPONDER	1770.20	1790.20




NO COMPROMISES™

PROUDLY MADE IN THE USA
CLOVER, SOUTH CAROLINA



CarbonMetallic®
The secret to noise reduction is our
Multi-Layer Technology™



CarbonMetallic® Pad Material



BRAKE & WHEEL END PERFECT STOP

MEDIUM DUTY
PERFECTSTOP® BRAKE CALIPERS



WE HAVE YOUR MEDIUM DUTY CALIPER NEEDS

PART

DESCRIPTION

89X17940A	Ford CF500, 600 2010-06; F450, F450 Super Duty, F Super Duty 2015-05; F53, F59 Stripped Chassis 2010-08; F550, F550 Super Duty 2015-05; LCF 2008-06
89X17940B	
87X17632A	GM 1400 Series 1998-84; 1600 Series 1997-83; 1700 Series 1998-83; 1800 Series 1989-83; 1900 Series 1985-83; 2000-2900 Series 1989-79; 3000-3900 Series 1997-90; 4000-7900 Series 1997-90; C30/C3500 Pickup 2002-79; MORE...
87X17632B	
87X17247D	B6 School Bus 1991-79; B7 School Bus 2002-93; C6 Series 2002-83; C7 Series 2002-83; MORE...
87X17009D	Bird 1600 Series 2005-98; 3000-3900 Series 2009-90; 4000-7900 Series 2009-98; Acterra Series 2005-01; MORE...
87-17301D	GM BUS B6 School Bus 1991-79; B7 School Bus 2002-93; C5 Series 2002-90; C6 Series 2002-83; MORE...

WAGNER SD
ENGINEERED FOR THE EXTREME.

Wagner® SevereDuty™ brake pads are exclusively engineered for vehicles driven in extreme environments. These dependable and durable friction products meet or surpass stringent testing and quality standards for fleet and municipality vehicles.



BRAKE PADS

- Wagner® SD™ brake pads are exclusively engineered for vehicles driven in extreme environments. These dependable and durable friction products meet or surpass stringent testing and quality standards for fleet and municipality vehicles. They are the ideal solution for frequent stopping, gear hauling and heavy payloads.

www.drivcat.com
Tech: 1-800-325-8886

PART #	HARDWARE INCLUDED	INNER PAD FRICTION THICKNESS	OUTER PAD FRICTION THICKNESS	SLOT	WEAR SENSORS INCLUDED	SHIMS INCLUDED	PAD MATERIAL	OEM REPLACEMENT	FRONT OR REAR PADS
SX1066	YES	0.79	0.79	YES	NO	YES	SEMI-METALLIC	YES	F
SX1316	YES	0.79	0.79	NO	YES	YES	SEMI-METALLIC	YES	F
SX1317	YES	0.75	0.75	NO	NO	YES	SEMI-METALLIC	YES	R
SX1328	YES	0.73	0.73	YES	NO	YES	SEMI-METALLIC	YES	F
SX1329	YES	0.67	0.60	YES	NO	YES	SEMI-METALLIC	YES	R
SX1335	YES	0.78	0.78	NO	YES	YES	SEMI-METALLIC	YES	F/R
SX1363	YES	0.71	0.71	YES	YES	YES	SEMI-METALLIC	YES	F
SX1399	YES	0.79	0.79	YES	YES	YES	SEMI-METALLIC	YES	F
SX1400	YES	0.75	0.75	YES	YES	YES	SEMI-METALLIC	YES	R
SX1411	YES	0.77	0.77	YES	YES	YES	SEMI-METALLIC	YES	R
SX1611A	YES	0.70	0.70	NO	YES	YES	SEMI-METALLIC	YES	F
SX1612	YES	0.65	0.65	NO	YES	YES	SEMI-METALLIC	YES	R
SX1680	YES	0.71	0.71	YES	NO	YES	SEMI-METALLIC	YES	F
SX1691	YES	0.71	0.71	YES	NO	YES	SEMI-METALLIC	YES	R
SX1767	YES	0.80	0.80	NO	YES	YES	SEMI-METALLIC	YES	F

VALVE HOSES & FITTINGS

BRASS FITTINGS



TECTRAN

Solutions for Transportation Equipment

www.tectran.com

Tech: 1-800-776-5549

REUSABLE HOSE FITTINGS



FRAME FITTINGS -
STEEL TERMINAL BOLTS



DOT AIR BRAKE FITTINGS
- NYLON TUBING



DOT AIR BRAKE FITTINGS -
COPPER TUBING



DOT PUSH LOCK FITTINGS -
NYLON TUBING



DOT COMPOSITE PUSH LOCK
FITTINGS - NYLON TUBING



COMPRESSION FITTINGS



PIPE FITTINGS



SAE 45° FLARED FITTINGS



INVERTED FLARED FITTINGS



HOSE BARB FITTINGS



COLLETTE STYLE FITTINGS -
TRANSMISSION TUBING



QUICK DISCONNECTS



GREASE FITTINGS



VALVES AND SHUTOFF COCKS



VALVE HOSES & FITTINGS

BRASS FITTINGS



www.tectran.com
Tech: 1-800-776-5549

This chart illustrates the part number naming matrix for TECTRAN's tubing fittings. Part number QL1369-10D is being used as an example. Nylon tube fitting images used as reference.



Part No.	Tube Size	Pipe Thread
QL1369-10D	5/8	1/2

Orange box = These fields are not always present Grey box = These fields are always present

Q L	1 3	6 9	-	1	0	D
PUSH LOCK INDICATOR (OPTIONAL)	TUBING TYPE	FITTING TYPE	TUBE SIZE 1st DIGIT	TUBE SIZE 2nd DIGIT (OPTIONAL)	PIPE THREAD (OPTIONAL)	
PL = Brass Push Lock Style QL = Composite Push Lock Style * Non-Push Lock fittings do NOT use this prefix	11 = Fittings for copper tubing 13 = Fittings for nylon tubing	62 Union  64 Union "T"  * Reducer "T" Available	2 = 1/8" 25 = 5/32" 3 = 3/16" 4 = 1/4" 5 = 5/16" 6 = 3/8" 7 = 7/16" 8 = 1/2" 10 = 5/8" 12 = 3/4" 14 = 7/8"	1 = 1/16" A = 1/8" B = 1/4" C = 3/8" D = 1/2" E = 3/4" H = 1"		
	65 Union Elbow 	66 Female Connector 	68 Male Connector 			
69 Male Elbow 	70 Female Elbow 	71 Male Run "T" 	72 Male Branch "T" 			
74 45° Male Elbow 	77 Bulkhead Union 	78 Female Branch "T"  "PL" Only	86 Female Bulkhead Union  "PL" & "QL" Only			

* Reducer "T" fitting will reduce 2 connections to the test flow position, which will reduce the stress on each position per "Tubing Test" instructions (e.g. 1364-064)

Battery & Electrical

Body & Cabin

Brake & Wheel End

Valve Hoses & Fittings

Driveline Suspension

Engine & Cooling

Exhaust

Temperature Control

Lighting

Tools & Accessories

Trailer, Cargo & Safety

VALVE HOSES & FITTINGS



www.tectran.com

Tech: 1-800-776-5549

AIR BRAKE FITTINGS

UNION



PART #	SIZE
1362-25	5/32"
PL1362-25	5/32"*
1362-2	1/8"
PL1362-2	1/8" *
1362-4	1/4"
PL1362-4	1/4" *
1362-6	3/8"
PL1362-6	3/8" *
1362-8	1/2"
PL1362-8	1/2" *
1362-10	5/8"
PL1362-10	5/8" *

PL PREFIX DENOTES
PUSH LOCK FITTING

MALE CONNECTOR



PUSH LOCK PART #	PART #	SIZE
PL1368-251	1368-25A	5/32" x 1/16"
	1368-21	1/8" x 1/16"
	1368-2A	1/8" x 1/8"
PL1368-4A	1368-4A	1/4" x 1/8"
PL1368-4B	1368-4B	1/4" x 1/4"
PL1368-6A	1368-6A	3/8" x 1/8"
PL1368-6B	1368-6B	3/8" x 1/4"
PL1368-6C	1368-6C	3/8" x 3/8"
PL1368-8C	1368-8C	1/2" x 3/8"
PL1368-8D	1368-8D	1/2" x 1/2"
PL1368-10D	1368-10D	5/8" x 1/2"



BRANCH TEE



PART #	SIZE
1372-4A	1/4" x 1/8"
1372-4B	1/4" x 1/4"
1372-6B	3/8" x 1/4"
PL1364-4	1/4" *
PL1364-6	3/8" *
PL1364-8	1/2" *

FEMALE ELBOW



PART #	SIZE
105-B	1/4"
100-D	1/2"

90° MALE ELBOW



PART #	SIZE
1169-4A	1/4" X 1/8"
1169-6B	3/8" X 1/4"

BUSHING



PART #	SIZE
110-BA	1/4" x 1/8"
110-CA	3/8" x 1/8"
110-CB	3/8" x 1/4"
110-DB	1/2" x 1/4"
110-DC	1/2" x 3/8"
110-EC	3/4" x 3/8"
110-ED	3/4" x 1/2"

FEMALE COUPLING



PART #	SIZE
103-A	1/8"
103-B	1/4"
103-C	3/8"
103-D	1/2"

FEMALE TEE



PART #	SIZE
101-A	1/8"
101-B	1/4"
101-C	3/8"
101-D	1/2"

UNION



PART #	SIZE
1162-6	3/8"
1162-8	1/2"
1162-10	5/8"
1162-12	3/4"

45° ELBOW



PART #	SIZE
124B	1/4"
124C	3/8"
124D	1/2"

90° ELBOW



PART #	SIZE
115A	1/4"
115C	3/8"
115D	1/2"

SHUT OFF VALVES

PART #	SIZE
1139-10D	90° 5/8" X 1/2"
1115-DD	90° 1/2" X 1/2"
1049-10D	90° 5/8" X 1/2"



1139-10D



1049-10D



1115-DD

VALVE HOSES & FITTINGS



www.tectran.com

Tech: 1-800-776-5549

AIR BRAKE FITTINGS

HOSE UNION

PART #	SIZE
105501	3/8"
107701	1/2"

SLEEVE

PART #	SIZE
1022	3/8"
1022-8	1/2"

SAE 45°

Tube Coupling - Swivel Flare

PART #	SIZE
34-8	1/2"

HOSE COUPLING W/ SPRING GUARD

PART #	SIZE
102	3/8" X 1/4"
103	3/8" X 3/8"
104	3/8" X 1/2"

UNION TEE

PART #	SIZE
1164-4	1/4"
1164-6	3/8"

CAUTION:

Never reuse sleeves when reinstalling these fittings.

Always replace with a new sleeve.

HOSE COUPLING LESS SPRING GUARD

PART #	SIZE
105	3/8" X 1/4"
106	3/8" X 3/8"
107	3/8" X 1/2"
106-8	1/2" X 3/8"
107-8	1/2" X 1/2"

MALE ELBOW

PART #	SIZE
1369-25A	PL1369-25A 5/32" X 1/8"
1369-2A	1/8" x 1/8"
1369-4A	PL1369-4A 1/4" x 1/8"
1369-4B	PL1369-4B 1/4" x 1/4"
1369-6A	PL1369-6A 3/8" x 1/8"
1369-6B	PL1369-6B 3/8" x 1/4"
1369-6C	PL1369-6C 3/8" x 3/8"
1369-8C	PL1369-8C 1/2" x 3/8"

INSERT

PART #	SIZE
19221	1/8"
19241	1/4"
19261	3/8"
19281	1/2"
19301	5/8"
19321	3/4"

MALE CONNECTOR

PART #	SIZE
1168-4A	1/4" X 1/8"
1168-6B	3/8" X 1/4"
1168-6C	3/8" X 3/8"
1168-8C	1/2" X 3/8"
1168-8D	1/2" X 1/2"

SLEEVE

PART #	SIZE
860-25	5/32"
860-2	1/8"
1360-4	1/4"
1360-6	3/8"
1360-8	1/2"
1360-10	5/8"

NUTS

PART #	SIZE
61-2	1/8"
61-4	1/4"
61-6	3/8"
61-8	1/2"

COMPRESSION FITTING

PART #	TUBE SIZE	PIPE THREAD
68-6B	3/8"	1/4"
68-6C	3/8"	3/8"

45° SWIVEL MALE ELBOW

PART #	TUBE SIZE	PIPE THREAD
PL1374-4A	1/4"	1/8"
PL1374-4B	1/4"	1/4"
PL1374-6A	3/8"	1/8"
PL1374-6B	3/8"	1/4"
PL1374-6C	3/8"	3/8"
PL1374-8C	1/2"	1/2"

Battery &
Electrical

Body &
Cabin

Brake &
Wheel End

Valve Hoses
& Fittings

Driveline
Suspension

Engine &
Cooling

Exhaust

Temperature
Control

Lighting

Tools &
Accessories

Trailer,
Cargo
& Safety

VALVE HOSES & FITTINGS

AIR BRAKE FITTINGS

TERMINAL BOLTS




TECTRAN
Solutions for Transportation Equipment

www.tectran.com

Tech: 1-800-776-5549

PART #	SIZE	FEMALE A PIPE THREAD	FEMALE B PIPE THREAD	EXTERNAL STRAIGHT THREAD C
114-44B	1.5"	1/4"-18NPT	1/4"-18NPT	3/4"-16NPT
114-66B	1.31"	3/8"-18NPT	3/8"-18NPT	1-14NPT

TERMINAL BOLTS



PART #	OVERALL LENGTH	THREAD A MALE	THREAD B FEMALE	MOUNTING HOLE SIZE
114-84	2.25"	1/2"NPT	1/4"NPT	1"
116-84	2"	1/2"NPT	1/4"NPT	7/8"
115-88	2.9"	1/2"NPT	1/4"NPT	1 1/4"

PRESSURE/ SAFETY VALVE



D.O.T. PUSH LOCK FITTINGS

QL1364-4

QL1362-4

QL136810C

QL136910D

PART #	DESCRIPTION
131081	1/2" 250 PSI SAFETY VALVE

PART #	DESCRIPTION
QL1362-4	1/4" PUSH LOCK FITTING-NYLON TUBING UNION CONNECTOR
QL1362-6	3/8" PUSH LOCK FITTING-NYLON TUBING UNION CONNECTOR
QL1362-8	1/2" PUSH LOCK FITTING-NYLON TUBING UNION CONNECTOR
QL1364-4	1/4" PUSH LOCK FITTING-NYLON TUBING UNION TEE
QL136810C	5/8" PUSH LOCK FITTING-NYLON TUBING MALE CONNECTOR
QL136910D	5/8" PUSH LOCK FITTING-NYLON TUBING SWIVEL MALE ELBOW
QL1369-8C	1/2" PUSH LOCK FITTING-NYLON TUBING SWIVEL MALE ELBOW

BRASS FITTING ASSORTMENTS

PART #	DESCRIPTION	QTY.
110-CB	PIPE - BUSHING - 3/8" M THRD 1/4" F THRD	10
110-DC	PIPE - BUSHING - 1/2" M THRD 3/8" F THRD	10
1360-4	NTA-SLEEVE - 1/4" TUBE	100
1360-6	NTA-SLEEVE - 3/8" TUBE	100
1361-4	NTA-NUT - 1/4" TUBE	100
1361-6	NTA-NUT - 3/8" TUBE	50
1362-4	NTA-UNION - 1/4" TUBE	10
1362-6	NTA-UNION - 3/8" TUBE	10
1368-4B	NTA-MALE CONNECTOR - 1/4" TUBE - 1/4" THREAD	10
1368-6B	NTA-MALE CONNECTOR - 3/8" TUBE - 1/4" THREAD	10
1368-6C	NTA-MALE CONNECTOR - 3/8" TUBE - 3/8" THREAD	10
1369-4B	NTA-90 DEG MALE ELBOW - 1/4" TUBE - 1/4" THREAD	10
1369-6B	NTA-90 DEG MALE ELBOW - 3/8" TUBE - 1/4" THREAD	10
1369-6C	NTA-90 DEG MALE ELBOW - 3/8" TUBE - 3/8" THREAD	10
1160-6	AIRBRAKE - SLEEVE - 3/8" TUBE - COPPER	100
1161-6	AIRBRAKE - NUT - 3/8" TUBE - COPPER	25
1022	FERRULE - 3/8" HOSE ID	25
103	HOSE FITTING W/SPRING GUARD - 3/8" HOSE ID - 3/8" THREAD	5
105501	HOSE MENDER - 3/8" HOSE ID	2
161201-6	SWIVEL ADAPTER - 3/8" ID 3/8" THREAD	10
19241	TUBE INSERT - 1/4" TUBE - .170" ID	100
19261	TUBE INSERT - 3/8" OD - .250" ID	100



PART #: CAB17

VALVE HOSES & FITTINGS

AIR BRAKE FITTINGS



www.tectran.com
Tech: 1-800-776-5549

BRASS FITTING ASSORTMENTS

PART #	DESCRIPTION	QTY.
PL1315-4A	DOT PUSH-IN MALE ELBOW-1/4" TUBE-1/8" THREAD	3
PL1315-4B	DOT PUSH-IN MALE ELBOW-1/4" TUBE-1/8" THREAD	3
PL1315-6B	DOT PUSH-IN MALE ELBOW-3/8" TUBE-1/4" THREAD	3
PL1315-6C	DOT PUSH-IN MALE ELBOW-3/8" TUBE-3/8" THREAD	3
PL1362-4	DOT PUSH-IN UNION CONNECT-1/4" TUBE	5
PL1362-6	DOT PUSH-IN UNION CONNECT-3/8" TUBE	3
PL1362-8	DOT PUSH-IN UNION CONNECT-1/2" TUBE	3
PL1364-4	DOT PUSH-IN UNION TEE-1/4" TUBE	3
PL1364-6	DOT PUSH-IN UNION TEE-3/8" TUBE	3
PL1368-4A	DOT PUSH-IN MALE CONNECTOR-1/4" TUBE-1/8" THREAD	3
PL1368-4B	DOT PUSH-IN MALE CONNECTOR-1/4" TUBE-1/4" THREAD	3
PL1368-4C	DOT PUSH-IN MALE CONNECTOR-1/4" TUBE-3/8" THREAD	3
PL1368-6A	DOT PUSH-IN MALE CONNECTOR-3/8" TUBE-1/8" THREAD	3
PL1368-6B	DOT PUSH-IN MALE CONNECTOR-3/8" TUBE-1/4" THREAD	5
PL1368-6C	DOT PUSH-IN MALE CONNECTOR-3/8" TUBE-3/8" THREAD	3
PL1368-8B	DOT PUSH-IN MALE CONNECTOR-1/2" TUBE-1/4" THREAD	3
PL1368-8C	DOT PUSH-IN MALE CONNECTOR-1/2" TUBE-3/8" THREAD	3
PL1368-8D	DOT PUSH-IN MALE CONNECTOR-1/2" TUBE-1/2" THREAD	3
PL1369-4A	DOT PUSH-IN SW MALE ELBOW-1/4" TUBE-1/8" THREAD	3
PL1369-4B	DOT PUSH-IN SW MALE ELBOW-1/4" TUBE-1/4" THREAD	3
PL1369-6A	DOT PUSH-IN SW MALE ELBOW-3/8" TUBE-1/8" THREAD	3
PL1369-6B	DOT PUSH-IN SW MALE ELBOW-3/8" TUBE-1/4" THREAD	3
PL1369-6C	DOT PUSH-IN SW MALE ELBOW-3/8" TUBE-3/8" THREAD	3
PL1369-8C	DOT PUSH-IN SW MALE ELBOW-1/2" TUBE-3/8" THREAD	3



PART #: CAB55

COLLETTE STYLE FITTING

PART #	SIZE
860-2	1/8"
860-25	5/32"



NUTS

PART #	SIZE
1361-4	1/4" D.O.T. AIR BRAKE NUT FOR NYLON TUBING
1361-6	3/8" D.O.T. AIR BRAKE NUT FOR NYLON TUBING
1361-8	1/2" D.O.T. AIR BRAKE NUT FOR NYLON TUBING
1361-10	5/8" D.O.T. AIR BRAKE NUT FOR NYLON TUBING



SURELOK™ QUICK-RELEASE PLIERS

www.gatesnavigates.com
Tech: 1-800-275-4283

- SureLok pliers are the answer. To help get into those tight spaces, SureLok pliers offer two different heads; one straight and one with a 90 degree offset. They also come in two sizes: Small, for tubing from 1/8 inch to 3/8 inch ; and Large, for tubing 3/8 inch to 3/4 inch

PART #	DESCRIPTION
91017	(1) SureLok 3/8" to 3/4" LARGE ANGLED QUICK-RELEASE PUSH LOCK PLIERS (1) SureLok 3/8" to 3/4" LARGE VERTICAL QUICK RELEASE PUSH LOCK PLIERS (1) SureLok 1/8" to 3/8" SMALL VERTICAL QUICK RELEASE PUSH LOCK PLIERS (1) SureLok 1/8" to 3/8" SMALL ANGLED QUICK RELEASE PUSH LOCK PLIERS
91020	SureLok 3/8" to 3/4" LARGE ANGLED QUICK-RELEASE PUSH LOCK PLIERS
91021	SureLok 1/8" to 3/8" SMALL ANGLED QUICK RELEASE PUSH LOCK PLIERS
91022	SureLok 3/8" to 3/4" LARGE VERTICAL QUICK RELEASE PUSH LOCK PLIERS
91023	SureLok 1/8" to 3/8" SMALL ANGLED QUICK RELEASE PUSH LOCK PLIERS



91017



91023



91020

Battery & Electrical

Body & Cabin

Brake & Wheel End

Valve Hoses & Fittings

Driveline Suspension

Engine & Cooling

Exhaust

Temperature Control

Lighting

Tools & Accessories

Trailer, Cargo & Safety

VALVE HOSES & FITTINGS

AIR BRAKE GLADHANDS & POGOS




www.meritorpartsexpress.com
Tech: 1-866-535-5560

PART #	DESCRIPTION
81-0001-B	SERVICE - STANDARD
81-0001-R	EMERGENCY - STANDARD
81-0130	POGO STICK CHROME 40"
81-0134	SUSPENDER SPRING, HD APPLICATION INCL. ABS CORD
DA909005	GLADHAND SEAL 1 1/4" - HALDEX
11440	HOSE COUPLER GLADHAND BLUE - HALDEX
11441	HOSE COUPLER GLADHAND RED - HALDEX



www.haldexproductcatalog.com
Tech: 1-800-247-2725



DA909005

AIR BRAKE AIR DRYER CHECK VALVE & CHECK VALVE KITS



107800N



5005624



R950014

Bendix®

www.bendixvrc.com
Tech: 1-800-247-2725



PART #	DESCRIPTION
107800N	BENDIX AD-9 AIR DRYER CHECK VALVE
5005624	BENDIX AD-SP AIR DRYERS INCLUDES EVERYTHING NEEDED TO REBUILD THE CHECK VALVE
R950014	EUCLID PTP PURGE VALVE REBUILD KIT FOR SYSTEM SAVER 1200 AIR DRYERS

www.meritorpartsexpress.com
Tech: 1-866-535-5560

AIR BRAKE AIR DRYER CARTRIDGES



www.haldexproductcatalog.com
Tech: 1-800-247-2725



www.priorautomotive.com
Tech: 1-833-692-6036



DQ6026



104358-N



109994N



109493N

PART #	DESCRIPTION
DQ6026	PURE AIR PLUS DESICCANT & COAL FILTER KIT
104358-N	AD-4 AIR DRYER CARTRIDGE - NO CORE REQ.
109994N	AIR DRYER CARTRIDGE FOR S & S TRUCK & TRACTOR
109493N	AD-IP AIR DRYER CARTRIDGE
107794-N	AD9 AIR DRYER CARTRIDGE - NO CORE REQ.



107794-N

VALVE HOSES & FITTINGS

AIR BRAKE AIR DRYERS

TECTRAN
Solutions for Transportation Equipment
www.tectran.com
Tech: 1-800-776-5549

Battery &
Electrical

Body &
Cabin

Brake &
Wheel End

Valve Hoses
& Fittings

Driveline
Suspension

Engine &
Cooling

Exhaust

Temperature
Control

Lighting

Tools &
Accessories

Trailer,
Cargo
& Safety



www.haldexproductcatalog.com

Tech: 1-800-247-2725



www.priorautomotive.com

Tech: 1-833-692-6036



www.meritorpartsexpress.com

Tech: 1-866-535-5560



R955205



DA34100



065612-N



5010134N



065225N



065691N



065225-X

PART #	DESCRIPTION
R955205	EUCLID AIR DRYER, WABCO
DA34100	PURest™ AIR DRYER, NEW ASSEMBLY
DA33100X	PURest™ AIR DRYER, REMAN ASSEMBLY
065612-N	BENDIX ADIP AIR DRYER ASSEMBLY, 12VOLTS
5010134N	ADIS TYPE AIR DRYER AFTERMARKET REPLACEMENT
065225N	AD-9 AIR DRYER - 12VOLT (1/2 PORTS)
065691N	AD-SP AIR DRYER, NEW ASSEMBLY
065225-X	AIR DRYER AFTERMARKET REPLACEMENT, 12V

AIR BRAKE AIR COMPRESSORS



103274



107514



109139



286528



108866

www.priorautomotive.com
Tech: 1-833-692-6036

PART #	DESCRIPTION
103274	FLANGE MOUNT, ENGINE DRIVEN, WATER COOLING, WITHOUT CLUTCH
107514	BASE MOUNT, ENGINE DRIVEN, WATER COOLING, WITHOUT CLUTCH
109139	FLANGE MOUNT, ENGINE DRIVEN, WATER COOLING
286528	BASE MOUNT, ENGINE DRIVEN, AIR COOLING
108866	EXTENDED FLANGE MOUNT, ENGINE DRIVEN, AIR/WATER COOLING
286554	FLANGE MOUNT, ENGINE DRIVEN, WATER COOLING WITHOUT CLUTCH
3018542	FLANGE MOUNT 1 CYLINDER
109425	FLANGE MOUNT, DETROIT DIESEL 60 SERIES
28652	BASE MOUNT, ENGINE DRIVEN, WATER COOLING, WITHOUT CLUTCH
286555	FLANGE MOUNT
NT7623	FLANGE MOUNT, DETROIT DIESEL



286554



3018542



286526



109425



NT7623

VALVE HOSES & FITTINGS

Bendix®

www.bendix.com
Tech: 1-800-247-2725



www.haldexproductcatalog.com
Tech: 1-800-247-2725



www.priorreman.com
Tech: 1-833-692-6036

DASH CONTROL MODULE & VALVES



065157-N



101437N



800516



801315

PART #	DESCRIPTION
800516	BENDIX MV-3 CONTROL MODULE, UNTHREADED MOUNTING HOLES, 1/4" NPT PORTS
800519	BENDIX MV-3 CONTROL MODULE, 1/4" NPT PORTS, 1/4"-20 MOUNTING HOLES
800257	BENDIX MV-3 CONTROL MODULE, UNTHREADED MOUNTING HOLES, 3/8" PUSH-TO-CONNECT FITTINGS
800523	BENDIX MV-3 CONTROL MODULE, 1/4" NPT PORTS, #10-24 THREADED MOUNTING HOLES
800517	BENDIX MV-3 CONTROL MODULE, 1/4" NPT PORTS, #10-24 MOUNTING HOLES
800518	BENDIX MV-3 CONTROL MODULE, UNTHREADED MOUNTING HOLES, 1/8" NPT AUX. PORT
101437N	PRIOR MV-2 DASH VALVE
065187-N	PRIOR MV-3 CONTROL MODULE OF INTERNATIONAL TRUCK
065156-N	PRIOR MV-3 DASH VALVE
065157-N	PRIOR MV-3 DASH VALVE
65661	BENDIX CONTROL VALVE, 3/8" TUBING PUSH-TO-CONNECT FITTINGS 1/4"-20 THREADED MOUNTING HOLE
801315	BENDIX PP-DC DASH VALVE W/ 90° 3/8" PTC FITTINGS
65643	BENDIX PP-DC DASH CONT VALVE 3/8" PTC STRAIGHT FITTINGS
800142	BENDIX PP-DC CONTROL VALVE COVER STYLE1, 1/4" NPT PORTS
KN20021	HALDEX PUSH-PULL PARKING/EMERGENCY BRAKE VALVE, 1/8" NPT PORTS
KN20031	HALDEX PUSH-PULL PANEL MOUNT VALVE-WITH KNOB (A25079)
KN20541	HALDEX IN-COLUMN MOUNT TRAILER BRAKE CONTROL-HOLDING TYPE
KN20615	HALDEX MANIFOLD DASH VALVE- HORIZONTAL MOUNTING, AIR SUPPLY & PARKING BRAKE, 1/4" PORTS
275175-N	BENDIX PP-1® PUSH-PULL CONTROL VALVE-NEW, PUSH-PULL STYLE
286706-N	BENDIX PP-7™ TRAILER BRAKE SUPPLY VALVE
279159-N	BENDIX PP-3™ TRAILER BRAKE SUPPLY VALVE
N20928A	HALDEX PUSH-PULL PANEL MOUNT VALVE-WITH KNOB (A25079)
298818N	BENDIX AIR VALVE KNOB



65643



275175-N



298818N



www.haldexproductcatalog.com
Tech: 1-800-247-2725



www.priorreman.com
Tech: 1-833-692-6036

Bendix®

www.bendix.com
Tech: 1-800-247-2725

AIR BRAKE EMERGENCY RELAY VALVES



A71890-N



28165-N

PART #	DESCRIPTION
110200N	HALDEX AIR BRAKE EMERGENCY RELAY VALVE-NEW, CHARGING, PLUGGED AUXILIARY RESERVOIR PORT
110205-N	HALDEX AIR BRAKE EMERGENCY RELAY VALVE-NEW, CHARGING, PLUGGED AUXILIARY RESERVOIR PORT
281865-N	BENDIX RE-6 EMERGENCY VALVE (2) 1/4" & (2) 3/8" DELIVERY PORTS
A71890-N	4 PORT TRAILER EMERGENCY AIR BRAKE RELAY VALVE
A1000	SEALCO STYLE EMERGENCY VALVE

VALVE HOSES & FITTINGS

Bendix[®]

www.bendix.com

Tech: 1-800-247-2725

28171N



229501



286774N

BRAKE VALVE (FOOT VALVE)

PART #	DESCRIPTION
286171N	E-6 SERIES FOOT BRAKE VALVE
800629N	DUAL CIRCUIT VALVE W/2 SEPARATE SUPPLY & DELIVERY CIRCUITS
229501	E-2 FOOT BRAKE VALVE
286774N	E-7™ DUAL CIRCUIT FOOT BRAKE VALVE

Battery & Electrical

Body & Cabin

Brake & Wheel End

Valve Hoses & Fittings

Driveline Suspension

Engine & Cooling

Exhaust

Temperature Control

Lighting

Tools & Accessories

Trailer, Cargo & Safety



www.haldexproductcatalog.com

Tech: 1-800-247-2725



www.priorreman.com

Tech: 1-833-692-6036

Bendix[®]

www.bendix.com

Tech: 1-800-247-2725

CHECK VALVES

PART #	DESCRIPTION
280809N	BENDIX DC-4 DOUBLE CHECK VALVE
278614-N	PRIOR DOUBLE CHECK, 3/8" PORTS (DC-4)
KN23000	HALDEX SINGLE CHECK, ONE WAY (1/2" NPT MALE X 1/2" NPT FEMALE, 2-1/2" O.A.L.)
KN23010	HALDEX SINGLE CHECK, ONE WAY (3/8" MALE, 3/8" FEMALE)

280809N



278614-N



KN23000



KN23010



COMPRESSOR AIR CLEANER ASSEMBLY

PART #	DESCRIPTION
KN19040	DURABLE ACCESSORY/KITS FOR COMPRESSORS



www.haldexproductcatalog.com

Tech: 1-800-247-2725

COMPRESSOR AIR CLEANER FILTER

PART #	DESCRIPTION
100696E	COMPRESSOR AIR CLEANER FILTER, 4" OUTSIDE DIAMETER



www.haldexproductcatalog.com

Tech: 1-800-247-2725



www.priorreman.com

Tech: 1-833-692-6036

CONTROL VALVE (FLIPPER VALVE)

PART #	DESCRIPTION
KN20001	HALDEX PANEL MOUNT FLIPPER VALVE
229617-N	PRIOR AIR BRAKE CONTROL VALVE, 2-POSITION TYPE, FLIPPER STYLE



KN20001



229617-N

VALVE HOSES & FITTINGS

POWER BRAKE BOOSTERS

PART #	DESCRIPTION
--------	-------------

3700625	POWER BRAKE BOOSTER
---------	---------------------

3700669	POWER BRAKE BOOSTER
---------	---------------------

3700669



www.priorremn.com

Tech: 1-833-692-6036

3700625



PRESSURE PROTECTION VALVES



TECTRAN

Solutions for Transportation Equipment

www.tectran.com

Tech: 1-800-776-5549



www.haldexproductcatalog.com

Tech: 1-800-247-2725

90555396



286500-N



277147-N



www.priorreman.com

Tech: 1-833-692-6036

PART #	DESCRIPTION
--------	-------------

90555396	HALDEX PRESSURE PROTECTION VALVE, 1/4" NPT, 65PSI CLOSING PRESSURE
----------	--

286500-N	PRIOR PRESSURE PROTECTION VALVE, 1/4" NPT PORTS, 85 PSI CLOSING PRESSURE
----------	--

277147-N	PROIR PRESSURE PROTECTION VALVE, 65 PSI CLOSING PRESSURE
----------	--

91-8304	TECTRAN PRESSURE PROTECTION VALVE, 3/8" NPT PORTS, 67 PSI CLOSING PRESSURE
---------	--

PRESSURE RELIEF VALVES



www.haldexproductcatalog.com

Tech: 1-800-247-2725

KN31200



KN31250



KN31400



PART #	DESCRIPTION
--------	-------------

KN31200	PRESSURE RELIEF VALVE, SHORT BODY, 1/4" THREAD, 150 PSI
---------	---

KN31250	PRESSURE RELIEF VALVE, SHORT BODY, 3/8" THREAD, 150 PSI
---------	---

KN31400	PRESSURE RELIEF VALVE, LONG BODY, 1/4" THREAD, 150 PSI
---------	--

PRESSURE RELIEF VALVES



www.priorreman.com

Tech: 1-833-692-6036

PART #	DESCRIPTION
--------	-------------

065145-N	BOBTAIL PROPORTIONING RELAY VALVE
----------	-----------------------------------

VALVE HOSES & FITTINGS



www.haldexproductcatalog.com
Tech: 1-800-247-2725



FULL FUNCTION VALVES

PART

DESCRIPTION

KN28600	FULL-FUNCTION (FF2) TRAILER VALVE-SINGLE VALVE SYSTEM, 3.0 PSI CRACK PRESSURE
N4304AB-N	FULL FUNCTION (FF2) TRAILER VALVE-SINGLE OR TWIN AIR TANK USE, 3.0 PSI CRACK PRESSURE

GOVERNORS

Bendix engineers this valve to meet or exceed OEM specifications, so it fits and functions just like the original part but at the fraction of the cost.



Bendix
www.bendix.com
Tech: 1-800-247-2725



PART

DESCRIPTION

5004049	BENDIX AD-IS GOVERNOR & CHECK VALVE KIT
275200-N	BENDIX AIR BRAKE COMPRESSOR GOVERNOR VALVE

HEIGHT CONTROL VALVES



www.haldexproductcatalog.com
Tech: 1-800-247-2725

PART

DESCRIPTION

90054007	CONTROLLED RESPONSE HEIGHT CONTROL VALVE - 1/8" NPT Ports, WITH 1/4" FITTINGS
KN27000	CHASSIS HEIGHT CONTROL VALVE WITH LINKAGE KIT

HYDRAULIC BOOSTER



www.priorreman.com
Tech: 1-833-692-6036


PART

DESCRIPTION

2771320	BENDIX HD HYDRAULIC BOOSTER PUMP AND MOTOR
---------	--

LOW PRESSURE SWITCHES

228750-N



PART

DESCRIPTION

228750-N	LOW AIR PRESSURE INDICATOR-DOUBLE TERMINAL, 60 PSI CUTOUT
279416-N	LOW AIR PRESSURE INDICATOR-SINGLE TERMINAL, 60 PSI CUTOUT

Battery & Electrical

Body & Cabin

Brake & Wheel End

Valve Hoses & Fittings

Driveline Suspension

Engine & Cooling

Exhaust

Temperature Control

Lighting

Tools & Accessories

Trailer, Cargo & Safety

VALVE HOSES & FITTINGS



www.meritorpartsexpress.com
Tech: 1-866-535-5560

Bendix®

www.bendix.com
Tech: 1-800-247-2725



www.priorreman.com
Tech: 1-833-692-6036

SPRING BRAKE VALVES



PART #	DESCRIPTION
K021558	BENDIX SR-7 AIR BRAKE SPRING BRAKE MODULATING VALVE
RSL110500	EUCLID GENUINE SEALCO SPRING BRAKE VALVE
110500-N	1/2" RESERVOIR PORT SPRING BRAKE CONTROL VALVE
110170-N	SEALCO RATIO RELAY SPRING BRAKE CONTROL VALVE
110171-N	SEALCO SPRING BRAKE CONTROL VALVE - SUPPLY & CONTROL PORTS INLINE W/RESERVOIR PORTS
287376-N	BENDIX SR-2 SPRING BRAKE VALVE, 3/4" TRD
101112N	ONE TRAILER SPRING BRAKE VALVE SR4 VALVE
E-SL3800	GENUINE SEALCO- SPRING BRAKE EXHAUST VALVE

STOP LIGHT SWITCH



PART #	DESCRIPTION
228600-N	SL-4 STOP LIGHT SWITCH



www.priorreman.com
Tech: 1-833-692-6036

ASSORTMENT REPAIR KITS

- Gates Air Brake Compression fittings are designed for use in air brake systems, along with compressed air for suspension, steering, engine, transmission, or other onboard applications.



www.gatesnavigates.com
Tech: 1-800-275-4283

PART #	DESCRIPTION
85111	AIR LINE REPAIR KIT
85114	TUBING REPAIR KIT



LOW AIR SWITCHES



www.automann.com
Tech: 1-888-288-6626

PART #	DESCRIPTION
170.0035	LOW AIR SWITCH - BRASS BODY, 2 BLADE TERMINALS, CLOSSES AT 60PSI DESCENDING PRESSURE
170.002415	LOW AIR SWITCH - 1 BLADE TERMINAL, CLOSE AT 60PSI DESCENDING PRESSURE



VALVE HOSES & FITTINGS



www.haldexproductcatalog.com
Tech: 1-800-247-2725



www.priorreman.com
Tech: 1-833-692-6036



www.bendix.com
Tech: 1-800-247-2725

QUICK RELEASE VALVES



800333



KN32005



289182-N

PART #	DESCRIPTION
800333	BENDIX QR-L INLINE DIRECT MOUNT, QUICK RELEASE VALVE
KN32005	HALDEX EGC 3/8 PORTS, QUICK RELEASE VALVE
KN32011	HALDEX QUICK RELEASE VALVE
289714-N	BENDIX QR-1C QUICK RELEASE VALVE
229859-N	BENDIX QR-1 QUICK RELEASE VALVE
289182-N	BENDIX Q-REL W/DBL CK QUICK RELEASE VALVE
229813-N	BENDIX QR-1 QUICK RELEASE VALVE, 3/8" NPT SUPPLY, 1/4" NPT DELIVERY
229844-N	BENDIX QR-1 QUICK RELEASE VALVE



www.meritorpartsexpress.com
Tech: 1-866-535-5560



www.bendix.com
Tech: 1-800-247-2725



www.priorreman.com
Tech: 1-833-692-6036

RELAY VALVES



A78889-N



RSL110380



102626-N

PART #	DESCRIPTION
S4721950330	EUCLID ABS MODULATOR VALVE
RSL110380	EUCLID GENUINE SEALCO - RELAY VALVE (LOV) 4 PORT
110415	POWER PRODUCTS RELAY VALVE 4-PORTS
A78889-N	RELAY VALVE RG-2
102626-N	BENDIX R-12 RELAY VALVE
103009-N	BENDIX R-12 RELAY VALVE
A78880-N	PRIOR RG-2 RELAY VALVE 2 PORT
103010-N	BENDIX R-14 RELAY VALVE
279180-N	BENDIX R-6 RELAY VALVE
102626N	BENDIX R-12 RELAY VALVE

SOLENOID AIR VALVE



www.haldexproductcatalog.com
Tech: 1-800-247-2725

PART #	DESCRIPTION
KN68230	SOLENOID AIR VALVE MAX PRESSURE 130PSI, (2) 1/4" NPTF PORTS



Battery & Electrical

Body & Cabin

Brake & Wheel End

Valve Hoses & Fittings

Driveline Suspension

Engine & Cooling

Exhaust

Temperature Control

Lighting

Tools & Accessories

Trailer, Cargo & Safety

VALVE HOSES & FITTINGS

PUSH PULL VALVES



www.tectran.com
Tech: 1-800-776-5549

PART #	DESCRIPTION
29-PP2	STANDARD DUTY (3) 1/8" NPT PORTS
29-PP5	PUSH PULL VALVE 1/4"-18 FPT PORTS



29-PP2

DRAIN VALVES



www.automann.com
Tech: 1-888-288-6626



170.284795



PART #	DESCRIPTION
170.284795	AUTOMATIC DRAIN VALVE HEATED
281923-N	DV-2 DRAIN VALVE
110	TRUCK AIR TANK DRAIN COCK

Bendix

www.bendix.com
Tech: 1-800-247-2725



www.tectran.com
Tech: 1-800-776-5549

PURGE VALVE KITS



800404

Bendix

www.bendix.com
Tech: 1-800-247-2725

PART #	DESCRIPTION
5004341	PURGE VALVE ASSEMBLY KIT FOR CLIMATE CONDITIONS ABOVE -40C (-40F)
5005037NH	PURGE VALVE ASSEMBLY KIT FOR 12V OR 24V
800404	TORQUE PURGE VALVE ASSEMBLY KIT FOR AD-IS & AD-IP AIR DRYERS

VALVE HOSES & FITTINGS

TRACTOR PROTECTION VALVES

279000-N



288605-N



PART

DESCRIPTION

279000-N	TP-3 TRACTOR PROTECTION VALVE, TRAILER SUPPLY PORT 1/2"-14NPT, SERVICE PORT 1/2"-14NPT
288605-N	TP-5 TRACTOR PROTECTION VALVE, SERVICE PORT 3/8"

HI LOW PUSH PULL VALVE



www.priorreman.com
Tech: 1-833-692-6036

PART

DESCRIPTION

A3546	HI LOW PUSH PULL VALVE EATON FULLER 1/8" NPT
-------	--

VACUUM BOOSTER CHECK VALVE REPAIR KIT



www.haldexproductcatalog.com

Tech: 1-800-247-2725



PART

DESCRIPTION

RV10001K	CONTENTS IN KIT: (1) CHECK VALVE, (2) HOSE CLAMPS, (1) SCREW & (1) PIECE OF VACUUM HOSE
----------	---

VACUUM BOOSTERS

2503139



7700435



2501350



www.priorreman.com
Tech: 1-833-692-6036



www.bendix.com
Tech: 1-800-247-2725

PART

DESCRIPTION

2503139	BENDIX HYDRAVAC BRAKE BOOSTER SINGLE DIAPHRAGM HYDROVAC WITH BRACKET
2509558	BENDIX HYDRAVAC BRAKE BOOSTER SINGLE DIAPHRAGM HYDROVAC WITH BRACKET
2502982	BENDIX HYDRAVAC BRAKE BOOSTER SINGLE DIAPHRAGM HYDROVAC WITHOUT BRACKET
7700435	PRIOR HYDRAVAC BRAKE BOOSTER
7700439	HY POWER 7" PEDAL ROD GM APPLICATION
2501350	HYDRAVAC BRAKE BOOSTER SINGLE DIAPHRAGM HYDROVAC WITHOUT BRACKET
2510065	HYDRAVAC BRAKE BOOSTER SINGLE DIAPHRAGM HYDROVAC WITH BRACKET

Battery & Electrical

Body & Cabin

Brake & Wheel End

Valve Hoses & Fittings

Driveline Suspension

Engine & Cooling

Exhaust

Temperature Control

Lighting

Tools & Accessories

Trailer, Cargo & Safety

VALVE HOSES & FITTINGS

AIR BRAKE HOSES ASSEMBLIES

- 1/2" I.D. Hose 3/8" - 18NPFT
One fixed end one swivel end

PART #	DESCRIPTION
R95550518BK	18" AIR BRAKE HOSES ASSEMBLIES
R95550524BK	24" AIR BRAKE HOSES ASSEMBLIES
R95550528BK	28" AIR BRAKE HOSES ASSEMBLIES
R95550532BK	32" AIR BRAKE HOSES ASSEMBLIES
R95550536BK	36" AIR BRAKE HOSES ASSEMBLIES
R95550540BK	40" AIR BRAKE HOSES ASSEMBLIES
R95550544BK	44" AIR BRAKE HOSES ASSEMBLIES
R95550548BK	48" AIR BRAKE HOSES ASSEMBLIES
R95550560BK	60" AIR BRAKE HOSES ASSEMBLIES



www.meritorpartsexpress.com
Tech: 1-866-535-5560



THERMO PLASTIC AIR BRAKE TUBING

- Nylon DOT Hose
- Conforms to SAE J 844 Specifications



TECTRAN
Solutions for Transportation Equipment

www.tectran.com
Tech: 1-800-776-5549



www.gatesnavigates.com
Tech: 1-800-275-4283

TECHTRAN PART #	LEGNTH	SIZE	COLOR
1923-01-1	100'	3/16"	BLACK
1922-01-1	100'	1/8"	BLACK
1924-01-1	100'	1/4"	BLACK
1926-01-1	100'	3/8"	BLACK
1928-01-T	50'	1/2"	BLACK
1930-01-T	50'	5/8"	BLACK
1932-01-T	250'	3/4"	BLACK
19225-01-T	50'	5/32"	BLACK



GATES PART #	LEGNTH	SIZE	COLOR
H30002-02	100'	1/8"	BLACK
H30002-03	100'	3/16"	BLACK
H30002-04	100'	1/4"	BLACK
H30002-06	100'	3/8"	BLACK
H30002-08	100'	1/2"	BLACK
H30003-10	50'	5/8"	BLACK
H3000225	100'	5/32"	BLACK
H3000312	50'	3/4"	BLACK
H3005208	100'	1/2"	RED
H3006208	100'	1/2"	BLUE



VALVE HOSES & FITTINGS

www.grote.com
Tech: 1-800-628-0809

Grote

POWER CORDS

- Coiled air hoses are designed to withstand harsh conditions including extreme temperatures and harmful chemicals. The tightly coiled tubing provides excellent recoil memory while minimizing sagging or kinking.

PART #	DESCRIPTION
81-0012	12' W/6" LEAD, RED, BLUE
81-0012-B	12' W/6" LEAD, BLUE
81-0012-R	12' W/6" LEAD, RED
81-0015	15' W/12" LEAD, RED, BLUE
81-0015-B	15' W/12" LEAD, BLUE
81-0015-R	15' W/12" LEAD, RED
81-0015-40	15' W/12" & 40" RED, BLUE
81-0015-40B	15' W/12" & 40" BLUE
81-0015-40R	15' W/12" & 40" RED
81-0054	54" COILED BLACK
87101	15' W/12" LEAD, COILED GREEN 7 WAY
87105	20" W/12" & 36" LEAD, COILED GREEN 7 WAY
87110	12' W/12" LEAD, COILED BLACK 7 WAY
87111	12' W/12" LEAD, 7 WAY COILED



CABLE SUPPORT CLAMPS

11543



11544

PART #	DESCRIPTION
11543	3 HOLE HOSE CLAMP 3/8"
11544	3 HOLE HOSE CLAMP 3/8"



www.haldexproductcatalog.com
Tech: 1-800-247-2725

AIR BRAKE HOSES

- Computer-controlled manufacturing process virtually insures product uniformity for the AB Series Air Brake Hose.

PART #	DESCRIPTION
27240	3/8" X 50' AIR HOSE BULK
27241	1/2" X 50' AIR HOSE BULK
28760	3/8" X 250' AIR HOSE BULK
28761	1/2" X 250' AIR HOSE BULK



THERMO PLASTIC AIR BRAKE TUBING

PART #	DESCRIPTION
744A1	BLACK 100' 4/14 GAUGE CABLE (GREEN, RED, BROWN, WHITE)
76210A1	BLACK 100' STANDARD DUTY CABLE (6/12 1/10 GAUGE)
764A1	BLACK 100' 6/14 GAUGE CABLE (GREEN, BLACK, RED BROWN YELLOW, WHITE)



TECTRAN
Solutions for Transportation Equipment
www.tectran.com
Tech: 1-800-776-5549

Battery & Electrical

Body & Cabin

Brake & Wheel End

Valve Hoses & Fittings

Driveline Suspension

Engine & Cooling

Exhaust

Temperature Control

Lighting

Tools & Accessories

Trailer, Cargo & Safety

DRIVELINE SUSPENSION

Link: Bumper To Bumper - Euclid Suspension (uberflip.com)

AIR SPRINGS

FS8091



www.meritorpartsexpress.com

Tech: 1-866-535-5560

PART # APPLICATION

FS7036	CAB AIR SPRING
FS7206	FREIGHTLINER 18-29929-000; CENTURY CLASS & ARGOSY COE
FS8091	HENDRICKSON TRAILER S20901 REUSE METAL DISK; MORE...
FS8709	GENUINE OE PRODUCT
FS8864	PETERBILT 03-08716; C811011 PACCAR PART
FS9069	PETERBILT 03-02456; PETERBILT 03-04759; MORE...
FS9780	FREIGHTLINER 16-13810-000 (PLASTIC); MORE...
FS9781	FREIGHTLINER 681-320-0017(ALUMINUM); MORE...
FS9974	GENUINE OE PRODUCT

FS8709

FS7206

FS8864

SUSPENSION-AIR SPRINGS

MAF8852

MAF8709

MAF7036



PART # APPLICATION

MAF7036	SUSPENSION AIR SPRING - SLEEVE STYLE - CAB AIR SPRING
MAF8050	SUSPENSION AIR SPRING - REVERSIBLE SLEEVE STYLE - HENDRICKSON TRAILER S4771; MORE...
MAF8091	AIR SPRING - HENDRICKSON TRAILER S20901 REUSE METAL DISK; MORE...
MAF8709	SUSPENSION
MAF8852	SUSPENSION AIR SPRING - REVERSIBLE SLEEVE STYLE
MAF8864	SUSPENSION AIR SPRING - REVERSIBLE SLEEVE STYLE - PETERBILT 03-08716; MORE...
MAF9069	AIR SPRING - REVERSIBLE SLEEVE STYLE - PETERBILT 03-02456; MORE...
MAF9082	SUSPENSION AIR SPRING - REVERSIBLE SLEEVE STYLE - HENDRICKSON CANADA S2066, S11651; MORE...
MAF9373	AIR SPRING - HENDRICKSON 57122-2(FORD, CLASS 8)
MAF9422	SUSPENSION AIR SPRING - REVERSIBLE SLEEVE STYLE - KENWORTH K303-6; MORE...
MAF9648	SUSPENSION AIR SPRING - REVERSIBLE SLEEVE STYLE
MAF9780	SUSPENSION AIR SPRING - REVERSIBLE SLEEVE STYLE - FREIGHTLINER 16-13810-000(PLASTIC); MORE...
MAF9781	SUSPENSION AIR SPRING - REVERSIBLE SLEEVE STYLE - FREIGHTLINER 681-320-0017; MORE...
MAF9935	SUSPENSION AIR SPRING - REVERSIBLE SLEEVE STYLE
MAF9974	SUSPENSION AIR SPRING - REVERSIBLE SLEEVE STYLE
FS7132	SUSPENSION AIR SPRING - CAB AIR SPRING
FS7215	SUSPENSION - CAB AIR SPRING

MAF9082

MAF9373

MAF9781

FS7132

ALIGNMENT BLOCK



AXLE CAP

E-4308

E-5221



PART # DESCRIPTION

E-5228	ALIGNMENT ADJUSTMENT PLATE 3/8 THICK
--------	--------------------------------------

PART # DESCRIPTION

E-4308	SPRING END CAP
E-5221	SPRING END CAP, 3 MAIN LEAF SPRING

ALIGNMENT BLOCK



E-4305



E-2908

PART # DESCRIPTION

E-4305	SPRING SEAT, 5 ROUND AXLE
E-2908	SPRING SEAT, 5 ROUND AXLE 3/4H

AXLE WRAP PAD



PART # DESCRIPTION

E-2945	WRAPPER, 5 ROUND AXLE, RUBBER
--------	-------------------------------

DRIVELINE SUSPENSION

BRACKET AND HANGERS



www.meritorpartsexpress.com

Tech: 1-866-535-5560

E-9302



E-2915A



E-2914

PART #	DESCRIPTION
E-2914	EQUALIZER HANGER, UNDER MOUNT
E-2915A	REAR HANGER, UNDER MOUNT
E-9302	FRONT HANGER, STRADDLE MOUNT

BUSHINGS

E4669



E-927



E-5216



E-1332



PART #	DESCRIPTION
E4669	STABILIZER BUSHING, RUBBER
E-4773	SPRING EYE BUSHING KIT
E-927	TORQUE ARM BUSHING, RUBBER
E-5216	TRUNNION BUSHING, RUBBER 9" LENGTH
E-1332	TRUNNION BUSHING, RUBBER 8 3/4" LENGTH

E-4773




SUSPENSION HARDWARE



E-3188

PART #	DESCRIPTION
E-3188	SUSPENSION HARDWARE - SPRING CENTER BOLT-8" BOLT LENGTH-0.438" THREAD LENGTH
E-3189	SUSPENSION HARDWARE - SPRING CENTER BOLT-8" BOLT LENGTH-5.50" THREAD LENGTH
E-3193	SUSPENSION HARDWARE - SPRING CENTER BOLT-8" BOLT LENGTH-5.50" THREAD LENGTH
E-3197	SUSPENSION HARDWARE - SPRING CENTER BOLT-12" BOLT LENGTH-9.5" THREAD LENGTH

EQUALIZERS



PART #	DESCRIPTION
E-3383	EQUALIZER - TRAILMOBILE, RUBBER BUSHING, 2 HOLES, 16" LENGTH
E-2889	EQUALIZER - HUTCHENS, CAST, RUBBER BUSHING, TWO BOLT
E-2843	EQUALIZER ASSEMBLY - REYCO/GRANNING, SLOTTED ON BOTH ENDS, 1 HOLE
E-7532	EQUALIZER - HUTCHENS, FABRICATED, RUBBER BUSHING, ONE BOLT
E-8931	EQUALIZER - FRUEHAUF, DUCTILE IRON NO BUSHING, 1 HOLE
E-9570	EQUALIZER - HUTCHENS, FABRICATED, RUBBER BUSHING, 2 HOLES

Battery &
Electrical

Body &
Cabin

Brake &
Wheel End

Valve Hoses
& Fittings

Driveline
Suspension

Engine &
Cooling

Exhaust

Temperature
Control

Lighting

Tools &
Accessories

Trailer,
Cargo
& Safety

DRIVELINE SUSPENSION

EQUALIZER SHAFT, BOLT & BOLT KITS



www.meritorpartsexpress.com

Tech: 1-866-535-5560

PART #	DESCRIPTION
E-196	EQUALIZER SHAFT, NOT FORD OR GM/VOLVO, 1-1/2 O.D.
E-2891	EQUALIZER CENTER HEX BOLT, 1"-14 X 5" LONG
E-3414	EQUALIZER BOLT & REBOUND BOLT KIT
E-7533	EQUALIZER CENTER HEX BOLT, 1 1/8" -7 X 6 5/8" LONG



E-7533



E-3414



E-196

KING PIN LOCKS

PART #	DESCRIPTION
E702A	KING PIN LOCK
E-700	SUSPENSION - TRAILER KING PIN, VARIOUS APPLICATION W/ WELD ON KING PIN FOR 3/8" THICK PLATE

E702A



E-700



SUSPENSION LEAF SPRINGS



www.automann.com

Tech: 1-888-288-6626

PART #	DESCRIPTION
TRA2256	SUSPENSION SPRING - REYCO - LENGTH (A) 21 3/8" - LENGTH (B) 23 1/8" - ARC (C) 4 1/4" - # LEAVES 7
TRA2260	SUSPENSION SPRING - HUTCH - LENGTH (A) 21 3/8" - LENGTH (B) 23 1/8" - ARC (C) 4 15/16" - # LEAVES 8
TRA2270	SUSPENSION SPRING - REYCO - LENGTH (A) 21 11/16" - LENGTH (B) 21 11/16" - ARC (C) 3 5/8" - # LEAVES 8
TRA2727	SUSPENSION SPRING - LENGTH (A) 43.80" - LENGTH (B) 43.80" - ARC (C) 4-1/2" - # LEAVES 3
TRA2726	SUSPENSION SPRING - HUTCH - LENGTH (A) 22 1/2" - LENGTH (B) 23 5/8" - ARC (C) 6" - # LEAVES 3
TRA2740	SUSPENSION SPRING - HUTCH - LENGTH (A) 22" - LENGTH (B) 23 3/4" - ARC (C) 5 1/2" - # LEAVES 3




TRA2260



TRA2270



TRA2256




TRA2727



TRA2726



TRA2740




DRIVELINE SUSPENSION



LEVELING HARDWARE / LINKAGE

www.meritorpartsexpress.com

Tech: 1-866-535-5560



E3760A

PART #	DESCRIPTION
--------	-------------

E-7852	LINKAGE ASSEMBLY
E3760A	ADJUSTABLE HEIGHT CONTROL VALVE LINKAGE ASSEMBLY

LEVELING VALVES & REPAIR KIT

E-9623

E11464

E11855

E12525

PART #	DESCRIPTION
--------	-------------

E11464	SUSPENSION - SUSPENSION VALVE-HADLEY UNIVERSAL VALVE FOR AIR CAB SUSPENSION SYSTEM
E-11855	HEIGHT CONTROL VALVE - GENUINE HENDRICKSON PRODUCT
E-12525	HEIGHT CONTROL VALVE, 3/8 FITTING, INCL LINKAGE, GENUINE OE PRODUCT
E-9623	HEIGHT CONTROL VALVE, NO DUMP
E11870	HEIGHT CONTROL VALVE ASSEMBLY WITH DUMP, GENUINE HENDRICKSON PRODUCT
S4640070040	AIR SUSPENSION CONTROLS - CAB LVL VLV LEGRIS 1/4#
RN10JC	LINKAGE REPAIR KIT, HALDEX MIDLAND

SHACKLE PIN

PART #	DESCRIPTION
--------	-------------

E-3761	SPRING PIN, DOUBLE LOCK, GENUINE HENDRICKSON PRODUCT
--------	--

TORQUE ARM & BUSHING

PART #	DESCRIPTION
--------	-------------

E-2225	TORQUE ARM BUSHING, 2 1/2 OD, 4 3/8 C-TO-C
E-2226	TORQUE ARM BUSHING, 2 3/4 OD, 4 3/8 C-TO-C
E-2899	RIGID T. ARM, 19 1/4 C-TO-C
E-3277	ADJ TORQUE ARM, 18 1/2 - 21 C- TO-C

TRUNNION HALFS

PART #	DESCRIPTION
--------	-------------

E-4301	TRUNNION HALF, BRACKET -SEAT CAP
E-4302	TRUNNION HALF, BRACKET SEAT CAP

E-4301

E-4302

Battery &
Electrical

Body &
Cabin

Brake &
Wheel End

Valve Hoses
& Fittings

Driveline
Suspension

Engine &
Cooling

Exhaust

Temperature
Control

Lighting


Tools &
Accessories

Trailer,
Cargo
& Safety

DRIVELINE SUSPENSION

U-BOLTS


E-UB8154-18



E-UB8153-10



www.meritorpartsexpress.com
Tech: 1-866-535-5560



E-UB8394-172S



EUB-8286-134

PART #	DESCRIPTION
E-UB8145-076	U-BOLT ASSY, RD. BND, 5/8" -18 X 5" W X 7-3/4" L
E-UB8153-10	U-BOLT ASSY, RD. BND, 3/4"-16 X 3 1/2" W X 10" L
E-UB8154-18	U-BOLT ASSY, RD BND, 3/4"-16 X 4" W X 18" L
E-UB8155-073	U-BOLT ASSY RD. BND, 3/4" -16 X 5" W X 7 1/2" L
E-UB8163-14	U-BOLT ASSY RD. BND, 7/8"-14 X 3 1/2"W X 14" L
E-UB8186-154	U-BOLT ASSY, RD. BND, 1 1/8" -12 X 5 3/4" X 15 1/2"L
E-UB8286-154	U-BOLT ASSY, SQ. BND, 7/8" -14 X 5 1/8" W X 1" L
E-UB8287-14	U-BOLT ASSY, SQ. BND, 1-1/8" -12 X 5-3/4" W X 14" L
E-UB8351-18	U-BOLT ASSY, RD BND, 3/4" -16 X 3" W X 18" L
E-UB8375-154	U-BOLT ASSY SEMI-RND BND 1" -14 X 4 1/8" X 15-1/2" L
E-UB8394-172S	U-BOLT ASSY SEMI-RND BND 1-1/4" -12 X 4" X 17-1/4"L
EUB-8178-126	U-BOLT ASSY, RD. BND, 1" -14 X 5" W X 12 3/4" L
EUB-8286-134	U-BOLT ASSY, SQ. BND, 7/8" -14 X 5 1/8" W X 1" L
E-UB5161-12	U-BOLT ASSY, RD. BND, 7/8" -14 X 3" W X 12" L
E-UB5161-14	U-BOLT ASSY, RD. BND, 7/8" -14 X 3" W X 14" L
E-UB8151-18	U-BOLT ASSY, RD. BND, 3/4" -14 X 3" W X 18" L
E-UB8161-14	U-BOLT ASSY, RD. BND, 7/8" -14 X 3" W X 14" L
E-UB8161-16	U-BOLT ASSY, RD. BND, 7/8" -14 X 3" W X 16" L
E-UB8165-14	U-BOLT ASSY, RD. BND, 7/8" -14 X 5" W X 14" L

PADS



WHEEL END HARDWARE




PART #	DESCRIPTION	PART #	DESCRIPTION
E-1330	SPRING END PAD, RUBBER, 7 5/8" L X 4 3/4" W X 1" H	E-10215	WHEEL END HARDWARE - WHEEL STUD, 4 3/32" L
E-5227	SPRING END PAD, RUBBER, 5" L X 4 3/4" W X 13/16" H		

U-JOINTS



www.spicerparts.com/parts

PART #	DESCRIPTION
5-155X	U-JOINT 1550 SERIES 1.375" BEARING CAP DIA.
5-188X	U-JOINT KIT 1480 SERIES 1.375" BEARING CAP DIA.
5-279X	U-JOINT 1610 SERIES 1.875" BEARING CAP DIA.
5-280X	U-JOINT 1710 SERIES 1.938" BEARING CAP DIA.
5-281X	U-JOINT 1810 SERIES 1.938" BEARING CAP DIA.
5-407X	U-JOINT 1760 SERIES 1.938" BEARING CAP DIA.
5-674X	U-JOINT 1610 SERIES 1.875" BEARING CAP DIA.
5-675X	U-JOINT 1710 SERIES 1.938" BEARING CAP DIA.
5-676X	U-JOINT 1810 SERIES 1.938" BEARING CAP DIA.
5-677X	U-JOINT 1760 SERIES 1.938" BEARING CAP DIA.
SPL100-1X	U- JOINT SPL100 SERIES1.625" BEARING CAP DIA.
SPL250-3X	U-JOINT SPL250 SERIES 2.362" BEARING CAP DIA.



ENGINE & COOLING



Global Technology Behind Every Part

The PAI Engine Kit program allows you to select a kit tailored to the job at hand. Whether performing a complete overhaul or in-frame repair, our engine kits contain all of the necessary components to complete the rebuild.

STEP ONE

Gather the necessary engine information

To make sure you order and receive the exact kit you need, be sure to have these important answers for each major engine nameplate:

STEP TWO

**CALL DAVE RYAN AT PWI OR MIKE SCOTT
FOR PRICING & ORDER REVIEW**

THE PREMIUM BRAND FOR COMMERCIAL VEHICLE AND STATIONARY ENGINE COMPONENTS

PAI is a leading premium brand of heavy-duty engine parts and gaskets, offering a comprehensive range of precision-engineered components for the construction, marine, agricultural, mining, gas compression, trucking and industrial sectors.

PAI Engine Kits

100% guaranteed PAI parts and industry-leading PAI gasket sets.

PAI In-Frame Kits

For commercial vehicle and stationary engines that include gasket sets designed to meet the sealing requirements of high-output engines. Each PAI gasket set represents a complex, application-specific solution from a PAI manufacturing facility.

PAI Cylinder Kits

Produced in state-of-the-art manufacturing facilities dedicated to the needs of heavy-duty commercial and stationary engine applications. Designed to work seamlessly with PAI gaskets. PAI's competitive range of cylinder components provide all of the best technologies for each engine platform.

Advantages include:

- Low friction and low noise
- Optimum performance and durability
- Fuel economy and lower emissions

Caterpillar®
Engine/Machine
Serial & Arrangement Number
3200 Series – Std. or Oversize Pistons and Ring Sets (2- or 3-Ring)
Crank Size
In-Frame Gasket Set or Complete Gasket Set
Cummins®
Engine
CPL or Piston Number
Big or Small Cam
Liner Size
Crank Size
In-Frame Gasket Set or Complete Gasket Set
Head Set w/ Std. Water Grommets or 0.010" Oversize
Detroit Diesel®
Engine
Model & Serial Number
Turbo or Natural
Trunk or Crosshead Piston
Liner Size
Crank Size
Head Set & Pan Gasket or Complete Overhaul Gasket Set
If Complete, Crank Seals Not Included – Need Them
Steel or Aluminum Valve Covers
Mack®
Engine
Model Number
Piston Number
Liner Size
Crank Size
In-Frame Gasket Set or Complete Gasket Set
Navistar®
Engine
Serial Number
Piston Number
DT-466 – Valve Cover or Crankcase-Mounted Breather
Crank Size
In-Frame Gasket Set or Complete Gasket Set

Battery &
Electrical

Body &
Cabin

Brake &
Wheel End

Valve Hoses
& Fittings

Driveline
Suspension

Engine &
Cooling

Exhaust

Temperature
Control

Lighting

Tools &
Accessories

Trailer,
Cargo
& Safety



www.ace-mfg.com

Tech: 1-800-247-2725




www.haldexproductcatalog.com

Tech: 1-800-247-2725

Our heavy-duty clutch core policy is simple. The core cannot be defective in any way and we can only accept “like for like”. For example: we cannot accept an Eaton-Fuller core for a Rockwell remanufactured clutch.

Determining The Proper Clutch For Your Vehicle

1. Determine the size of the clutch. (14” or 15.5”)
2. If 15.5”, then measure the center flywheel opening. (Dimension *A in the illustration) Approximate flywheels sizes 7”, 8.5” or 10”
3. Determine engine torque at current settings.
 - A. If flywheel bore is 7”, ONLY use 8 spring disc
 - B. If flywheel bore is 8.5”, use a 10 spring disc.
 - C. If flywheel bore is 10”, use a 7 spring, 6 spring(VCT), or a 9 spring (Mack Only)
 - D. If you have a 10” flywheel bore, DO NOT USE ORGANIC FACING! The facing I.D. will extend into the flywheel bore opening, not having full facing contact.





CLUTCHES

www.ace-mfg.com

www.haldexproductcatalog.com

Tech: 1-800-247-2725

Tech: 1-800-247-2725

CLUTCH MODELS TO USE BY FLYWHEEL BORE SIZE


14" Clutches

All 14" clutches use 8 spring disc assemblies and can be used only with 7" flywheels bore size.

15-1/2" Clutches


Disc types will vary and are designed to be used with a specific flywheel bore size. Shown below are the easy pedal and standard clutch models designed for each bore size.

Torque Rating Shown In Parentheses ()



8 Spring Disc

PART #	DESCRIPTION
RC044STDCX	REMAN 14" SPICER TYPE STAMPED STEEL CLUTCH PACK , 8 SPRINGS, MAX TORQUE 1375
RC597DCX	15-1/2" SPICER TYPE CLUTCH PACK, 8 SPRINGS, MAX TORQUE 1450
RC747DCX	REMAN 14" SPICER TYPE STAMPED STEEL CLUTCH PACK , MAX TORQUE 900



10 Spring Disc



7 & 9 Spring Disc

For non-standard requirements and/or selection for the specific model for a vehicle, follow the clutch selection procedure in the ACE or Haldex catalog.

CLUTCH BRAKE SPACER

PART # DESCRIPTION

RC2540K REMAN CLUTCH BRAKE SPACER, OUTSIDE DIA. 4 1/8", SPLINE SIZE 2"



Battery & Electrical

Body & Cabin

Brake & Wheel End

Valve Hoses & Fittings

Driveline Suspension

Engine & Cooling

Exhaust

Temperature Control

Lighting

Tools & Accessories

Trailer, Cargo & Safety

ENGINE & COOLING



CLUTCHES

www.ace-mfg.com

www.haldexproductcatalog.com

Tech: 1-800-247-2725

Tech: 1-800-247-2725

PART #	DESCRIPTION
AM107606-1	310MM, 400 TORQUE, 6 SPRINGS
AM107620-2	350MM, 500 TORQUE, 8 SPRINGS
AM107621-1	350MM, 500 TORQUE, 8 SPRINGS
EZ107237-4CB	14" X 1 3/4", 950 TORQUE, 8 SPRING, 4 PADDLE, EZ PEDAL & ADJ
EZ107237-8CB	14" X 1 3/4", 900 TORQUE, 8 SPRING, 3 PADDLE, EZ PEDAL & ADJ
EZ107683-5CB	14" X 1 3/4", 620 TORQUE, 8 SPRING, 3 PADDLE, EZ PEDAL & ADJ
EZ107686-2CB	14" X 2", 900 TORQUE, 8 SPRING, 3 PADDLE, EZ PEDAL & ADJ
EZ108035-82B	14" X 1 3/4", 1150 TORQUE, 8 SPRING, EZ PEDAL & DUAL ADJ
EZ108050-59B	14" X 2", 1400 TORQUE, 8 SPRING, 4 PADDLE, EZ PEDAL & DUAL ADJ
EZ108050-69B	14" X 2", 1400 TORQUE, 8 SPRING, 4 PADDLE, EZ PEDAL & DUAL ADJ
EZ108391-77B	15 1/2" X 2", 1250 TORQUE, 8 SPRING, EZ PEDAL & DUAL ADJ
EZ108391-81B	15 1/2" X 2", 1400 TORQUE, 8 SPRING, 4 PADDLE, EZ PEDAL & DUAL ADJ
EZ108391-93B	15 1/2" X 2", 1860 TORQUE, 10 SPRING, 4 PADDLE, EZ PEDAL & DUAL ADJ
EZ108925-82B	15 1/2" X 2", 1860 TORQUE, 10 SPRING, 4 PADDLE, EZ PEDAL & DUAL ADJ
EZ108935-51H	15 1/2" X 2", 1700 TORQUE, 7 SPRING, EZ PEDAL & DUAL ADJ
EZ208391-74B	15 1/2" X 2", 1650 TORQUE, 10 SPRING, 4 PADDLE, EZ PEDAL & DUAL ADJ
EZ208391-77B	15 1/2" X 2", 1860 TORQUE, 10 SPRING, 4 PADDLE, EZ PEDAL & DUAL MANUAL ADJ
EZ208391-81B	15 1/2" X 2", 1400 TORQUE, 8 SPRING, 4 PADDLE, EZ PEDAL & DUAL MANUAL ADJ
EZ208391-93B	15 1/2" X 2", 1860 TORQUE, 10 SPRING, 4 PADDLE, EZ PEDAL & DUAL MANUAL ADJ
EZ20839193H	15 1/2" X 2", 2050 TORQUE, 10 SPRING, 6 PADDLE, EZ PEDAL & DUAL MANUAL ADJ
EZ208925-32H	15 1/2" X 2", 2250 TORQUE, 7 SPRING NVH 6 PADDLE, EZ PEDAL & DUAL MANUAL ADJ
EZ208925-82B	15 1/2" X 2", 2050 TORQUE, 7 SPRING, 6 PADDLE, EZ PEDAL & DUAL MANUAL ADJ
EZ20892582H	15 1/2" X 2", 2050 TORQUE, 7 SPRING NVH 6 PADDLE, EZ PEDAL & DUAL SELF ADJ
EZ208935-51	15 1/2" X 2", 2050 TORQUE, 7 SPRING NVH 6 PADDLE, EZ PEDAL & DUAL SELF ADJ
EZ208935-51H	15 1/2" X 2", 2050 TORQUE, 9 SPRING, 6 PADDLE, EZ PEDAL & DUAL MANUAL ADJ
EZ209925-82B	15 1/2" X 2", 1700 TORQUE, 7 SPRING, 4 PADDLE, EZ PEDAL & DUAL SELF ADJ



340-0017



EZ107237-4CB



EZ108035-82B



EZ108050-59B



EZ208925-82H



EZ20839193H

NVH DISC SHOWN



AF530GB3145BM



AF23509



AF1810855C93

FLYWHEELS

SPECIAL ORDER ONLY!

PART #	DESCRIPTION
AF1810855C93	14" FLAT FLYWHEEL, 7" BORE, 8 MOUNTING BOLT HOLES, USE 8 SPRING CLUTCH, 138 TEETH
AF3042787	14" FLAT FLYWHEEL, 7" BORE, 8 MOUNTING BOLT HOLES, USE 8 SPRING CLUTCH, 103 TEETH
AF3071615	15" FLAT FLYWHEEL, 10" BORE, 8 MOUNTING BOLT HOLES, USE 7 SPRING CLUTCH, 103 TEETH
AF4P4797	15" FLAT FLYWHEEL, 10" BORE, 12 MOUNTING BOLT HOLES, USE 7 SPRING CLUTCH, 113 TEETH
AF530GB3145BM	15" FLAT FLYWHEEL, 10" BORE, 6 METRIC BOLT HOLES, USE 9 SPRING CLUTCH, 118 TEETH
AF23509709	15" FLAT FLYWHEEL, 10" BORE, 12 MOUNTING BOLT HOLES, USE 7 SPRING CLUTCH, 118 TEETH
AF1265875	14" FLAT FLYWHEEL, 7" BORE, 8 MOUNTING BOLT HOLES, 1 DOWEL PINHOLE, 134 TEETH
AF1821915C91	14" FLAT FLYWHEEL, 7" BORE, 12 MOUNTING BOLT HOLES, USE 8 SPRING CLUTCH, 138 TEETH
AF2354177	15" FLAT FLYWHEEL, 10" BORE, 12 MOUNTING BOLT HOLES, USE 7 SPRING CLUTCH, 118 TEETH
AF1818214C91	14" FLAT FLYWHEEL, 7" BORE, 8 MOUNTING BOLT HOLES, USE 8 SPRING CLUTCH, 137 TEETH
AF2569653	15" FLAT FLYWHEEL, 10" BORE, 8 MOUNTING BOLT HOLES, USE 7 SPRING CLUTCH, 134 TEETH
AF530GB3170	15" FLAT FLYWHEEL, 10" BORE, 6 METRIC BOLT HOLES, USE 9 SPRING CLUTCH, 117 TEETH

AF23509709

AF3042787



ENGINE & COOLING



www.ace-mfg.com
Tech: 1-800-247-2725



www.haldexproductcatalog.com
Tech: 1-800-247-2725

CLUTCH BRAKES

PART #	DESCRIPTION
BK-312	HINGE CLUTCH BRAKE OUTSIDE DIA. 4 1/8", SPLINE 1 3/4"
BK-313	HINGE CLUTCH BRAKE OUTSIDE DIA. 4 1/8", SPLINE 2"
B201BP	ACE QUICK CHANGE 2" HINGED CLUTCH BRAKE
A240BP	ACE ONE PIECE 2" HD CLUTCH BRAKE
A537BP	ACE 2" HINGED CLUTCH BRAKE
AB197SVBP	ACE CLUTCH PILOT BEARING-SILICON NITRIDE BALLS
AB197VBP	ACE VITON SEALED PILOT BEARING 6306
B201-500BP	CLUTCH BRAKE 2" QUICK-CHANGE HINGED OVERSIZED .500 THICK
A239BP	ACE ONE PIECE 2" HD CLUTCH BRAKE
AB197BP	ACE RUBBER SEALED PILOT BEARING 6306-2RS
AB197SBP	ACE PILOT BEARING W/ SNAP RING FOR MACK APPLICATION



ACE ALIGNMENT TOOLS

PART #	DESCRIPTION
HT175	ALIGNMENT TOOL 1 3/4"
HT200	ALIGNMENT TOOL 2"
AT-HT200	ALIGNMENT TOOL 2.00 X 10 SPLINE 1.180 PILOT
ATK-200	CLUTCH INSTALLATION TOOL KIT
IG-100	CLUTCH INSTALLATION PART



WATER PUMPS

PART #	DESCRIPTION
43554HD	REMAN, WATER PUMP FOR CATERPILLAR 3116/3126, 3.75" PULLEY, THREADED PORTS
44052HD	REMAN WATER PUMP FOR CUMMINS N14 SERIES, MULTI-GROOVE PULLEY
42333HD	REMAN WATER PUMP FOR CATERPILLAR 3208 ENGINE, BOLT ON PULLEY (3 BELT)
44066HD	REMAN WATER PUMP FOR DETROIT 60 SERIES ENGINE AFTER 12/90

RW4015X



RW4122X



RW1162X



RW1073X



www.gatesnavigates.com
Tech: 1-800-275-4283

Battery & Electrical

Body & Cabin

Brake & Wheel End

Valve Hoses & Fittings

Driveline Suspension

Engine & Cooling

Exhaust

Temperature Control

Lighting

Tools & Accessories

Trailer, Cargo & Safety

ENGINE & COOLING

CLUTCH BRAKES



www.ace-mfg.com
Tech: 1-800-247-2725

AK2200

AK2468

PART #	DESCRIPTION
--------	-------------

AK2200	BASIC CLUTCH INSTALLATION KIT-(1) CSF105C137 FORK, (1) A240 2" BRAKE (4) CSB12815 BUSHINGS
AK2468	CLUTCH COMPONENT-CLUTCH TOOL, INSTALL KIT
AK36008	CLUTCH INSTALLATION KIT W B201 CLUTCH BRAKE FULLER FR SERIES

AK36008

CROSS SHAFT BUSHING

PART #	DESCRIPTION
--------	-------------

CSB12815BP	CROSS SHAFT BUSHING
------------	---------------------



BLOCK HEATERS

PART #	DESCRIPTION
--------	-------------

340-0017	HEAT-MAGNET, 200 WATTS, 120 VOLTS AC
330-5060	1500WATT CIRCULATION HEATER
350-0043	FREEZE PLUG ENGINE HEATER, 1000WATTS 120VOLTS
350-0022	FREEZE PLUG ENGINE HEATER, 750WATTS 120VOLTS
330-5003	CIRCULATION HEATER 1500WATT, 120VOLT *D
320-0003	LOWER RADIATOR HOSE HEATER 1-1/2"
3308002	8000 LIGHT DUTY CIRCULATION HEATER, 5/8" DIA IN/OUT 1000W 120V
3308003	8000 LIGHT DUTY CIRCULATION HEATER, 5/8" DIA IN/OUT 1500W 120V
350-0030	FREEZE PLUG ENGINE HEATER, 750W 120V
310-0093	FREEZE PLUG ENGINE HEATER, 400W, 120V
320-0004	LOWER RADIATOR HOSE HEATER 1-3/4"
860-5556	FREEZE PLUG ENGINE HEATER, 1500W 120V
3100130	ENGINE BLOCK HEATER 1000W 120V
310-0043	FREEZE PLUG ENGINE HEATER, 1000W 120V
360-0008	REPLACEMENT CORD, 120V - 6'
3600006	REPLACEMENT CORD, 120V - 5'

3600006

Zerostart®
PHILLIPS & TEMRO
Industries®

www.phillipsandtemro.com
Tech: 1-800-328-6108





OE-TurboPower® Remanufactured Turbochargers

OE-Quality precisely calibrated remanufactured and new high-performance turbochargers designed to meet the durability, reliability, and technology demands of complex engines.



Warranty Policy 12 MONTHS - REMANUFACTURED. 18 MONTHS - NEW.

THE FLEET ESSENTIALS

Reman Part #	New Part #	Model	Application
D92080805R		HE400VG	Cummins ISX 15L
D92080677R		HE561VE	Cummins ISX1
D92080690R		HE561V	Cummins ISX 15L
D92080691R		HE551V	Cummins ISX 15L
D91080006R	D91080006N	S400	Detroit Diesel Series 60 12.7L 500HP
D91080016R	D91080016N	X31	Detroit Diesel Series 60 12.7L 470-500HP
D91080008R	D91080008N	S400	Detroit Diesel Series 60 12.7L 475HP
D95080046R	D95080046N	GTA4294	Caterpillar C15 Acert (HP)
D91080004R	D91080004N	S410	Caterpillar 3406E, 3406C, C16 14.6L 425-550HP
	D91080003N	S410SX	Caterpillar C15, 3406 600HP
D95080048R	D95080048N	GTA5518	Caterpillar C15 Acert (LP)
D95080194R		GTA4502V	Detroit Diesel Series 60 12.7L
D95080003R		GTA4508V	Detroit Diesel Series 60 14.7L 515HP
D92080237R		HX55	Cummins ISM, M11, ISME 11.0L
D91080005R	D91080005N	BH3B	Cummins N14 550HP
D91080012R	D9179030N	S300V	International DT466, I530E, I570 8.7L
D91080011R		S430V	Mack AC460P ASET
D91080007R	D91080007N	S300	Mack E7 12L
D91080013R	D9179035N	S300V	International MaxxForce DT466, I313 225HP
D92080031R	D92080031N	HX52	Volvo D12
D91080015R	D91080015N	S300	Mack E7-350, E7-400, EM7-335, EM7-370 12L
D91080026R	D91080026N	S430V	Mack E7 12L
D91080023R	D91080023N	S300	International DT408, DT466, DT466E, I530E
D91080360R	D911559880047N	B1UG	2010 - 2012 International MaxxForce DT466 (HP)
D91080503R	D912749880076N	B2FS	2010 - 2012 International MaxxForce DT, I334 7.6L (LP)
D91080027R	D91080027N	S4D	Caterpillar 3406B 14.6L 460-500HP
D91080009R	D91080009N	S410	Caterpillar 3406C, 3406E, 14.6L 455-475HP
D91080018R	D91080018N	S300	International DT466, I530E 8.7L
D92080689R		HE400VG	Cummins ISX CM570; Cummins ISX CM870; Cummins ISX CM871; Cummins ISX15 CM2250



Performance Powered by OE

For more information please visit:
www.bbb-cv.com

OE-TurboPower® is a trademark of BBB Industries®

©2011 BBBI. 01-0425

Battery & Electrical

Body & Cabin

Brake & Wheel End

Valve Hoses & Fittings

Driveline Suspension

Engine & Cooling

Exhaust

Temperature Control

Lighting

Tools & Accessories

Trailer, Cargo & Safety

ENGINE & COOLING

www.wixfilters.com
Tech: 1-800-949-6698



INDUSTRIAL FILTERS



As the worldwide leader in heavy duty filtration, most everyone in the heavy duty fleet, farm, off-road and school bus transportation industry knows that WIX Filters coverage and quality are the best in the industry.

WIX Filters has proven time and again that they have one of the most comprehensive filtration lines in the industry. Just when you thought that WIX Filters had gone about as far as a filter manufacturer could go in application coverage they increased their coverage in the industrial filtration market.



WIX Filters has expanded their applications into factories and business where industrial hydraulic systems are essential in the manufacturing and energy process. This entry has opened up a whole new market for filtration sales that will complement your existing sales in many categories and open up completely new markets in other categories.

In many cases, you will be surprised at the sales opportunities you can take advantage of in your own backyard!!

The first step is making contact with your local WIX Filter representative to see what opportunities exist in your market area and how you can reap the benefits of the NEW WIX Industrial Filtration Market...





INDUSTRIAL FILTERS



FLEET SURVEYS

Fleet Surveys are available at no charge to WIX fleet customers. Fleet surveys make life easier for a fleet maintenance supervisor or head mechanic by listing each vehicle (truck/tractor/off-road equipment/school bus/etc.) and the corresponding filters that are on each particular vehicle. (oil/air/fuel/hydraulic/transmission/coolant/air drier cartridges/etc.)

All the maintenance supervisor has to do when it's time for a particular vehicle's preventative maintenance(PM) work is look at the WIX Filter survey and it tells him everything he needs to know about the filters on that vehicle. The maintenance manager can simply call the store and order what he needs. The fleet survey also reveals filters that the store or warehouse may not be stocking currently and now the store can put them in stock to be available when the customer needs them.

Make sure you talk to your local WIX representative about the benefits of a fleet survey.

REACH

REACH Cooling Group

Radiators * Condensers * Heater Cores * Auxiliary Coolers

- **OE Performance**


- REACH Cooling products are engineered with cooling capacity and performance that meets or exceeds Original Equipment specifications.

- **Outstanding Product Coverage**

- REACH offers parts for more than 95% of vehicles on the road.

- **Heavy-Duty Truck Applications**

- REACH carries a full range of parts for Light-Duty, Medium-Duty, and Heavy-Duty Truck Applications.



- **Perfect Fit**

- REACH parts fit like OE, most models include the mounting components and fasteners necessary for installation.

- **Durability**

- All REACH parts are backed by a 2-year (unlimited-mileage) limited warranty.

Battery &
Electrical

Body &
Cabin

Brake &
Wheel End

Valve Hoses
& Fittings

DriveLine
Suspension

Engine &
Cooling

Exhaust

Temperature
Control

Lighting

Tools &
Accessories

Trailer,
Cargo
& Safety

ENGINE & COOLING

MotoRAD®

www.motorad.com

Tech: 1-888-262-4153

HEAVY DUTY FUEL CAPS

Male thread on cap to fit female thread on tank filler neck. Thread size 2 1/8" x 12" . Fuse plugs, chain and anchor bar.	2001-11 Non-Locking 	Locking 2501-11 
Female thread to fit male thread on tank filler neck. Thread size 2 1/2" x 8" . Fuse plugs, chain and anchor bar.	2002-00 Non-Locking 	Locking 2502-00 
Female thread to fit male thread on filler neck. Thread size 2" x 11 1/2" . Fuse plugs, chain and anchor bar.	2003-11 Non-Locking 	Locking 2503-11 
Bayonet type. Three cam type. Fits 3 cam 3 3/8" I.D., ordnance type filler neck. Chain and anchor bar.	2004-11 Non-Locking 	Locking 2504-11 
Male thread to fit female thread neck on tank. Thread size 4 1/4" x 12 NS. Fuse plugs, chain and anchor bar.	2005-00 Non-Locking 	Locking 2505-00 
Female thread to fit male thread on filler neck. Thread size 3 1/2" x 5 1/2" spec. thread. Fuse plugs, chain and anchor bar.	2006-11 Non-Locking 	Locking 2506-11 
Female thread to fit male thread on filler neck. Thread size 4" x 8 NPSM. Fuse plugs, chain and anchor plug.	2007-00 Non-Locking 	Locking 2507-00 
Male thread to fit female threaded filler neck on tank. Thread size 4 1/4" x 8 NS. Fuse plugs, chain and anchor bar.	2008-00 Non-Locking 	Locking 2508-00 

ENGINE & COOLING

HEAVY DUTY OIL FILLER CAPS

MotoRAD®

www.motorad.com
Tech: 1-888-262-4153

Battery &
Electrical

Body &
Cabin

Brake &
Wheel End

Valve Hoses
& Fittings

Driveline
Suspension

Engine &
Cooling

Exhaust

Temperature
Control

Lighting

Tools &
Accessories

Trailer,
Cargo
& Safety

6024-02



Size - 1"

6025-02



Size - 1 1/4"

6026-02



Size - 1 1/4"

6027-02



Size - 1 3/8"

6028-02



Size - 1 3/8"

6029-02



Size - 1 1/2"

6030-02



Size - 1 5/8"

6031-02



Size - 1 3/4"

6032-02



Size - 1 7/8"

6033-02



Size - 2"

6034-02



Size - 2"

6035-02



Size - 2 1/4"

6036-02



Size - 2 3/8"

6037-02



Size - 2 1/2"

EXHAUST



www.walkerexhaust.com

Tech: 1-800-325-8886

EXHAUST HANGERS

35103

36516

PART # DESCRIPTION

35103	SILVER, NATURAL FINISH, 9.5 LENGTH
35600	SILVER BLACK FINISH 10 LENGTH ATTACHMENT METHOD EXHAUST ROD BRACKETS OR HOLES
36516	NATURAL FINISH, 12.5 LENGTH
36518	EXHAUST SYSTEM HANGER NATURAL FINISH, 12.5 LENGTH
35898	SILVER/BLACK, NATURAL FINISH, 17.375 LENGTH

EXHAUST HANGER RUBBER

35229

35286

35352

35725

35460

PART # DESCRIPTION

35229	BLACK RUBBER INSULATOR 3.5 LENGTH
35286	BLACK RUBBER INSULATOR 2.375 LENGTH
35352	BLACK RUBBER INSULATOR 2.375 LENGTH
35460	BLACK RUBBER INSULATOR 3.125 LENGTH
35725	BLACK RUBBER INSULATOR 2.5 LENGTH

EXHAUST CLAMPS

PART #	BOLT DIA.	PIPE DIA.	WIDTH	NUT TYPE	CLAMP TYPE	FINISH	MATERIAL
33222	.4375	3	3	HEX	BAND, LAP JOINT	NATURAL	STAINLESS STEEL
33224	.4375	4	3	HEX	BAND, LAP JOINT	NATURAL	STAINLESS STEEL
33225	.4375	5	3	HEX	BAND, LAP JOINT	NATURAL	STAINLESS STEEL
33276	.4375	5	3	HEX	BAND, LAP JOINT	ALUMINIZED	STEEL
33284	.4375	3	3	HEX	BAND, LAP JOINT	ALUMINIZED	STEEL
33285	.4375	3.5	3	HEX	BAND, LAP JOINT	ALUMINIZED	STEEL
33286	.4375	4	3	HEX	BAND, LAP JOINT	ALUMINIZED	STEEL
33288	.4375	5	3	HEX	BAND, LAP JOINT	ALUMINIZED	STEEL
33967	.4375	3	3	HEX	BAND, LAP JOINT	ALUMINIZED	STEEL
33968	.4375	3.5	3	HEX	BAND, LAP JOINT	ALUMINIZED	ALUMINIZED
33969	.4375	4	3	HEX	BAND, LAP JOINT	ALUMINIZED	ALUMINIZED
33970	.4375	5	3	HEX	BAND, LAP JOINT	ALUMINIZED	ALUMINIZED
33976	.4375	2.5	3	HEX	BAND, LAP JOINT	ALUMINIZED	STEEL
33977	.4375	2.75	3	HEX	BAND, LAP JOINT	ALUMINIZED	STEEL
35290	.25	4	.875	LOCK	V-BAND	NATURAL	STAINLESS STEEL
35323	.3125	1.25	2.375	HEX	U-BOLT	NATURAL	STEEL
35335	.375	2	3.25	HEX	U-BOLT	NATURAL	STEEL
35337	.375	2.5	3.875	HEX	U-BOLT	NATURAL	STEEL
35407	.3125	1.875	2.75	HEX	U-BOLT	NATURAL	STEEL
35413	.3125	2.25	3.5	HEX	U-BOLT	NATURAL	STEEL
35414	.3125	2.5	3.75	HEX	U-BOLT	NATURAL	STEEL
35620	.4375	2	3	HEX	BAND	NATURAL	STAINLESS STEEL
35621	.4375	2.25	3	HEX	BAND	NATURAL	STAINLESS STEEL
35622	.4375	2.75	3	HEX	BAND	NATURAL	STAINLESS STEEL
35636	.25	2.75	.625	LOCK	V-BAND	NATURAL	STAINLESS STEEL
35690	.25	3	.875	LOCK	V-BAND	NATURAL	STAINLESS STEEL
35695	.3125	3	.875	LOCK	V-BAND	NATURAL	STAINLESS STEEL
35746	.25	4	.75	LOCK	V-BAND	NATURAL	STAINLESS STEEL
35752	.375	4	5.375	HEX	U-BOLT	ZINC	STEEL
35753	.375	3.5	5	HEX	U-BOLT	NATURAL	STEEL

33276


33967

35335

35290

35621

EXHAUST



WALKER

35795

www.walkerexhaust.com

Tech: 1-800-325-8886

EXHAUST CLAMPS

PART #	BOLT DIA.	PIPE DIA.	WIDTH	NUT TYPE	CLAMP TYPE	FINISH	MATERIAL
35757	.375	5	6.625	HEX	U-BOLT	NATURAL	STEEL
35760	.375	3.25	4.5	HEX	U-BOLT	NATURAL	STEEL
35774	.375	4	5.5	HEX	U-BOLT	NATURAL	STEEL
35775	.375	5	6.375	HEX	U-BOLT	ZINC	STEEL
35786	.375	3	4.125	LOCK	GUILLOTINE	NATURAL	STEEL
35789	.375	5	6.125	LOCK	GUILLOTINE	ZINC	STEEL
35793	.375	2.75	4.125	HEX	U-BOLT	NATURAL	STEEL
35794	.375	3	4.375	HEX	U-BOLT	NATURAL	STEEL
35795	.375	6	7.5	HEX	U-BOLT	NATURAL	STEEL
35804	.3125	3.5	.875	LOCK	V-BAND	NATURAL	STAINLESS STEEL
35805	.3125	4	.875	LOCK	V-BAND	NATURAL	STAINLESS STEEL
35806	.25	5	.875	LOCK	V-BAND	NATURAL	STAINLESS STEEL
35975	.4375	5	3	HEX	BAND	NATURAL	STAINLESS STEEL
35976	.4375	4	3	HEX	BAND	NATURAL	STAINLESS STEEL
35977	.4375	3.5	3	HEX	BAND	NATURAL	STAINLESS STEEL
35978	.4375	3	3	HEX	BAND	NATURAL	STAINLESS STEEL
35979	.4375	2.5	3	HEX	BAND	NATURAL	STAINLESS STEEL
35980	.4375	6	3	HEX	BAND	NATURAL	STAINLESS STEEL
36202	.25	3.5	.75	LOCK	BAND	NATURAL	STAINLESS STEEL
36203	.25	3	.75	LOCK	BAND	NATURAL	STAINLESS STEEL
36204	.25	4	.75	LOCK	BAND	NATURAL	STAINLESS STEEL



36202



35804

EXHAUST ELBOWS



41365



41367



41477



41630

PART #	ANGLE	TUBE DIA.	OVERALL LENGTH	AXIS1 LENGTH	AXIS 2 LENGTH	BENDING RADIUS	FINISH
41365	90	3	16	8	8	6	ALUMINIZED
41367	90	4	20	10	10	8	ALUMINIZED
41378	90	4	20	10	10	5	ALUMINIZED
41434	90	3	20	10	10	6	ALUMINIZED
41436	90	5	24	12	12	6	ALUMINIZED
41477	45	5	16	8	8	10	ALUMINIZED
41532	90	5	24	12	12	6	ALUMINIZED
41630	90	4	12	6	6	4	ALUMINIZED
41686	45	4	12	6	6	6	ALUMINIZED
41768	90	3.5	20.5	10.25	10.25	5	ALUMINIZED
41769	90	5	16.5	8.5	8.5	6	ALUMINIZED
42272	90	5	30	15	15	5.5	ALUMINIZED
42274	90	5	30	15	15	5.5	ALUMINIZED
42937	90	4	20	18	18	8	ALUMINIZED
42938	90	5	20.5	18	18	10	ALUMINIZED



41686

GASKETS

PART #	DESCRIPTION
31369	3 BOLT GASKET, .05 BOLT HOLT DIA. .06 THICKNESS
31574	2 BOLT GASKET, .05 BOLT HOLE DIA. .05 THICKNESS
31718	3 BOLT GASKET, .05 BOLT HOLE DIA. .93 THICKNESS



31369

31574

Battery & Electrical

Body & Cabin

Brake & Wheel End

Valve Hoses & Fittings

DriveLine Suspension

Engine & Cooling

Exhaust

Temperature Control

Lighting

Tools & Accessories

Trailer, Cargo & Safety


EXHAUST

WALKER

EXHAUST MUFFLERS

www.walkerexhaust.com

Tech: 1-800-325-8886



PART #	BODY HEIGHT	BODY LENGTH	BODY WIDTH	OVERALL LENGTH	INLET INSIDE DIA.	OUTLET INSIDE DIA.	MUFFLER TYPE
21146	7	12	7	20	3	3	COMBINATION
21470	7	30	7	38	3.5	3.5	COMBINATION
22032	4.25	19	4.25	25	2.5	2.5	COMBINATION
22042	3.25	16	3.25	29	1.5	1.5	COMBINATION
22449	8.25	31	11.5	37.5	4	4	COMBINATION
22572	9	20	9	27	4	4	COMBINATION
22664	11.125	36	11.125	39	4	4	COMBINATION
22771	9	19	9	26	5	5	COMBINATION
22916	10	45	10	51.5	4	4	COMBINATION
22920	10	44	10	51	5	5	COMBINATION
22936	9	44	9	51	4	4	COMBINATION
22940	9	44	9	51	5	5	COMBINATION

MUFFLER PUTTY

PART #	DESCRIPTION
35969	MUFFLER PUTTY 50Z.




EXHAUST ADAPTERS

PART #	DESCRIPTION
36339	OXYGEN SENSOR BUNG
41655	FLARED EXHAUST PIPE ADAPTER
41994	EXHAUST REDUCER PIPE
41812	EXHAUST PIPE CONNECTOR 3 INSIDE DIA, 4 LENGTH
41893	EXHAUST PIPE CONNECTOR 3.5 INSIDE DIA, 6 LENGTH
41895	EXHAUST PIPE CONNECTOR 4 INSIDE DIA, 8 LENGTH
41896	EXHAUST PIPE CONNECTOR 4 INSIDE DIA, 8 LENGTH
41899	EXHAUST PIPE CONNECTOR 5 INSIDE DIA, 8 LENGTH
41957	EXHAUST PIPE CONNECTOR 2.5 INSIDE DIA, 4 LENGTH
41984	EXHAUST PIPE CONNECTOR 3.5 INSIDE DIA, 6 LENGTH



RAIN CAPS

PART #	DESCRIPTION
35225	POWDER COATED, 1.5 INLET INSIDE DIA., 1.875 OVERALL LENGTH
35226	POWDER COATED, 1.75 INLET INSIDE DIA., 2.125 OVERALL LENGTH
35512	POWDER COATED, 2 INLET INSIDE DIA., 2.5 OVERALL LENGTH
35513	POWDER COATED, 2.25 INLET INSIDE DIA., 2.75 OVERALL LENGTH
35514	POWDER COATED, 2.5 INLET INSIDE DIA., 3 OVERALL LENGTH
35618	POWDER COATED, 3 INLET INSIDE DIA., 3.5 OVERALL LENGTH
35619	POWDER COATED, 3.5 INLET INSIDE DIA., 4 OVERALL LENGTH
35907	POWDER COATED, 4 INLET INSIDE DIA., 4.5 OVERALL LENGTH
35910	POWDER COATED, 5 INLET INSIDE DIA., 5.5 OVERALL LENGTH




EXHAUST

WALKER


www.walkerexhaust.com
Tech: 1-800-325-8886

EXHAUST STACKS



PART #	MATERIAL	FINISH	OVERALL LENGTH	INLET INSIDE DIA.	OUTLET INSIDE DIA.
29207	STEEL	CHROME	24	5	5
29403	STEEL	CHROME	48	5	5
42531	STEEL	ALUMINIZED	24	4	4
42543	STEEL	ALUMINIZED	24	5	5
42715	STEEL	ALUMINIZED	18	4	4
42716	STEEL	ALUMINIZED	18	5	5
43319	STEEL	ALUMINIZED	36	4	4
43320	STEEL	ALUMINIZED	36	4	4
43366	STEEL	ALUMINIZED	36	3.5	3.5
43582	STEEL	ALUMINIZED	36	5	5
43606	STEEL	ALUMINIZED	36	3	3
44126	STEEL	ALUMINIZED	48	4	4
44127	STEEL	ALUMINIZED	48	5	5
44299	STEEL	ALUMINIZED	48	4	4
44301	STEEL	ALUMINIZED	48	4	4
45727	STEEL	ALUMINIZED	60	5	5
46778	STEEL	ALUMINIZED	60	5	5

TUBING



PART #	MATERIAL	FINISH	OVERALL LENGTH	INLET INSIDE DIA.	OUTLET INSIDE DIA.
40025	STEEL	GALVANIZED	300	4	4
40026	STEEL	GALVANIZED	300	5	5
41694	STEEL	ALUMINIZED	12	5	5
42068	STEEL	GALVANIZED	18	5	5
42069	STEEL	GALVANIZED	24	4	4
42070	STEEL	GALVANIZED	24	5	5
43381	STEEL	GALVANIZED	36	4	4
43382	STEEL	GALVANIZED	36	5	5
49008	STEEL	ALUMINIZED	120	2.5	2.5
49012	STEEL	NATURAL	120	4	4
49015	STEEL	NATURAL	120	5	5
49028	STEEL	GALVANIZED	120	3	3
49031	STEEL	GALVANIZED	120	5	5
49089	STEEL	GALVANIZED	120	3	3
49090	STEEL	GALVANIZED	120	3.5	3.5
49091	STEEL	GALVANIZED	120	4	4
49092	STEEL	GALVANIZED	120	5	5
49159	STEEL	ALUMINIZED	120	3	3
54047	STEEL	GALVANIZED	36	3	3
54048	STEEL	GALVANIZED	36	3.5	3.5
55007	STEEL	GALVANIZED	48	5	5

Battery & Electrical

Body & Cabin

Brake & Wheel End

Valve Hoses & Fittings

DriveLine Suspension

Engine & Cooling

Exhaust

Temperature Control

Lighting

Tools & Accessories

Trailer, Cargo & Safety

TEMPERATURE CONTROL



AC CLUTCHS

47531



47907

www.4s.com/en/ecatalog
Tech: 1-866-502-0068

PART # DESCRIPTION

47531	NEW CLUTCH ASSY, CLUTCH DIA. PRIMARY "IN": 6000 POP: A
47534	NEW CLUTCH ASSY, CLUTCH DIA. PRIMARY "IN": 7000 POP: B
47905	NEW CLUTCH ASSY, CLUTCH DIA. PRIMARY "IN": 6000 POP: D
47907	NEW CLUTCH ASSY, CLUTCH DIA. PRIMARY "IN": 6000 POP: C
47926	NEW CLUTCH ASSY, CLUTCH DIA. PRIMARY "IN": 6000 POP: D
47927	NEW CLUTCH ASSY, CLUTCH DIA. PRIMARY "IN": 6000 POP: C
47928	NEW CLUTCH ASSY, CLUTCH DIA. PRIMARY "IN": 6.31 POP: C
47959	NEW CLUTCH ASSY, CLUTCH DIA. PRIMARY "IN": 6000 POP: B
47960	NEW CLUTCH ASSY, CLUTCH DIA. PRIMARY "IN": 5.500 POP: D
47996	NEW CLUTCH ASSY, CLUTCH DIA. PRIMARY "IN": 5.500 POP: F



47927



47960



47928



47996

AC ACCUMULATORS

83043



83232



83238



83239



83293



PART #	AC DRIER SHAPE	AC DRIER MOUNTING STYLE	AC DRIER DIA.	AC DRIER HEIGHT	MOUNTING BRACKET
83043	ROUND	VERTICAL	3.5"	9"	NO
83232	ROUND		3.5"	8"	NO
83238	ROUND	VERTICAL	3.5"	8.75"	NO
83239	ROUND	VERTICAL	3.5"	8"	NO
83293	ROUND		3.5"	9"	YES

AC BLOWERS

35334



35475



35587



PART # DESCRIPTION

35282	BLOWER MOTOR ASSY/ FLANGED, 1 SPADE TERMINAL
35334	BLOWER MOTOR ASSY/ FLANGED VENTED CW W/ WHEEL, 1 SPADE TERMINAL
35386	BLOWER MOTOR WITHOUT WHEEL
35475	BLOWER MOTOR WITHOUT WHEEL, FLANGED VENTED CW/CCW
35587	BLOWER MOTOR WITHOUT WHEEL, FLANGED VENTED CW
75743	BLOWER MOTOR W/ WHEEL, FLANGED VENTED CCW
75788	BLOWER MOTOR W/ WHEEL, FLANGED VENTED CCW
75817	BLOWER MOTOR W/ WHEEL, FLANGED VENTED CCW
75854	BLOWER MOTOR W/ WHEEL, FLANGED VENTED CW
76948	BLOWER MOTOR W/ WHEEL, FLANGED VENTED CCW
76949	BLOWER MOTOR W/ WHEEL, FLANGED VENTED CW

75743



75854



75817



A/C CONDENSER FAN ASSEMBLY

PART # DESCRIPTION

620-5601	CONDENSER FAN ASSEMBLY WITHOUT CONTROLLER APP: CHEVROLET 2007-98, ISUZU 2007-98, MORE...
----------	---




TEMPERATURE CONTROL



www.4s.com/en/ecatalog
Tech: 1-866-502-0068

BLOWER SWITCHES



PART # DESCRIPTION

35702	BLOWER MOTOR SWITCHES ACTUATION STYLE: ROTARYCIRCUIT ACTIVATION CONSTANT
35706	FAN SWITCH ON:44° F., OFF: 34°F., ACTIVATION CONTROL PRESET TUBE LENGTH"IN" 24
35718	SWITCH SELECTOR/BLOWER , 5 TERMINALS, MALE GENDER RETANGULAR
35720	SWITCH TEMP/SYS. MOUNT, 2 TERMINALS, ON 44.5°F, OFF 30.5°F, TUBE LENGTH "IN" 11
35751	SWITCH PRESSURE/SYS. MOUNT, 2 TERMINALS, OP. PRESSURE LOW ON 27, THREAD 7/16X20
35758	SWITCH PRESSURE/SYS. MOUNT, 2 TERMINALS, OPEN COMPRESSOR, THREAD 3/8X24
35761	SWITCH PRESSURE/SYS. MOUNT, 2 TERMINALS, FEMALE GENDER, OPEN COMPRESSOR
35845	SWITCH TEMP/SYS. MOUNT, 2 TEMINALS, TEMP ON 52°F, TEMP OFF 34°F DRIVER ADJ. KNOB
35863	SWITCH TEMP/SYS. MOUNT, 2 TEMINALS, TEMP ON 39.5°F., TEMP OFF 31°F.
35898	SWITCH PRESSURE/SYS. MOUNT, 2 TERMINALS, OPEN COMPRESSOR, THREAD 7/16X20
35960	SWITCH PRESSURE/SYS. MOUNT, 2 TERMINALS, FEMALE GENDER, THREAD 7/16X20
36494	SWITCH PRESSURE/SYS. MOUNT, 2 TERMINALS, FEMALE GENDER, THREAD M12 X1.50
36646	SWITCH PRESSURE/SYS. MOUNT, 2 TERMINALS, FEMALE GENDER. THREAD 7/16X20

EVAPORATOR CORES



PART #	CORE DEPTH FRACTION	CORE DEPTH INCHES	CORE DEPTH MM	CORE HEIGHT FRACTION	CORE HEIGHT INCHES	CORE HEIGHT MM
44065	2 5/16"	2.31"	58.74	10 1/8"	10.13"	257.18
54184	3 9/16"	3.563"	90.49	8"	8	203.2
54273	3 3/4"	3.75"	95.25	8 1/8"	8.125"	206.38
54275	3 5/8"	3.625"	92.08	8 5/8"	8.625"	219.07
54541	4"	4"	101.6	8 1/6"	8.06"	204.79
54573	2 7/8"	2.875"	73.03	10 1/2"	10.5"	266.7
54598	2 7/8"	2.875"	73.03	9 3/8"	9.375"	238.13
54806	2 5/8"	2.625"	66.67	8 3/16"	8.19"	207.92
54916	2 7/8"	2.875"	73.03	10 9/16"	10.56"	268.29
64017	1 1/2"	1.500"	38	10 3/8"	10.38"	263
64023	1 7/8"	1.89"	48	9 7/8"	9.8"	249
64029	1 7/8"	1.89"	48	9 13/16"	9.8"	249
64063	1 1/2"	1.500"	38.1	10"	10"	254
64065	2 1/32"	2.05"	52	11 7/16"	11.42"	290.1

Battery & Electrical

Body & Cabin

Brake & Wheel End

Valve Hoses & Fittings

DriveLine Suspension

Engine & Cooling

Exhaust

Temperature Control

Lighting

Tools & Accessories

Trailer, Cargo & Safety

TEMPERATURE CONTROL



www.4s.com/en/ecatalog
Tech: 1-866-502-0068

EXPANSION VALVES



PART #	DESCRIPTION
38622	EXPANSION VALVE. 2.0 TONNAGE, 33 TUBE LENGTH, MALE FITTING, THREAD 7/16" - 24
38679	BLOCK TYPE EXPANSION VALVE W/O SOLENOID, 2.0 TONNAGE, OUTLET STYLE:FIO
38683	TXV INTERNALLY EQUALIZED EXPANSION VALVE, INLET THREAD 5/8"-18, MALE, OUTLET THREAD 3/4"-16
38720	TXV INTERNALLY EQUALIZED EXPANSION VALVE, INLET THREAD 5/8"-18, MALE, OUTLET THREAD 3/4"-16
38729	TXV INTERNALLY EQUALIZED EXPANSION VALVE, TUBE LENGTH 10 1/4", MALE, FITTING THREAD 7/16"-24
38877	TXV INTERNALLY EQUALIZED EXPANSION VALVE, TUBE LENGTH 9 3/4", FEMALE, FITTING THREAD 7/16"-20
38878	BLOCK TYPE EXPANSION VALVE W/O SOLENOID, 1.500 TONNAGE, OUTLET STYLE:FOR, OUTLET TYPE O-RING
38879	BLOCK TYPE EXPANSION VALVE W/O SOLENOID, 1.500 TONNAGE, OUTLET STYLE:FOR, OUTLET TYPE O-RING
38880	BLOCK TYPE EXPANSION VALVE W/O SOLENOID, 1.500 TONNAGE, OUTLET STYLE:FOR OUTLET TYPE O-RING
38892	BLOCK TYPE EXPANSION VALVE W/O SOLENOID, 1.500 TONNAGE, OUTLET STYLE:FOR OUTLET TYPE O-RING
38901	BLOCK TYPE EXPANSION VALVE W/O SOLENOID, 1.500 TONNAGE, OUTLET STYLE:FOR OUTLET TYPE O-RING
39133	TXV INTERNALLY EQUALIZED EXPANSION VALVE, INLET THREAD M16X1.500, MALE, OUTLET THREAD 20MMX1.5
39211	BLOCK TYPE EXPANSION VALVE W/O SOLENOID, 2 TONNAGE, OUTLET STYLE:FIO OUTLET TYPE INSERT O-RING
39345	BLOCK TYPE EXPANSION VALVE W/O SOLENOID, 1.5 TONNAGE, OUTLET STYLE:CAPTURED O-RING
39428	BLOCK TYPE EXPANSION VALVE W/O SOLENOID, 1.5 TONNAGE, OUTLET STYLE:SEALING WASHER
39438	BLOCK TYPE EXPANSION VALVE W/O SOLENOID, 1.5 TONNAGE, OUTLET STYLE:CAPTURED O-RING
39517	BLOCK TYPE EXPANSION VALVE KIT W/O SOLENOID, 1.5 TONNAGE, INLET STYLE:.34", OUTLET SIZE: .46"

ACCUMULATORS



PART #	APPLICATION
33091	FORD BRONCO (96-94), FORD F SUPER DUTY (97-94), FORD F-150 (96-94), FORD F-250 (97-94), MORE...
33189	FORD BRONCO (93-83), FORD F SUPER DUTY (93-90), FORD F-150 (93-83), FORD F-100 (83), MORE...
33209	CHEVROLET BLAZER(94), CHEVROLET C1500 (95-94), CHEVROLET C2500 SUBURBAN (95-94), MORE...
33317	CHRYSLER 300 (70-64), DODGE A100 (70), DODGE CHARGER (70-66), FREIGHTLINER FLC112 (88-85), MORE...
33323	DODGE COLT (90-86), EAGLE VISTA (90-89), PLYMOUTH COLT (90-88)
33334	FREIGHTLINER FLC112 (86-85), FREIGHTLINER (86-81), FREIGHTLINER FLT086 (86-81)
33365	MACK RB (93-89), KENWORTH C540(93-92), (90-88), (85), MORE...
33358	FREIGHTLINER FLA086 (89), FREIGHTLINER FLL086 (89-88), MORE...
33466	MACK MR (03-94)
33470	FREIGHTLINER FLA086 (96-93), FREIGHTLINER FLC112 (96-93), MORE...
33474	MACK CH (05-99), MACK CHN (06-04), MACK CX (05-99), MORE...
33478	KENWORTH C500 (15-90), KENWORTH C540 (93-92), (90), KENWORTH T660 (15-07), MORE...
33479	FREIGHTLINER COLUMBIA (03-00), FREIGHTLINER FL106 (02-94), FREIGHTLINER CLASSIC (01), MORE...
33498	INTERNATIONAL 2554 (02-93), INTERNATIONAL G2504 (01-97), INTERNATIONAL 2654 (02-93), MORE...
33531	MACK MS200P MID -LINER (89-85), PETERBILT 362 (93-81), MACK MS300P MID-LINER (89-85), MORE...
33537	KENWORTH K200 (93), KENWORTH T800 (96-87), PETERBILT 352 (88), PETERBILT 376 (92-88), MORE...

Pictures, Dimensions, General Applications and much more data relating to the Four Seasons parts shown here can be found in the Four Seasons Heavy Duty Catalog... or you can go to their website at 4s.com or 1-888-252-8344.

TEMPERATURE CONTROL



www.4s.com/en/ecatalog
Tech: 1-866-502-0068

HEATER FITTINGS



PART #	DESCRIPTION
84520	HEATER FITTING, TEE, STEEL, TWO 5/8" NIPPLES, ONE 1/4" NIPPLE
84543	HEATER FITTING, TEE, STEEL, GALVANIZED, TWO 5/8" CONNECTORS, ONE 1/2" CONNECTOR
84544	HEATER FITTING, TEE, STEEL, NATURAL, TWO 5/8" CONNECTORS, ONE 3/8" CONNECTOR
84547	STRAIGHT HEATER FITTING
84611	HEATER FITTING/FLUSH TEE, TWO 5/8", ONE 1/2" HOSE FLUSH TEE W/ RUBBER WASHER
84621	HEATER FITTING/FLUSH TEE, 5/8" HOSE FLUSH TEE W/ RUBBER WASHER
84631	HEATER FITTING/ FLUSH TEE, 3/4" HOSE FLUSH TEE W/ RUBBER WASHER
84700	HEATER FITTING/SHUT-OFF VALVE, 5/8" HOSE TO 5/8" HOSE, 90° T HANDLE
84703	HEATER FITTING/SHUT-OFF VALVE, 5/8" HOSE TO 3/8" MALE PIPE, 90° T HANDLE
84704	HEATER FITTING/SHUT-OFF VALVE, 3/4" HOSE TO 3/8" MALE PIPE, 90° T HANDLE
84705	HEATER FITTING/SHUT-OFF VALVE, 1/2" HOSE TO 1/2" HOSE, INLINE T HANDLE
84706	HEATER FITTING/SHUT-OFF VALVE, 5/8" HOSE TO 5/8" HOSE, INLINE T HANDLE
84707	HEATER FITTING/SHUT-OFF VALVE, 3/4" HOSE TO 3/4" HOSE, INLINE T HANDLE
84708	HEATER FITTING/SHUT-OFF VALVE, 1" HOSE TO 1" HOSE, INLINE T HANDLE
84722	HEATER FITTING/STRAIGHT, 5/8" HOSE TO 3/8" MALE PIPE
84724	HEATER FITTING/STRAIGHT, 5/8" HOSE TO 3/8" MALE PIPE THREAD W/RESTRICTED NEX NIPPLE
84726	HEATER FITTING/STRAIGHT, 5/8" HOSE TO 3/8" MALE PIPE ONE END THREAD DOUBLE GROOVE
84727	HEATER FITTING/STRAIGHT, 5/8" HOSE TO 3/8" MALE PIPE ONE END THREAD
84731	HEATER FITTING/STRAIGHT, 5/8" HOSE TO 1/2" NPT; W/ HEX FITTING
84732	HEATER FITTING/STRAIGHT, 5/8" TO 1/2" NPT; W/ HEX FITTING
84733	HEATER FITTING/STRAIGHT, 3/4" HOSE TO 1/2" NPT; W/ HEX FITTING
84735	HEATER FITTING/STRAIGHT, 3/4" TO 1/2" NPT; W/ HEX FITTING
84736	HEATER FITTING/STRAIGHT, 1" HOSE TO 3/4" NPT; W/ HEX FITTING
84739	HEATER FITTING/HOSE SPLICER, 1/2" HOSE SPLICER
84740	HEATER FITTING/HOSE SPLICER, 5/8" HOSE SPLICER
84741	HEATER FITTING/HOSE SPLICER, 3/4" HOSE SPLICER
84742	HEATER FITTING/HOSE SPLICER, 1" HOSE SPLICER
84743	HEATER FITTING/HOSE SPLICER, 1/2" HOSE TO 5/8" HOSE STEPPED SPLICER
84744	HEATER FITTING/HOSE SPLICER, 5/8" HOSE TO 3/4" HOSE STEPPED SPLICER
84745	HEATER FITTING/HOSE SPLICER, 3/4" HOSE TO 1" HOSE STEPPED SPLICER
84749	HEATER FITTING/HOSE SPLICER, 5/8" HOSE TO 3/4" HOSE STEPPED SPLICER
84757	HEATER FITTING/HOSE SPLICER, TWO 5/8" HOSE TO 3/4" HOSE TEE SPLICER
84769	HEATER FITTING/PIPE PLUG, 3/8" NPT HEX DRIVE PLUG 5/16" HEX DRIVE
84770	HEATER FITTING/PIPE PLUG, 1/2" NPT HEX DRIVE PLUG 3/8" HEX DRIVE
84773	HEATER FITTING/90° FITTING, 3/4" HOSE SPLICER
84775	HEATER FITTING/90° FITTING, 5/8" TO 3/8" NPT 90°
84780	HEATER FITTING/STRAIGHT, 3/4" HOSE TO 3/8" MALE PIPE THREAD W/ HEX NIPPLE
84785	HEATER FITTING/STRAIGHT, 1/2" HOSE TO 1/4" MALE PIPE THREAD W/ HEX NIPPLE
84788	HEATER FITTING/SHUT-OFF VALVE, 5/8" HOSE TO 3/8" NPT 90° HD HANDLE
84789	HEATER FITTING/SHUT-OFF VALVE, 3/4" HOSE TO 1/2" MALE PIPE THREAD HD HANDLE



Battery & Electrical

Body & Cabin

Brake & Wheel End

Valve Hoses & Fittings

Driveline Suspension

Engine & Cooling

Exhaust

Temperature Control

Lighting

Tools & Accessories

Trailer, Cargo & Safety

TEMPERATURE CONTROL



www.4s.com/en/ecatalog
Tech: 1-866-502-0068

COMPRESSORS

78558



98324



58947



78377



178313



78348



PART #	DESCRIPTION
68198	FS18 BLOCK MTG W/O-RING MANIFOLD, 3 EAR TANGENT MOUNT, 6 GROOVE BELT, 4 1/2" PULLEY DIA.
78558	SD7H16, TANGENT MOUNT, 6 GROOVE SERPENTINE BELT, 5 1/4" PULLEY DIA.
58231	GMR4, CASE MOUNT, V-BELT, 5" PULLEY DIA.
98324	HCC-RS20, 3 TANGENT MOUNT, 6 GROOVE SERPENTINE BELT, 4.69" PULLEY DIA.
178313	DENSO 10PS, TANGENT MOUNT, 6 GROOVE SERPENTINE BELT, 4.73" PULLEY DIA.
178588	FS10, TANGENT MOUNT, 6 GROOVE SERPENTINE BELT, 3.94" PULLEY DIA.
58947	GM HT6, TANGENT MOUNT, 6 GROOVE SERPENTINE BELT, 4.25" PULLEY DIA.
58931	GM HT6, TANGENT MOUNT, 6 GROOVE SERPENTINE BELT, 4.25" PULLEY DIA.
78377	DENSO 10PS, TANGENT MOUNT, 4 GROOVE SERPENTINE BELT, 4.25" PULLEY DIA.
78348	DENSO 10PS, TANGENT MOUNT, 6 GROOVE SERPENTINE BELT, 4.50" PULLEY DIA.
58149	FS10, TANGENT MOUNT, 8 GROOVE SERPENTINE BELT, 4.5" PULLEY DIA.
98322	HCC-RS20, TANGENT MOUNT, 8 GROOVE SERPENTINE BELT, 4.47" PULLEY DIA.
58161	FS10, TANGENT MOUNT, 8 GROOVE SERPENTINE BELT, 5" PULLEY DIA.
58167	FS10, TANGENT MOUNT, 6 GROOVE SERPENTINE BELT, 5" PULLEY DIA.

ORIFICE TUBES



38639



38635



38623



38621


PART #	DESCRIPTION / APPLICATION
38621	ORIFICE TUBE/BLUE, STERLING TRUCK AT9500(08-99), STERLING TRUCK L7500(10-99), MORE...
38623	ORIFICE TUBE/WHITE, GMC K3500 (89-88), (86-79), GMC P3500 (99-85), MORE...
38635	ORIFICE TUBE/RED, FORD A9513 (98), FORD F750 (10-00), FORD LT8501(98-97), MORE...
38639	ORIFICE TUBE/ORANGE, PETERBILT 270 (03-01), PETERBILT 357 (05-97), PETERBILT 387 (05-00), MORE...
38641	ORIFICE TUBE/PURPLE, INTERNATIONAL 2574 (02-01), INTERNATIONAL 4300 (08-02), MORE...

RESISTORS

20904



20907



PART #	DESCRIPTION
20901	RESISTOR BLOCK, 3 TERMINALS, MALE CONNECTOR, SPADE TERMINAL
20904	RESISTOR BLOCK, 4 TERMINALS, MALE CONNECTOR, SPADE TERMINAL
20907	RESISTOR BLOCK, 4 TERMINALS, MALE CONNECTOR, SPADE TERMINAL

20901

LIGHTING



www.petersonlightsandharnesses.com

Tech: 1-866-502-0068

BEZEL



PART #	DESCRIPTION
V7005	BEZEL, 2" ROUND, CHROME,

CERTIFICATE HOLDER



PART #	DESCRIPTION
V7005	CERTIFICATE HOLDER, 12" ROUND

FLASHERS



www.petersonlightsandharnesses.com

Tech: 1-866-502-0068



536



552



EL12



EP13



EP37



V570

PART #	DESCRIPTION
536	HD TRUCK THERMAL FLASHER, 1-3 32CP PER SIDE, 6 FOR HAZARD
550	FLASHER TURN SIGNAL, 1-4 LIGHT, 3 PRONG, 12V.
552	FLASHER 6 LIGHT, 2 PRONG, 12V HAZARD FLASHER
552C	FLASHER, 1-4 LIGHT, 2 PRONG, 12V.
EL12	FLASHER 2 TO 10 HAZARD WARNING LAMPS STANDARD TERMINAL MAX 25 AMPS 12V.
EL12C	FLASHER TURN SIGNAL, 2 PRONG, 12V.
EL13	FLASHER, 2 LIGHT SIDE, 6 HAZARD, 3 PRONG, 12V.
EP27C	FLASHER FOR LED, 5 PRONG, 12V.
EP29	FLASHER LED TURN SIGNAL, 4 PRONG, 9-16 OPERATING VOLTS
EP35	FLASHER/HAZARD WARNING 2-4 LAMPS, 3 PRONG, 12.8V.
EP36	FLASHER, TURN SIGNAL, 3 PRONG, 12V.
EP37	FLASHER TURN SIGNAL, 16 LAMP, 2 PRONG, 12V.
EP50	FLASHER TURN SIGNAL, 20 LAMPS, 2 PRONG, 12V.
V570	FLASHER 12-LIGHT ELECTRO-MECHANICAL, 2 PRONG, 12 V., MAX OF 16V.

Battery &
Electrical

Body &
Cabin

Brake &
Wheel End

Valve Hoses
& Fittings

Drive/line
Suspension

Engine &
Cooling

Exhaust

Temperature
Control

Lighting

Tools &
Accessories

Trailer,
Cargo
& Safety

LIGHTING




www.petersonlightsandharnesses.com

Tech: 1-866-502-0068

CLEARANCE LIGHTS



PART #	DESCRIPTION
142A	INCANDESCENT MARKER/CLEARANCE, PC RATED, ROUND, AMBER, 2.5"
142KR	INCANDESCENT MARKER/CLEARANCE, PC RATED, ROUND, RED, KIT, 2.5"
142R	INCANDESCENT MARKER/CLEARANCE, PC RATED, ROUND, RED, 2.5"
143A	INCANDESCENT MARKER/CLEARANCE, PC RATED, ROUND W/ REFLEX, AMBER, 2.5"
143R	INCANDESCENT MARKER/CLEARANCE, PC RATED, ROUND W/ REFLEX, RED, 2.5"
146A	INCANDESCENT MARKER/CLEARANCE, PC RATED, ROUND, AMBER, 2"
146R	INCANDESCENT MARKER/CLEARANCE, PC RATED, ROUND, RED, 2"
154A	INCANDESCENT MARKER/CLEARANCE, PC RATED, RECTANGULAR, AMBER, 3.80" X 1.20"
154KA	INCANDESCENT MARKER/CLEARANCE, PC RATED, RECTANGULAR, AMBER, 3.91" X 1.20"
154KR	INCANDESCENT MARKER/CLEARANCE, PC RATED, RECTANGULAR, RED, 3.91" X 1.20"
154R	INCANDESCENT MARKER/CLEARANCE, PC RATED, RECTANGULAR, RED, 3.91" X 1.20"
155A	INCANDESCENT MARKER/CLEARANCE, PC RATED, RECTANGULAR, HARD LI. AMBER, 5.81" X 1.97"
155R	INCANDESCENT MARKER/CLEARANCE, PC RATED, RECTANGULAR, HARD LI. RED, 5.81" X 1.97"
821C-7	LED BACK-UP LIGHT, OVAL GROMMET MOUNT, WHITE, 6.5" X 2.25"
826C-7	LED BACK-UP LIGHT, ROUND, GROMMET MOUNT, WHITE, 4"
M137A	INCANDESCENT MARKER/CLEARANCE, P2, OBLONG W/ BEZEL, AMBER, 6.25" X 1.8125"
M154A-R	INCANDESCENT MARKER/CLEARANCE, P2, RECTANGULAR, AMBER + RED, 3.91" X 1.20"
V102A	INCANDESCENT MARKER/CLEARANCE, PC RATED, ROUND, AMBER, 2.875"
V107WA	INCANDESCENT MARKER/CLEARANCE, PC RATED, RECTANGULAR, AMBER, 3.18" X 1.00"
V107WR	INCANDESCENT MARKER/CLEARANCE, PC RATED, RECTANGULAR, RED, 3.18" X 1.00"
V108WA	INCANDESCENT MARKER/CLEARANCE, P2, OBLONG W/ REFLEX, AMBER, 4.07" X 2.04"
V108WR	INCANDESCENT MARKER/CLEARANCE, P2, OBLONG W/ REFLEX, RED, 4.07" X 2.04"
V114A	INCANDESCENT MARKER/CLEARANCE, PC RATED, RECTANGULAR W/ REFLEX, AMBER, 2.75" X 2.05"
V114R	INCANDESCENT MARKER/CLEARANCE, PC RATED, RECTANGULAR W/ REFLEX, RED, 2.75" X 2.05"
V135A	INCANDESCENT MARKER/CLEARANCE, PC RATED, OBLONG, AMBER, 4.125" X 2"
V135R	INCANDESCENT MARKER/CLEARANCE, PC RATED, OBLONG, RED, 4.125" X 2"
V136A	INCANDESCENT MARKER/CLEARANCE, P2, OBLONG, AMBER, 3.5" X 1.125"
V136R	INCANDESCENT MARKER/CLEARANCE, P2, OBLONG, RED, 3.5" X 1.125"
V138A	INCANDESCENT MARKER/CLEARANCE, PC RATED, RECTANGULAR, DOUBLE BULLS-EYE, AMBER, 4" X 2"
V138R	INCANDESCENT MARKER/CLEARANCE, PC RATED, RECTANGULAR, DOUBLE BULLS-EYE, RED, 4" X 2"
V142KA	CLEARANCE LIGHT KIT, ROUND, 2 1/2" AMBER
V142KR	CLEARANCE LIGHT KIT, ROUND, 2 1/2" RED
V142R	INCANDESCENT MARKER/CLEARANCE, PC RATED, ROUND, RED, 2.5"
V146KA	CLEARANCE LIGHT KIT, ROUND, 2" AMBER
V146KR	CLEARANCE LIGHT KIT, ROUND, 2" RED
V146R	INCANDESCENT MARKER/CLEARANCE, PC RATED, ROUND, RED, 2"
V150A	INCANDESCENT MARKER/CLEARANCE, PC RATED, RECTANGULAR, AMBER, 2.48" X 1.20"
V150KA	INCANDESCENT MARKER/CLEARANCE, PC RATED, RECTANGULAR, KIT, AMBER, 2.48" X 1.20"
V150KR	INCANDESCENT MARKER/CLEARANCE, PC RATED, RECTANGULAR, KIT, RED, 2.48" X 1.20"
V150R	INCANDESCENT MARKER/CLEARANCE, PC RATED, RECTANGULAR, KIT, AMBER, 2.48" X 1.20"
V154A	INCANDESCENT MARKER/CLEARANCE, PC RATED, RECTANGULAR, AMBER, 3.91" X 1.20"
V154R	INCANDESCENT MARKER/CLEARANCE, PC RATED, RECTANGULAR, RED, 3.91" X 1.20"
V821KC-7	LED BACK-UP LIGHT, OVAL, GROMMET MOUNT, KIT, WHITE, 6.5" X 2.25"
V826KC-7	LED BACK-UP LIGHT, ROUND, GROMMET MOUNT, KIT, WHITE, 4"



LIGHTING



www.petersonlightsandharnesses.com

Tech: 1-866-502-0068

CLEARANCE LIGHTS & GROMMETS



V821R-22



V821R-22



V817KR-36



146-18



421-18



B450-18



142-18



142-18K



143-18



PART #	DESCRIPTION
V817KR-36	LED STOP/TURN/TAIL, ROUND, AMP, GROMMET MOUNT KIT, RED, 4"
V821A-22	LED TURN SIGNAL, FRONT/REAR, OVAL, GROMMET MOUNT, AMBER, 6.5" X 2.25"
V821R-22	LED STOP/TURN/TAIL, OVAL, GROMMET MOUNT, RED, 6.5" X 2.25" 12V
142-18	GROMMET, ROUND, OPEN BACK, 2.5"
142-18K	GROMMET, ROUND, OPEN BACK, KIT, 2.5"
143-18	GROMMET, ROUND, OPEN BACK 2.5"
143-18K	GROMMET, OPEN BACK, KIT, 2.5"
146-18	GROMMET, OPEN BACK, 2"
146-18K	GROMMET, OPEN BACK, KIT, 2"
421-18	GROMMET, OVAL, PVC, 6.5"
426-18	GROMMET, PVC, 4"
B142-17	GROMMET, ROUND, EDGE MOUNT, 2.5"
B150-18	GROMMET, RECTANGULAR, OPEN BACK, 3.25" X 1.93"
B450-18	GROMMET, RECTANGULAR, PVC, RUBBER, 3" X 5"

INCANDESCENT LIGHTS




154C



426A



352A



817R-7

PART #	DESCRIPTION
154C	INCANDESCENT LICENSE/UTILITY, RECTANGULAR, PAINTED, WHITE, 3.91" X 1.20"
352A	INCANDESCENT MID-TURN SIDE MARKER, OVAL, AMBER, 6.5" X 2.25"
415	INCANDESCENT BACKUP, ROUND, 4"
416K	INCANDESCENT BACKUP, OVAL, KIT, WHITE, 6.5" X 2.25"
421A	INCANDESCENT TURN SIGNAL, OVAL, AMBER, 6.50" X 2.25"
421KA	INCANDESCENT TURN SIGNAL, OVAL, KIT, AMBER, 6.5" X 2.25"
421KR	INCANDESCENT STOP/TURN/TAIL, OVAL, KIT, RED, 6.50" X 2.25"
421R	INCANDESCENT STOP/TURN/TAIL, OVAL, RED, 6.50" X 2.25"
426A	INCANDESCENT TURN SIGNAL, ROUND, AMBER, 4"
426KR	INCANDESCENT STOP/TURN/TAIL, ROUND, RED, LONG LIFE, KIT 4"
426R	INCANDESCENT STOP/TURN/TAIL, ROUND, RED, LONG LIFE, 4"
431R	INCANDESCENT STOP/TURN/TAIL, ROUND, RED, 4"
450KR	INCANDESCENT STOP/TURN/TAIL, RECTANGULAR, KIT, RED, 3.4375" X 5.3125"
500	LED DOME/UTILITY LIGHT, RECTANGULAR, 500 LUMEN, WHITE, 3.02" X 1.73"
817KR-9	LED STOP/TURN/TAIL, ROUND, AMP, GROMMET MOUNT, KIT, RED, 4"
817R-7	LED STOP/TURN/TAIL, ROUND, AMP, GROMMET MOUNT, RED, 4"
820SA-10	LED STROBE LIGHT, OVAL, AMP, GROMMET MOUNT CLASS 1, AMBER, 6.5" X 2.25"
821A-7	LED TURN SIGNAL, FRONT & REAR, OVAL, GROMMET MOUNT, AMBER, 6.5" X 2.25"
821R-7	LED STOP/TURN/TAIL, OVAL, GROMMET MOUNT, RED, 6.5" X 2.25"
826A-7	LED TURN SIGNAL, FRONT & REAR, ROUND GROMMET MOUNT, AMBER, 4"



821A-7



821R-7



826A-7

Battery & Electrical

Body & Cabin

Brake & Wheel End

Valve Hoses & Fittings

Driveline Suspension

Engine & Cooling

Exhaust

Temperature Control

Lighting

Tools & Accessories

Trailer, Cargo & Safety

LIGHTING

INCANDESCENT LIGHTS



www.petersonlightsandharnesses.com
Tech: 1-866-502-0068



PART #	DESCRIPTION
M150C	INCANDESCENT LICENSE/UTILITY, PAINTED , RETANGULAR, WHITE, 2.48" X 1.20"
M343A	INCANDESCENT TURN SIGNAL/SIDE MARKER, OBLONG, AMBER, 5.50" X 2.25"
M416	INCANDESCENT BACKUP, OVAL WHITE, 6.5" X 2.25"
M431KR	INCANDESCENT STOP/TURN/TAIL, ROUND, KIT, RED, 4"
M450R	INCANDESCENT STOP/TURN/TAIL, RECTANGULAR, RED, 3.375" X 5.3125"
V107-3R	LIGHT BAR, MINI WHITE, RED, 16.63" X 1.42"
V118A	INCANDESCENT CAB MARKER P2, AMBER, 5.5" X 2.125"
V122XA	INCANDESCENT MARKER/CLEARANCE, PC-RATED, RECTANGULAR, ARMORED, CHROME, AMBER 4.88" X 2"
V122XR	INCANDESCENT MARKER/CLEARANCE, PC-RATED, RECTANGULAR, ARMORED, CHROME, RED, 4.88" X 2"
V150C	INCANDESCENT LICENSE/ UTILITY, PAINTED RECTAGULAR, WHITE, 2.48" X 1.20"
V150W	INCANDESCENT UTILITY RECTANGULAR, WHITE, 2.48" X 1.20"
V151-3RL	ID LIGHT BAR, SUBMERSIBLE, RED 14.25" X 1.19"
V313-2	INCANDESCENT STOP/ TURN/TAIL, SINGLE-FACE, RED, ROUND, 4.125"
V313-2RA	INCANDESCENT STOP/TURN, DOUBLE FACE, RED/AMBER, 4.125"
V313AA	INCANDESCENT STOP/TURN, DOUBLE FACE, AMBER/AMBER, 4.125"
V413	INCANDESCENT STOP/TURN/TAIL, ROUND, FLUSH MOUNT, RED, 4"
V421KR	INCANDESCENT STOP/TURN/TAIL, OVAL, KIT, RED, 6.50" X 2.25"
V421R	INCANDESCENT STOP/TURN/TAIL, OVAL, RED, 6.50" X 2.25"
V426KR	INCANDESCENT STOP/TURN/TAIL, ROUND, LONG-LIFE, KIT, RED, 4"
V426R	INCANDESCENT STOP/TURN/TAIL, ROUND, LONG LIFE, RED 4"
V428	INCANDESCENT STOP/TURN/TAIL, UNIVERSAL, ROUND, STUD-MOUNT, W/ LICENSE LIGHT, RED, 3.75" X 2.625"
V428S	INCANDESCENT STOP/TURN/TAIL, UNIVERSAL, ROUND, STUD-MOUNT, W/O LICENSE LIGHT, RED, 3.75" X 2.625"
V434	INCANDESCENT COURTESY LIGHT, MINI UTILITY, WHITE, 1.1875" X 2.5625"
V435	INCANDESCENT LICENSE LIGHT, OBLONG, CHROME, WHITE, 2.75" X 1.50"
V436SX	INCANDESCENT LICENSE LIGHT, STUD MOUNT, OBLONG, CHROME, WHITE, 2.6875" X 2.125"
V437	INCANDESCENT LICENSE/UTILITY LIGHT, OBLONG, CHROME, WHITE, 3.0625" X 2.25"
V438	INCANDESCENT LICENSE/UTILITY LIGHT, OBLONG, CHROME, WHITE, 2.10" X 1.52"
V440	INCANDESCENT COMBINATION, THIN LINE, UNDER80" W/O LICENSE LIGHT, RED, 4.50" X 4.75"
V440L	INCANDESCENT COMBINATION, THIN LINE, UNDER80" W/ LICENSE LIGHT, RED+WHITE, 4.50" X 4.75"
V445	INCANDESCENT THIN LINE, UNIVERSAL, 3-STUD COMBO, W/O LICENSE LIGHT, RED + WHITE, 6.25" X 6.75"
V452	INCANDESCENT THIN LINE, OVER80", SUBMERSIBLE, COMBO, W/O LICENSE LIGHT, RED, 5.94" X 2.81"
V452L	INCANDESCENT THIN LINE, OVER80", SUBMERSIBLE, COMBO, W/ LICENSE LIGHT, RED+ WHITE, 5.94" X 2.81"
V540	TRAILER LIGHT, UNDER 80", COMPLATE KIT, RED+WHITE+AMBER, 4.75" X 4.50"
V5425Y	HARNESS, SPLIT TRAILER KIT, 25FT
V544	TRAILER LIGHT, OVER 80, KIT, RED+WHITE, 5.94" X 4.50"
V547	INCANDESCENT OVER 80" SUBMERSIBLE, RETANGULAR, KIT, RED+WHITE, 8" X 2.88"
V555	INCANDESCENT TOW LIGHT, ROUND, MAGNETICNETIC- MOUNT, RED, 4" X 5.67"
V773A	STROBE LIGHT, ALTERNATING BEACON MAGNETIC MOUNT W/ PLUG, AMBER, 4.63" X 5.50"
V821KA-7	LED TURN SIGNAL, FRONT & REAR, OVAL, GROMMET MOUNT KIT, AMBER, 6.5" X 2.25"
V821KR-7	LED TURN SIGNAL, FRONT & REAR, OVAL, GROMMET MOUNT KIT, RED, 6.5" X 2.25"
V822KR-7	LED STOP/TURN/TAIL, OVAL, FLANGE MOUNT KIT, RED, 7.88" X 3.63"
V824KR-7	LED STOP/TURN/TAIL, ROUND, FLANGE MOUNT KIT, RED, 4"
V826KR-7	LED STOP/TURN/TAIL, ROUND, GROMMET MOUNT, KIT, RED 4"
VH550	HALOGEN, REPLACEMENT BULB, 55-WATT
V391C	INCANDESCENT INTERIOR LIGHT, ROUND, CLEAR METAL BASE, WHITE, 4.563" X 1.75"



LIGHTING

LED LIGHTS



www.petersonlightsandharnesses.com
Tech: 1-866-502-0068



M177A



717R



740A


PART #	DESCRIPTION
717R	LED STOP/TURN/TAIL, ROUND, TRANSIT, RED, 7"
740A	LED STROBE LIGHT, OBLONG BATTERY OPERATED, AMBER, 3.95" X 6.30"
764A	LED MICRO-STROBE LIGHT, BEACON, AMBER, 5.06" X 3.75"
821R-10	LED STOP/TURN/TAIL, OVAL GRMMET MOUNT, MULTIVOLT RED, 6.5" X 2.25"
826R	LED STOP/TURN/TAIL, ROUND, SINGLE DIODE, GROMMET MOUNT, RED, 4"
826R-7	LED STOP/TURN/TAIL, ROUND, GROMMET MOUNT, RED, 4"
161A	LED MARKER/CLEARANCE, P2, RECTANGULAR, AMBER, 4" X 1.25"
161KA	LED MARKER/CLEARANCE, P2, RECTANGULAR, KIT, AMBER, 4" X 1.25"
161KR	LED MARKER/CLEARANCE, P2, RECTANGULAR, KIT, RED, 4" X 1.25"
161R	LED MARKER/CLEARANCE, P2, RECTANGULAR, RED, 4" X 1.25"
162A	LED MARKER/CLEARANCE, P2, ROUND, AMBER, 2.5"
162R	LED MARKER/CLEARANCE, P2, ROUND, RED, 2.5"
164A	LED MARKER/CLEARANCE, P2, ROUND, AMBER, 2"
164R	LED MARKER/CLEARANCE, P2, ROUND, RED, 2"
169-3R	LED ID BAR, RECTANGULAR, RED, 16.27" X 1.25"
169A	LED MARKER/CLEARANCE, P2, RECTANGULAR, AMBER, 4.06" X 1.06"
173A	LED MARKER/CLEARANCE, P2, ROUND, W/ REFLEX AMBER, 2.5"
173R	LED MARKER/CLEARANCE, P2, ROUND, W/ REFLEX RED, 2.5"
176KA	LED MARKER/CLEARANCE, PC RATED, ROUND, KIT, AMBER, 0.75"
176KR	LED MARKER/CLEARANCE, PC RATED, ROUND, KIT RED, 0.75"
187A	LED MARKER/CLEARANCE, PC RATED, RECTANGULAR, AMBER, 6" X 2"
187R	LED MARKER/CLEARANCE, PC RATED, RECTANGULAR, RED, 6" X 2"
188A	LED MARKER/CLEARANCE, P2, RECTANGULAR, AMBER, 6" X 2"
M177A	LED MARKER/CLEARANCE, PC RATED, ROUND, AMBER, 0.75"
M177R	LED MARKER/CLEARANCE, PC RATED, ROUND, RED 0.75"
M181R	LED MARKER/CLEARANCE, PC RATED, ROUND, RED .75"
M351A	LED MID-TURN/SIDE MARKER, OVAL, AMBER, 6.5" X 2.25"
V153KA	LED MARKER/CLEARANCE, P2, RECTANGULAR, KIT, AMBER, 2.5" X 1.21"
V153KR	LED MARKER/CLEARANCE, P2, RECTANGULAR, KIT, RED, 2.5" X 1.21"
V161KA	LED MARKER/CLEARANCE, P2, RECTANGULAR, KIT, AMBER, 4" X 1.25"
V161KR	LED MARKER/CLEARANCE, P2, RECTANGULAR, KIT, RED, 4" X 1.25"
V162KA	LED MARKER/CLEARANCE, P2, ROUND, KIT, AMBER, 2.5"
V162KR	LED MARKER/CLEARANCE, P2, ROUND, KIT, RED, 2.5"
V164KA	LED MARKER/CLEARANCE, P2, ROUND, KIT, AMBER, 2"
V164KR	LED MARKER/CLEARANCE, P2, ROUND, KIT, RED, 2"
V166A	LED MARKER/CLEARANCE, ROUND, BEEHIVE, AMBER, 2"
V168A	LED MARKER/CLEARANCE, P2, OBLONG, AMBER, 2.6" X .75"
V168R	LED MARKER/CLEARANCE, P2, OBLONG, RED, 2.6" X .75"
V168XA	LED MARKER/CLEARANCE, P2, OBLONG, W/ CHROME BEZEL, AMBER CLEAR LENS, 3.95" X 1.35"
V168XR	LED MARKER/CLEARANCE, P2, OBLONG, W/ CHROME BEZEL, RED, 3.95" X 1.35"
V169-3R	LED ID BAR, RECTANGULAR, RED, 16.27" X 1.25"
V169KA	LED MARKER/CLEARANCE, P2, RECTANGULAR, KIT, AMBER, 4.06" X 1.06"
V169KR	LED MARKER/CLEARANCE, P2, RECTANGULAR, KIT, RED, 4.06" X 1.06"
V170A	LED MARKER/CLEARANCE, P2, RECTANGULAR, AMBER, 3.1" X 2.0"



V168XA



V169XR



V170A

Battery & Electrical

Body & Cabin

Brake & Wheel End

Valve Hoses & Fittings

Driveline Suspension

Engine & Cooling

Exhaust

Temperature Control

Lighting

Tools & Accessories

Trailer, Cargo & Safety

LIGHTING

LED LIGHTS



www.petersonlightsandharnesses.com

Tech: 1-866-502-0068

V171A



V178XA



V180R
V180A



PART

DESCRIPTION

V171A	LED MARKER/CLEARANCE, P2, ROUND, AMBER, 0.75"
V171C	LED UTILITY, ROUND, WHITE, 0.75"
V171R	LED MARKER/CLEARANCE, P2, ROUND, RED, 0.75"
V178XA	LED MARKER/CLEARANCE, P2, OBLONG LOW PROFILE KIT, AMBER CLEAR LENS, 4.7" X 1.5"
V178XR	LED MARKER/CLEARANCE, P2, OBLONG LOW PROFILE KIT, RED, 4.7" X 1.5"
V180A	LED MARKER/CLEARANCE, P2, OBLONG REFLEX, AMBER, 4.13" X 2"
V180R	LED MARKER/CLEARANCE, P2, OBLONG REFLEX, RED, 4.13" X 2"
V181A-BT2	LED MARKER/CLEARANCE, PC RATED ROUND, W/ .180 BULLETS, AMBER, .075"
V181R-BT2	LED MARKER/CLEARANCE, PC RATED ROUND, W/ .180 BULLETS, RED, .075"
V215A	LED MARKER/CLEARANCE, P2 RECTANGULAR, REFLEX, AMBER, 3.94" X 1.13"
V215R	LED MARKER/CLEARANCE, P2 RECTANGULAR, REFLEX, RED, 3.94" X 1.13"
V290C	LED LICENSE LIGHT, OVAL, TOP MOUNT, WHITE, 3" X 1.23"
V296XC	LED LICENSE LIGHT, OBLONG CHROME, WHITE, 4" X 1.63"
V298C	LED LICENSE LIGHT, ROUND, CHROME, WHITE, 1.50"
V316MA	LED HAZZARD LIGHT BATTERY OPERATED, RECTANGULAR, FLASHING, MAGNETIC MOUNT, AMBER, 6.30" X 3.95"
V316MR	LED HAZZARD LIGHT BATTERY OPERATED, RECTANGULAR, FLASHING, MAGNETIC MOUNT, RED, 6.30" X 3.95"
V327AA	LED PARK/TURN SIGNAL, W/ SIDE MARKER, RECTANGULAR, AMBER/AMBER, 4.72" X 4.59"
V327L	LED PARK/TURN SIGNAL, W/ SIDE MARKER, RECTANGULAR, AMBER/RED ROADSIDE, 4.72" X 4.59"
V327R	LED PARK/TURN SIGNAL, W/ SIDE MARKER, RECTANGULAR, AMBER/AMBER, 4.72" X 4.59"
V338-2	LED PARK/TURN SIGNAL W/ SIDE MARKER, RECTANGULAR, AMBER/RED CURBSIDE, 4.72" X 4.59"
V339A	LED STOP/TURN/TAIL, SINGLEFACE, ROUND, PEDESTAL, AMBER, 4.10"
V339R	LED STOP/TURN/TAIL, SINGLEFACE, ROUND, PEDESTAL, RED, 4.10"
V368	LED DOME/INTERIOR LIGHT, RECTANGULAR, WHITE, 5.83" X 2.80"
V369S	LED INTERIOR LIGHT, OBLONG, ROTATING W/ SWITCH, WHITE, 11.73" X 1.06"
V38A	LED MARKER/CLEARANCE, PC RATER RECTANGULAR, DOUBLE BULLS-EYE AMBER, 4" X 2"
V38R	LED MARKER/CLEARANCE, PC RATER RECTANGULAR, DOUBLE BULLS-EYE RED, 4" X 2"
V423XR-4	LED STOP/TURN/TAIL, OVAL, W/CHROME FLANGE, RED MULTIVOLT, 7.88" X 3.63"
V764MA	LED MICRO-STROBE LIGHT, BEACON MAGNETICNETIC MOUNT W/ PLUG AMBER, 5.06" X 3.75"
V772A	LED FLASHING BEACON, MAGNETIC MOUNT, W/ PLUG, AMBER, 4.63" X 5.50"
V840	LED STOP/TURN/TAIL & SIDE MARKER LIGHT RETANGULAR, SUBMERSIBLE W/O LICENSE LIGHT RED 4.84" X 4.76"
V840L	LED STOP/TURN/TAIL & SIDE MARKER LIGHT RETANGULAR, SUBMERSIBLE W/ LICENSE LIGHT RED 4.84" X 4.76"
V844	LED STOP/TURN/TAIL & SIDE MARKER LIGHT, SUBMERSIBLE LOW PROFILE W/O LICENSE LIGHT RED 5.38" X 4.61"
V844L	LED STOP/TURN/TAIL & SIDE MARKER LIGHT, SUBMERSIBLE LOW PROFILE W/ LICENSE LIGHT RED 5.38" X 4.61"
V845	LED REAR COMBO LIGHT RECTANGULAR, W/O LICENSE LIGHT RED, 5.77" X 6.76"
V845L	LED REAR COMBO LIGHT RECTANGULAR, W/ LICENSE LIGHT RED, 5.77" X 6.76"
V856	LED STOP/TURN/TAIL & SIDE MARKER REAR, SUBMERSIBLE W/O LICENSE LIGHT RED 7.94" X 2.88"
V856L	LED STOP/TURN/TAIL & SIDE MARKER REAR, SUBMERSIBLE W/ LICENSE LIGHT RED 7.94" X 2.88"
V904-MV	LED WORK LIGHT, SQUARE, PEDESTAL MOUNT, 700 LUMEN, WHITE MULTI VOLT, 3" X 3 "
V908	LED WORK LIGHT, ROUND, RUBBER HOUSING PEDESTAL MOUNT 800 LUMEN WHITE 4"
V910-MV	LED WORK LIGHT, SQUARE, PEDESTAL MOUNT 1200 LUMEN, MULTI VOLT WHITE 4.29" X 4.29"
V912-MV	LED WORK LIGHT, ROUND, PEDESTAL MOUNT 900 LUMEN WHITE MULTI VOLT, 3"
V913-MV	LED WORK LIGHT, SQUARE PEDESTAL MOUNT, 900 LUMEN, MULTI VOLT WHITE, 3" X 3"
V919-MV	OVAL LED WORKLIGHT WHITE
V921-MV	LED WORK LIGHT, ROUND, 1350 LUMEN, MULTI VOLT, WHITE, 4"
V941	LED STOP/TURN/TAIL & SIDE MARKER SUBMERSIBLE, RED, UNDER 80" KIT
V944	LED STOP/TURN/TAIL & SIDE MARKER, SUBMERSIBLE, RED OVER 80" KIT
V947	LED STOP/TURN/TAIL & SIDE MARKER, SUBMERSIBLE, RED OVER 80" KIT

V215A



V290C



V296XC



V298C



V313-2



V910-MV



V908



V904-MV



V316MA



V339A



V327AA



V764MA



V369S




LIGHTING



LED LIGHT PLUGS & HARNESS

www.petersonlightsandharnesses.com

Tech: 1-866-502-0068



PART #	DESCRIPTION
142-49	PLUG, MARKER LAMP, 6" LEADS
150-49	HARNESS, ID BAR LAMP, 8" LEAD
153-49	PLUG, MARKER LAMP, 6" LEADS
162-49	PLUG, LED, MARKER LAMP W/ STRIPPED H/W #10 RING TERMINAL SHRINK TUBING 6" LEADS
417-49	PLUG, LED 3 WIRE, STRIPPED LEAD, RING TERMINAL
417-491	PLUG, LED ADAPTER PL3 TO AMP
421-49	PLUG, INCANDESCENT 2 WIRE RIGHT ANGLE 10.5"
421-491	PLUG, INCANDESCENT 3 WIRE, RIGHT ANGLE, 10.5"
431-49	PLUG, INCANDESCENT 2 WIRE, STRAIGHT 10.5"
431-491	PLUG, INCANDESCENT 3 WIRE, STRAIGHT 10.5"

LICENSE PLATE BRACKETS



PART #	DESCRIPTION
V428-09	LICENSE BRACKET, UNIVERSAL STEEL, 8.50" X 2.75"
V440-09	LICENSE BRACKET, UNIVERSAL BLACK PLASTIC, 8.50" X 2.75"

MOUNTING BRACKETS



PART #	DESCRIPTION
146-09	BRACKET, SURFACE MOUNT, ACCEPTS 2" LIGHTS GRA, 4.8125" X 1"
146-092	BRACKET, L MOUNT, ACCEPTS 2" LIGHTS, 4.81" X 4"
150-09	BRACKET, SURFACE MOUNT GRAY, 2.875" X 0.5"
154-09K	BRACKET, SURFACE MOUNT RECTANGULAR, GRAY, KIT, 4.12" X 1.12"
154-11K	BRACKET, SURFACE MOUNT RECTANGULAR, BLACK, KIT, 4.12" X 1.12"
421-09	BRACKET, OVAL, STEEL, 6.5" X 2.25"
426-09	BRACKET, ROUND, STEEL, 4"

UNIVERSAL ANTENNAS



PART #	DESCRIPTION
95010-1	ANTENNA, UNIVERSAL, BLACK, TOP MOUNT, 54" CABLE, 13" MAST
95011-1	ANTENNA, UNIVERSAL, BLACK TOP/SIDE MOUNT, 54" CABLE, 13" MAST
95083-1	REPLACEMENT MAST

Battery & Electrical

Body & Cabin

Brake & Wheel End

Valve Hoses & Fittings

DriveLine Suspension

Engine & Cooling

Exhaust

Temperature Control

Lighting

Tools & Accessories

Trailer, Cargo & Safety

LIGHTING




MIRRORS

www.petersonlightsandharnesses.com

Tech: 1-866-502-0068



REFLECTORS



PART #	DESCRIPTION
B476A	REFLECTOR, CENTER MOUNT, ROUND, AMBER, 3.2"
B476R	REFLECTOR, CENTER MOUNT, ROUND, RED, 3.2"
B477R	REFLECTOR, CENTER MOUNT, ROUND, RED, 2.375"
B481R	REFLECTOR, QUICK MOUNT, ROUND, RED, 2.375"
B489R	REFLECTOR, RECTANGULAR, 2.75" X 1.75"
B490A	REFLECTOR, ROUND, AMBER, 2.88"
B490R	REFLECTOR, ROUND, RED, 2.88"
V472A	REFLECTOR, ALUMINUM, OVAL, AMBER, 3"
V472R	REFLECTOR, ALUMINUM, OVAL, RED, 3"
V475A	REFLECTOR, QUICK MOUNT, ROUND, AMBER, 3.2"
V475R	REFLECTOR, QUICK MOUNT, ROUND, RED, 3.2"
V480A	REFLECTOR, QUICK MOUNT, OBLONG, AMBER, 4.37" X 1.875"
V480R	REFLECTOR, QUICK MOUNT, OBLONG, RED, 4.37" X 1.875"
V483A	REFLECTOR, QUICK MOUNT, RECTANGULAR, AMBER, 3.125" X 1.375"
V483R	REFLECTOR, QUICK MOUNT, RECTANGULAR, RED, 3.125" X 1.375"
V487A	REFLECTOR, RECTANGULAR, AMBER, 4.38" X 1.13"
V487R	REFLECTOR, RECTANGULAR, RED, 4.38" X 1.13"

LIGHTING



REFLECTIVE TAPES & WARNING KIT

www.petersonlightsandharnesses.com

Tech: 1-866-502-0068



PART #	DESCRIPTION
67533	REFLECTIVE TAPE ROLL, ALTERNATING 11 RED / 7 WHITE 0.5" X 150'
465-1	CONSPICUITY TAPE, 11 RED / 7 WHITE 2" X 150' 600 CP
465-4K	CONSPICUITY TAPE, 11 RED / 7 WHITE 2" X 18" 4 STRIP KIT
465K	CONSPICUITY TAPE, 11 RED / 7 WHITE 2" X 18" 8 STRIP KIT
449	WARNING TRIANGLE COMPLETE KIT

REPLACEMENT LENS




PART #	DESCRIPTION
108-15A	REPLACEMENT LENS W/ REFLEX AMBER, FITMENT 106A/R, 108WA/WR
134-15A	REPLACEMENT LENS, AMBER, FITMENT 35A/R, 135A/R
134-15R	REPLACEMENT LENS, RED, FITMENT 35A/R, 135A/R
138-15A	REPLACEMENT LENS, AMBER, FITMENT 38A/R, 138A/B/C/G/R & 139A/R
138-15R	REPLACEMENT LENS, RED, FITMENT 38A/R, 138A/B/C/G/R & 139A/R
313-15A	REPLACEMENT LENS, AMBER, FITMENT 313 & 314MA
313-15R	REPLACEMENT LENS, RED, FITMENT 313 & 314MA
410-15R	REPLACEMENT LENS, RED, FITMENT 413 & 425 SERIES
445-25	REPLACEMENT LENS, RED/WHITE, FITMENT P/N445
55-15A	REPLACEMENT LENS, AMBER, FITMENT OLD STYLE 114/AR, 115 A/R, 440/L & 441/L
55-15R	REPLACEMENT LENS, RED, FITMENT OLD STYLE 114/AR, 115 A/R, 440/L & 441/L
56-15R	REPLACEMENT LENS, RED, FITMENT 452 & 452L
V108-15A	REPLACEMENT LENS, AMBER, FITMENT 106A/R, 108WA/WR
V108-15R	REPLACEMENT LENS, RED, FITMENT 106A/R, 108WA/WR
V134-15A	REPLACEMENT LENS, AMBER, FITMENT 35A/R, 135A/R
V138-15A	REPLACEMENT LENS, AMBER, FITMENT 38A/R, 138A/B/C/G/R & 139A/R
V138-15R	REPLACEMENT LENS, RED, FITMENT 38A/R, 138A/B/C/G/R & 139A/R
V420-15	REPLACEMENT LENS, RED, FITMENT 425 SERIES
V440-15	REPLACEMENT LENS, RED, FITMENT 440/L, 441/L, 444/L, 452/L



445-25



55-15A



56-15R

TRACTOR LIGHTS



PART #	DESCRIPTION
V502HF	INCANDESCENT TRACTOR/WORK LIGHT, FLOOD, RECTANGULAR WHITE, 5.625" X 2.875"
V502HT	INCANDESCENT TRACTOR/WORK LIGHT, FLOOD, RECTANGULAR WHITE, TRAPEZOID, 5.625" X 2.875"
V503HF	INCANDESCENT TRACTOR/WORK LIGHT, FLOOD, RECTANGULAR WHITE, 5.85" X 4.02"
V503HT	INCANDESCENT TRACTOR/WORK LIGHT, FLOOD, RECTANGULAR WHITE, 5.85" X 4.02"
V504HF	INCANDESCENT TRACTOR/WORK LIGHT, FLOOD, RECTANGULAR WHITE, 6.875" X 4.5"
V507	INCANDESCENT TRACTOR/WORK LIGHT, PAR 36, RUBBER TRAP, WHITE, 4.72"
V508	INCANDESCENT TRACTOR/WORK LIGHT, PAR 36, RUBBER TRAP, WHITE, 4.75"

Battery & Electrical

Body & Cabin

Brake & Wheel End

Valve Hoses & Fittings

Drive Line Suspension

Engine & Cooling

Exhaust

Temperature Control

Lighting

Tools & Accessories

Trailer, Cargo & Safety

TOOLS & ACCESSORIES

CHEMICALS



www.techtirerepairs.com
Tech: 1-800-433-8324



PART #	DESCRIPTION
704	RUB-O-MATIC RUBBER CLEANER 1 QUART
704A	RUB-O-MATIC RUBBER CLEANER 11.75OZ AEROSOL CAN
720	RIM EASE MOUNTING LUBRICANT 1 GALLON
721	RIM EASE MOUNTING LUBRICANT 16OZ
722	TECH TIRE & TUBE MOUNTING COMPOUND, 8 LB.
723	TECH TIRE & TUBE MOUNTING COMPOUND, 25 LB.
723M	TIRE SOAP/MURPHY 25#
734	BEADBREAKER 1 GALLON, 3.8 LITER CAN
735	TECH BEAD SEALER, 32 OZ., 945ML CAN W/ BRUSH
738	SECURITY COAT OVERBUFF INNER LINER SEALANT 16FL.OZ.
739	BUTYL LINER REPAIR SEALER, 32 OZ., CAN W/ BRUSH CAP
751	TECH-CHEK CONCENTRATE, 1QUART BOTTLE
760	CHEMICAL VULCANIZING FLUID, 7.8 OZ., CAN W/ BRUSH CAP
761	CHEMICAL VULCANIZING FLUID, 1 QUART CAN
765	CHEMICAL VULCANIZING FLUID, 50 ML TUBE, BOX OF 24
768	FLOW SEAL VULCANIZING FLUID, 8 OZ. CAN W/ BRUSH CAP
775	HEAVY DUTY BLUE VULCANIZING FLUID, 8 OZ.,CAN W/ BRUSH CAP
783	TECH TIRE MOUNTING PASTE, 8 LB.
784	TECH PREMIUM BLUE TIRE PASTE, 8 LB.
965	LUBE SWAB
1082	TEMVULC BLACK CEMENT FOR HEAT VULCANIZING APPLICATION 1 QUART

BALANCING COMPOUNDS

PART #	DESCRIPTION
TL200	TEC PLUS BALANCING COMPOUND 6.5OZ.
TL250	TEC PLUS BALANCING COMPOUND 8.5OZ.
TM300	TEC PLUS BALANCING COMPOUND 10.5OZ.
TP6000	TEC PLUS BALANCING COMPOUND 21OZ.

REPAIR TIRE INSERTS



PART #	DESCRIPTION
204	2" ROUND FLOW SEAL INSERT BOX OF 20
215	PERMACURE PASSENGER KIT
216	PERMACURE REPAIR TRUCK KIT
220	PERMACURE REPAIR SM INSERT BOX OF 50
226	PERMACURE REPAIR EARTHMOVER INSERT BOX OF 25

TOOLS & ACCESSORIES




AIR CHUCKS

www.techtirerepairs.com www.miltonindustries.com


Tech: 1-800-433-8324

Tech: 1-855-464-6458



PART #	DESCRIPTION
693BLK	DUAL FOOT STRAIGHT LOCK-ON CHUCK MATTE BLACK POLY FINISH 1/4" FNPT
976BLK	DUAL HEAD ANGLED CHUCK SERVICE GAUGE, MATTE BLACK POLY FINISH -13" 1-160PSI
986BLK	DUAL FOOT STRAIGHT LOCK-ON CHUCK SERVICE GAUGE, MATTE BLACK POLY-13" 10-160 PSI
S-516	STRAIGHT FOOT CHUCK TIRE INFLATOR GAUGE-15" HOSE, LOCK ON THREADS
S693-12	1/4" FNPT EXTENDED REACH DUAL HEAD AIR CHUCK
S-697-2	1/4" FNPT EURO STYLE AIR CHUCK
S-699	1/4" SINGLE HEAD AIR CHUCK
VH686	TECH - CLIP ON AIR CHUCK - CLOSED
VHP-698	TECH - PREMIUM DUAL FOOT AIR CHUCK STRAIGHT PUSH-ON LOCK ON
VHP-698L	TECH - PREMIUM DUAL FOOT AIR CHUCK STRAIGHT PUSH-ON EXTRA LONG LOCK ON

PATCHES & PATCH INSERTS



PART #	DESCRIPTION
11	ROUND TUBE REPAIR BX 40
115T	SQUARE TIRE REPAIR PK 100
116T	SQUARE TIRE REPAIR PK 65
12	ROUND TUBE REPAIR BX 30
13	ROUND TUBE REPAIR BX 20
164	SM RADIAL REPAIR 3 X 2
165	RADIAL SEAL REPAIR BX 20
165T	RADIAL SEAL REPAIR PK 80
167	RADIAL SEAL REPAIR BX 10
600	MINI UNISEAL BX 24
601	ULTRA UNISEAL REPAIR
603	ULTRA UNISEAL REPAIR
249UL	2-1/4 BIAS PLY
250UL	BIAS PLY REPAIR 3IN DIA
251UL	BIAS PLY TRUCK REPAIR BX 10

ATV REPAIR KIT

PART #	DESCRIPTION
822TOD	ATV TECH OUTDOOR TIRE REPAIR KIT



Battery & Electrical

Body & Cabin

Brake & Wheel End

Valve Hoses & Fittings

Driveline Suspension

Engine & Cooling

Exhaust

Temperature Control

Lighting

Tools & Accessories

Trailer, Cargo & Safety

TOOLS & ACCESSORIES

TIRE TOOL CABINET



www.techtirerepairs.com

Tech: 1-800-433-8324

PART #	DESCRIPTION
--------	-------------

100	TIRE REPAIR SERVICE CENTER CABINET
-----	------------------------------------

TIRE BALANCE

PART #	DESCRIPTION
--------	-------------

KTB32LB	LIQUID TIRE BALANCE 32OZ.
---------	---------------------------



TRACTOR CORE HOUSING

PART #	DESCRIPTION
--------	-------------

KTB32LB	AGRI-CORE HOUSING FOR 6218A AIR LIQUID VALVE FAST FLOW NEW STYLE TRCH-3
---------	---



TIRE MARKERS



948



951Y

PART #	DESCRIPTION
--------	-------------

948	MARKAL ROUND WHITE B PAINTSTIK
-----	--------------------------------

951W	MARKAL HEX SOLID WHITE B PAINTSTIK
------	------------------------------------

951Y	MARKAL HEX SOLID YELLOW B PAINTSTIK
------	-------------------------------------

VALVE CAP ADAPTER

DESCRIPTION

VH-656/58	8 ADAPTOR CAP TO CONVERT LARGE BORE 1 TO STANDARD BORE W/CAP
-----------	--



TIRE TOOLS



900



915



920



925E



925T

PART #	DESCRIPTION
--------	-------------

900	INSERT TOOL, 3"
-----	-----------------

915	SPIRAL CEMENT TOOL
-----	--------------------

920	INSERT - O - MATIC TOOL
-----	-------------------------

925	PERMACURE PASSENGER TOOL
-----	--------------------------

925E	PERMACURE EARTHMOVER TOOL
------	---------------------------

925T	PERMACURE TRUCK TOOL
------	----------------------

926	PERMACURE PASSENGER REPLACEMENT NEEDLE
-----	--

927	PERMACURE TRUCK REPLACEMENT NEEDLE
-----	------------------------------------

928	PERMACURE EARTHMOVER REPLACEMENT NEEDLE
-----	---

933	RUBBER SCRAPER
-----	----------------

935	STITCHER/BUFFER
-----	-----------------

936	STITCHER, 1 1/2" X 8"
-----	-----------------------

964	SWAB
-----	------

971	ANGLED BRUSH
-----	--------------

S-1011	BUFFING CONE
--------	--------------

VH-673	RED HANDLE VALVE CORE TOOL FOR STANDARD VALVE CORE
--------	--

VH-675	RED HANDLE VALVE CORE TOOL FOR LARGE & STANDARD VALVE CORE
--------	--

DESCRIPTION

VH-823	REPLACEMENT GROMMET FOR VH720 SERIES 1 TUBELESS TRUCK TIRE VALVES
--------	---



TOOLS & ACCESSORIES



www.kentool.com
Tech: 1-330-535-7177

TIRE TOOLS

32120	32123	34644	34645
PART #	DESCRIPTION		
32119	STRAIGHT TIRE MOUNT/DEMOUNT SPOON - 24"		
32120	CURVED TIRE MOUNT/DEMOUNT SPOON - 24"		
33219	STRAIGHT TIRE MOUNT/DEMOUNT SPOON - 30"		34647
33220	CURVED TIRE MOUNT/DEMOUNT SPOON - 30"		
33223	TRUCK LOCK RING REMOVER - 30"		
34644	TUBELESS TIRE IRON - 37"		35129
34645	SUPER DUTY TUBELESS TRUCK TIRE IRON - 37"		
34647	SUPER DUTY TUBELESS TRUCK TIRE IRON - 41"		
34747	STRAIGHT MOUNT TUBELESS TIRE IRON - 36"		
35129	TOP QUALITY U.S. HICKORY - 30" REPLACEMENT HANDLE		35329
35329	WOOD HANDLED DUCK-BILLED BEAD BREAKING WEDGE - 30"		
35429	FIBERGLASS HANDLED DUCK-BILLED BEAD BREAKING WEDGE - 32"		
35620	4-WAY LUG WRENCH - 20" - SIZES - 3/4", 3/16", 7/8", 17MM		35429
35659	STANDARD 4-WAY LUG WRENCH - 22" - SIZES - 3/4", 13/16", 7/8", 15/16"		
35661	ECONOMY LUG WRENCH - 22" - SIZES - 3/4", 13/16", 7/8", 17MM		
35662	ECONOMY LUG WRENCH - 18" - SIZES - 3/4", 13/16", 7/8", 17MM		
35663	ECONOMY LUG WRENCH - 18" - SIZES - 17MM, 19MM, 21MM, 22MM		
35690	STANDARD 4-WAY LUG WRENCH - 25" - SIZES - 7/8" DEEP WELL, 15/16", 1", 1 1/16"		35620

BLUE COBRA DEMOUNTING TIRE TOOL



PART #	DESCRIPTION
35440	DEMOUNTING TIRE TOOL FOR TUBLESS OR TUBE TYPE TIRES

Battery & Electrical

Body & Cabin

Brake & Wheel End

Valve Hoses & Fittings

Driveline Suspension

Engine & Cooling

Exhaust

Temperature Control

Lighting

Tools & Accessories

Trailer, Cargo & Safety

TOOLS & ACCESSORIES

TIRE VALVES



TR600HP



VH-523MS



VH543D



VH-596



www.techtirerepairs.com
Tech: 1-800-433-8324



VH-722MS



VH-724MS

PART #	DESCRIPTION
TR600HP	HIGH PRESSURE SNAP-IN VALVE 1 1/4" - 100
VH-521MS	CLAMP IN PASSANGER VALVE
VH-523MS	CHROME FINISHED BOLT-IN VALVE 3/4" .453" VALVE HOLE
VH543D	TRUCK VALVE W/ 60° BEND
VH-596	LARGE BORE TUBELESS AIR-LIQUID VALVE FOR .625 VALVE HOLE
VH-600HP	HIGH PRESSURE TUBELESS RUBBER VLAVE FOR .453 RIM HOLE
VH-722MS	TUBELESS BRASS STRAIGHT TRUCK VALVE 1 1/4"
VH-723MS	TUBELESS BRASS STRAIGHT TRUCK VALVE 1 1/2"
VH-724MS	TRUCK VALVE W 23° BEND
VH-725MS	TUBELESS BRASS STRAIGHT TRUCK VALVE 3 1/8"
VH-726MS	TUBELESS BRASS STRAIGHT TRUCK VALVE 3 3/8"
VH-727MS	TUBELESS BRASS STRAIGHT TRUCK VALVE 3 3/4"
VH-728MS	TUBELESS BRASS STRAIGHT TRUCK VALVE 4 3/8"
VH-734	TRUCK TIRE 0 RING VALVE
VH-736	TRUCK TIRE 0 RING VALVE
VH-755	TUBELESS ALUMINUM DISC VALVE STEM W/ 90° BEND- 4 1/4"
VH-756	TUBELESS ALUMINUM DISC VALVE STEM W/ 90° BEND- 4 3/4"
VH-758	TUBELESS ALUMINUM DISC VALVE STEM W/ 90° BEND- 5 1/2"
TR-412	SNAP-IN TUBELESS TIRE VALVE FOR 8.8 RIM HOLE 7/8"
TR-413	SNAP-IN TUBELESS TIRE VALVE FOR .453 RIM HOLE 1 1/4"
TR-414	SNAP-IN TUBELESS TIRE VALVE FOR .453 RIM HOLE 1 1/2"
TR-415	SNAP-IN TUBELESS TIRE VALVE FOR .625 RIM HOLE 1 1/4"
TR-418	SNAP-IN TUBELESS TIRE VALVE FOR .453 RIM HOLE 2"
TR-423	SNAP-IN TUBELESS TIRE VALVE FOR .625 RIM HOLE 2"



VH-756



TR-413



TR-415




TR-418

VALVE CORE TOOLS

S-446



S-445



PART #	DESCRIPTION
S-445	4 IN 1 VALVE REPAIR TOOL
S-446	2 IN 1 VALVE REPAIR TOOL

VALVE CAP



PART #	DESCRIPTION
439	TR VC8 DOME TYPE VALVE CAP - 100 PACK

TIRE GAUGES

S-923



S-927



S-928



PART #	DESCRIPTION
S-923	STRAIGHT PASSENGER CAR TIRE GAUGE - 50PSI
S-927	DUAL HEAD TIRE GAUGE - 120PSI
S-928	AIR/WATER FILLED TIRE PENCIL PRESSURE GAUGE - 50PSI



www.miltonindustries.com
Tech: 1-855-464-6458

TOOLS & ACCESSORIES



www.miltonindustries.com

Tech: 1-855-464-6458

TIRE VALVES



PART #	DESCRIPTION
409	HIGH PERFORMANCE TUBELESS TIRE VALVE
413-50	1 1/4" TUBELESS TIRE VALVE - 50
414-10	1 1/2" TUBELESS TIRE VALVE - 10
414-50	1 1/2" TUBELESS TIRE VALVE - 50
415-50	1 1/4" TUBELESS TIRE VALVE - 50
418-10	2" TUBELESS TIRE VALVE - 10
418-50	2" TUBELESS TIRE VALVE - 50
440	1 3/8" TRUCK VALVE EXTENSION - 10
470	TR 416 CLAMP IN TUBELESS TIRE VALVE - 5
S-409	HIGH PERFORMANCE TUBELESS TIRE VALVE - 10
S-413	TR413 TUBELESS TIRE VALVE - 10
S-413-1	1 1/4" CHROME TUBELESS TIRE VALVE - 10
S-415	1 1/4" TUBELESS TIRE VALVE - 10
S-418	2" TUBELESS TIRE VALVE - 10
S-441	3/4" BRASS VALVE EXTENSION - 4 PIECE - 10



SHOP AIR



www.gates.com

Tech: 1-800-275-4283

27475

27478

27489

PART #	DESCRIPTION
27475	1/4" X 25' CHARTER AIR HOSE 200PSI
27476	1/4" X 50' CHARTER AIR HOSE 200PSI
27478	3/8" X 25' CHARTER AIR HOSE 200PSI
27479	3/8" X 50' CHARTER AIR HOSE 200PSI
27488	1/4" X 25' SS AIR HOSE 300PSI
27489	1/4" X 50' SS AIR HOSE 300PSI
27491	1/2" X 25' SAFT STR AIR HOSE 300PSI
27492	1/2" X 50' SAFT STR AIR HOSE 300PSI



Battery & Electrical

Body & Cabin

Brake & Wheel End

Valve Hoses & Fittings

DriveLine Suspension

Engine & Cooling

Exhaust

Temperature Control

Lighting

Tools & Accessories

Trailer, Cargo & Safety

TOOLS & ACCESSORIES



www.miltonindustries.com


Tech: 1-855-464-6458

SHOP AIR



PART #	DESCRIPTION
S-1750	5 IN ONE UNIVERSAL SAFETY EXHAUST QUICK-CONNECT COUPLER-1/4" FEMALE NPT-SINGLE
S-1806	3/8" MNPT P STYLE COUPLER
S-1810	1/4" FNPT P STYLE PLUG
S-1816	1/2" NPT MALE G-STYLE COUPLER
S-1818	1/2" FNPT G STYLE PLUG
S-211	1/4" NPT M-STYLE COUPLER AND PLUG KIT
S-213	1/4" NPT A-STYLE COUPLER AND PLUG KIT (5-PIECE)
S-601	5/16" BARB FITTING 1/4" NPT
S-602	1/4" MNPT 3/8" ID HOSE END FITTING
S-603	3/8" MNPT 3/8" ID HOSE END FITTING
S-605	1/4" FNPT 1/4" ID HOSE END FITTING
S-641	5/16" ID HOSE MENDER FITING
S-642	3/8" ID HOSE MENDER FITTING
S-643	1/4" FNPT HEX COUPLING HOSE FITTING
S-711	1/4" NPT M-STYLE COUPLER AND PLUG
S-715	1/4" FNPT FEMALE M-STYLE KWI-KCHANGE COUPLER
S-716	1/4" MNPT MALE M-STYLE KWI-KCHANGE
S-718	3/8" FNPT M-STYLE COUPLER
S-719	3/8" MNPT M-STYLE COUPLER
S-728	1/4" FNPT M-STYLE PLUG
S-733	3/8" MNPT M-STYLE PLUG
S-776	1/4" MNPT A STYLE COUPLER
S-778	1/4" FNPT A STYLE PLUG
S-784	1/4" FNPT T STYLE PLUG
731	IM STYLE PLUG

BLOW GUNS



PART #	DESCRIPTION
S-159	1/4" NPT LEVER STYLE BLOW GUN AND 4" EXTENSION
S-150	1/4" NPT LEVER STYLE BLOW GUN
S-154	1/4" LEVER STYLE BLOW GUN AND 4" BENT NOZZLE
S-174KIT	PISTOL GRIP BLOW GUN KIT-SAFETY TIP NOZZLE & KWI-KCHANGE UNIVERSAL TIP SYSTEM
S-194KIT	PRO SERIES PISTOL GRIP BLOW GUN KIT-5" SAFETY TIP NOZZLE & UNIVERSAL TIP SYS.

BLOW GUN KIT

PART #	DESCRIPTION
177.BGK13	CABIN BLOW GUN KIT, 12' W/ PTC FITTINGS



TOOLS & ACCESSORIES



www.hopkinsmfg.com
Tech: 1-800-433-8324

RETRACTABLE CORD REEL

PART #	DESCRIPTION
48066	33 LED TROUBLE LIGHT W/ RETRACTABLE CORD REEL



ICE SCRAPERS



PART #	DESCRIPTION
16721	BEAR CLAW 10" ICE SCRAPER
19520	SUPER DELUXE 12" ICE SCRAPER WITH BRUSH

SIPHON PUMPS



PART #	DESCRIPTION
10800	SUPER SIPHON W/ 6' CLEAR TUBE
10801	SHAKER SIPHON W 6' ANTISTATIC TUBING

CAR WASH TOOLS



PART #	DESCRIPTION
9031R	RED 8" METAL SQUEEGEE HEAD W/ 16" WOOD HANDLE
9032R	RED 8" METAL SQUEEGEE HEAD W/ 24" WOOD HANDLE
92508	EXTENSION HANDLE, FIBERGLASS 48" TO 96"
92509	EXTENSION HANDLE, FIBERGLASS 72" TO 144"
93028	10" WHISK BROOM
93053	DELUXE CAR WASH 8" WASH & DIP BRUSH W/ 48" HANDLE
93057	10" REPLACEMENT WASH BRUSH HEAD-BLUE
93089	68" EXTENDABLE WASH HANDLE W/ 10" BRUSH
93505	HD 4" TO 6" STACK BRUSH BLUE



www.carrand.com
Tech: 1-310-761-8510

Battery &
Electrical

Body &
Cabin

Brake &
Wheel End

Valve Hoses
& Fittings

Driveline
Suspension

Engine &
Cooling

Exhaust

Temperature
Control

Lighting

Tools &
Accessories

Trailer,
Cargo
& Safety

TOOLS & ACCESSORIES

FUNNELS



www.hopkinsmfg.com
Tech: 1-800-433-8324



10709 10703 05015 05068 06064 10719 10710 10705 10106B/6

PART #	DESCRIPTION
10701	MULTI-PURPOSE FUNNEL BLUE
10703	SPILL SAVER RADIATOR FUNNEL
10705	GIANT QUICKFILL FUNNEL
10709	LOCKING OIL FUNNEL
10710	MULTI-TASK 5 IN 1 FUNNEL
10719	CAPLESS GAS TANK FUNNEL
05007	SMALL FUNNEL
05015	MEDIUM FUNNEL
05034	SUPER FUNNEL
05064	LARGE FUNNEL
05068	3 PIECE ASSORTED FUNNEL
06064	TRANSMISSION FUNNEL
10106B/6	FLUID/ GEAROIL SPOUT

GAS CANS



www.midwestcan.com
Tech: 1-800-548-7513



4240 1210 2310 2600 5610 6610 5810 9119 8610

PART #	DESCRIPTION
1210	GAS CAN AUTO SHUT OFF 1 GALLON
2310	GAS CAN AUTO SHUT OFF 2 GALLON
2600	KEROSENE CAN 2 GALLON
4240	REPLACEMENT SPOUT KIT
5610	GAS CAN AUTO SHUT OFF 5 GALLON
5810	METAL GAS CAN 5 GALLON
6610	GAS CAN AUTO SHUT OFF 6 GALLON
6700	WATER CAN W/ SPOUT 6 GALLON
7610	KEROSENE CAN W/ AUTO SHUT OFF 5 GALLON
8610	DIESEL CAN AUTO SHUT OFF 5 GALLON
9119	WATER CAN W/ CAP 4.5 GALLON

TRU-FUEL



40FUEL 4-CYCLEFUEL 50FUEL 50FUEL-GL

PART #	DESCRIPTION
40FUEL	40:1 MIX FOR 2-CYCLE ENGINES 32FL.OZ.
40FUEL-GL	40:1 MIX FOR 2-CYCLE ENGINES GALLON
4CYCLEFUEL	4-CYCLE ENGINEERED FUEL 32FL.OZ.
4CYCLEFUEL-GL	4-CYCLE ENGINEERED FUEL GALLON
50FUEL	50:1 MIX FOR 2-CYCLE ENGINES 32FL.OZ.
50FUEL-GL	50:1 MIX FOR 2-CYCLE ENGINES GALLON

TRAILER CARGO & SAFETY

CONNECTORS, ADAPTERS & WIRING KITS



www.hopkinsmfg.com

Tech: 1-800-433-8324



PART #	DESCRIPTION
--------	-------------

20244	7 BLADE MOLDED CONNECTOR W/ 6' CABLE
20245	7 BLADE MOLDED CONNECTOR W/ 6' CABLE SAE WIRING
40955	MULTI-TOW FORD/GM 7 BLADE & 4 FLAT WIRING KIT
47105	4 FLAT EXTENSION KIT 32"
47115	4 FLAT EXTENSION KIT 48"
47305	6 ROUND TO 4 FLAT TOWING ADAPTER
47315	6 ROUND TO 4 FLAT
47345	7 WAY TO 4 BLADE VEHICLE CONNECTION LED
47355	7 WAY TO 4 BLADE VEHICLE CONNECTION
47365	7 WAY RV BLADE TO 4 WIRE FLAT
47385	7 BLADE TO 5 FLAT AND 4 FLAT TOWING ADAPTER
47545	7 WAY TO 6 POLE ROUND ADAPTER
47555	7 WAY TO 6 ROUND ADAPTER
47965	2 FLAT EXTENSION 12"
48025	4 FLAT VEHICLE SIDE W/ 3 SPLICES 48"
48105	4 FLAT TRAILER SIDE W/ 3 SPLICES 12"
48115	4 FLAT TRAILER SIDE 12"
48125	4 FLAT TRAILER SIDE W/ 3 SPLICES 48"
48145	4 FLAT EXTENSION 12"
48165	4 FLAT KIT W/ SPLICES 12" VEHICLE & TRAILER SIDE
48175	4 FLAT SET 12" VEHICLE & TRAILER SIDE
48245	4 FLAT TRAILER SIDE Y-HARNESS 20'
48435	6 ROUND VEHICLE SIDE METAL
48445	6 ROUND TRAILER SIDE METAL
48485	7 BLADE VEHICLE SIDE PLASTIC
48515	7 BLADE TRAILER SIDE PLASTIC
52016	7 BLADE TRAILER SIDE METAL



7 WAY RECEPTACLE



PART #	DESCRIPTION
--------	-------------

BE24030	7 WAY 30-AMP CIRCUIT BREAKER STYLE RECEPTACLE WITHOUT HOUSING
---------	---



www.haldexproductcatalog.com

Tech: 1-800-247-2725

Battery &
Electrical

Body &
Cabin

Brake &
Wheel End

Valve Hoses
& Fittings

DriveLine
Suspension

Engine &
Cooling

Exhaust

Temperature
Control

Lighting

Tools &
Accessories

Trailer,
Cargo
& Safety

TRAILER CARGO & SAFETY



www.hopkinsmfg.com

Tech: 1-800-433-8324

BREAK AWAY KITS



20052



20099

20004

PART #	DESCRIPTION
20099	LED BREAK AWAY SYSTEM WITH BATTERY METER
20052	LED BREAK AWAY CABLE AND PIN
20004	BREAK AWAY KIT

BREAK AWAY SWITCH KIT



PART #	DESCRIPTION
20005	BREAK AWAY SWITCH KIT

TRAILER BATTERY



PART #	DESCRIPTION
20008	12V BATTERY FOR BREAK AWAY KITS

BRAKE CONTROLLERS



47225

47235

47285

47275

PART #	DESCRIPTION
47225	BRAKE-FORCE BRAKE CONTROL - UP TO 4 BRAKES
47235	IMPLUSE BRAKE CONTROL - UP TO 6 BRAKES
47275	BRAKE CONTROL INSTALLATION KIT
47284	RELIANCE PLUG-IN SIMPLE BRAKE CONTROL - UP TO 4 BRAKES
47285	RELIANCE BRAKE CONTROL - UP TO 4 BRAKES
53075	PLUG-IN SIMPLE BRAKE CONTROL CONNECTOR



47284

53075

BACK-UP ALARMS

780



V783



www.petersonlightsandharnesses.com

Tech: 1-866-502-0068

PART #	DESCRIPTION
780	BACK-UP ALARM, 97 DECIBLES 4" X 2.125", 12V-24V,
V783	BACK-UP ALARM, 87 DECIBLES 3 1/4" X 3", 12V-24V,

TRAILER CARGO & SAFETY



www.eccoesg.com
Tech: 1-800-635-5900

BACK UP ALARMS & SWITCHES



PART #	DESCRIPTION
505	BACK UP ALARM, 87DB
510	BACK UP ALARM, 97DB
520	BACK UP ALARM, 97DB 2 1/2"
530	BACK UP ALARM, 102DB
575	BACK UP ALARM, 107DB
580	BACK UP ALARM, 87DB, 12 TO 80V
630N	BACK UP ALARM, 107DB, 12 TO 36V
850N	BACK UP ALARM, 112DB, 12 TO 36V
SA901N	BACK UP ALARM, 107DB, 12 TO 24V
SA917N	BACK UP ALARM, 87-112DB, 12 TO 24V
SW10	BACK-UP ALARM ACTIVATION SWITCH, SINGLE DIRECTION
SW15	BACK-UP ALARM ACTIVATION SWITCH, UNIVERSAL OPEN OR CLOSED

BACK UP ALARM



FIAMM (PSL)

PART #	DESCRIPTION
56000	BACK UP ALARM, 97DB 12 TO 24V

HORNS



PART #	DESCRIPTION
40310	HIGH NOTE DISC HORN - 130DB 5"
40365	LOW TONE DISC HORN - 131DB 5"
65808	BIG HORN 125DB
72002	HIGH TON HORN - 125DB 9"
72012	LOW TONE HORN - 125DB 9"
72102	HIGH TONE COMPACT HORN - 130DB 4"
72112	LOW TONE COMPACT HORN 130DB 4"
73130	24 VOLT LOW NOTE HORN
74100	EL GRANDE TWIN ELECTRIC HORNS - 128DB

Battery &
Electrical

Body &
Cabin

Brake &
Wheel End

Valve Hoses
& Fittings

DriveLine
Suspension

Engine &
Cooling

Exhaust

Temperature
Control

Lighting

Tools &
Accessories

Trailer,
Cargo
& Safety

TRAILER CARGO & SAFETY




CARGO SUPPLIES

www.ancracargo.com

Tech: 1-(800)-233-5138



PART #	DESCRIPTION
41660-14-30	3" X 30' WINCH STRAP W/CHAIN ANCHOR
42313-10	STANDARD PAINTED WINCH BAR
42313-12	COMBINATION BOX END SILVER & YELLOW WINCH BAR
43563-10	STANDARD BOTTOM MOUNT WEB WINCH
43564-147	STANDARD PORTABLE W/ 2SS 7MM BOTTOM MOUNT WINC
43795-10-30	4" X 30' WINCH STRAP W/FLAT HOOK
43795-10-35	4" X 35' WINCH STRAP W/FLAT HOOK
43795-11-30	4" X 30' WINCH STRAP W/DELTA RING
43887-10	16' MINI RATCHET STRAP TIE-DOWN
43986-10	WEB PROTECTOR CORNER GUARD
45801-10-SP	WEB WINDER FOR 2", 3", 4" STRAPS
45982-10	2" X 27' RATCHET STRAP W/FLAT HOOKS & LONG/WIDE HANDLE
45982-11	2" X 30' RATCHET STRAP W/FLAT HOOKS & LONG/WIDE HANDLE
45982-42	2" X 27' RATCHET STRAP W/J-HOOKS & LONG/WIDE HANDLE
45982-43	2" X 30' RATCHET STRAP W/J-HOOKS & LONG/WIDE HANDLE
49893-10	18" X 18" SAFETY FLAG, FLUORESCENT RED MESH W/WOODEN DOWEL ROD
49893-11	18" X 18" SAFETY FLAG, RED COTTON W/STEEL WIRE ROD & LOOP
49893-12	18" X 18" SAFETY FLAG, RED MESH W/GROMMETS
49893-13	18" X 18" SAFETY FLAG, FLUORESCENT ORANGE MESH W/WOODEN DOWEL ROD
49893-14	18" X 18" SAFETY FLAG, FLUORESCENT ORANGE MESH W/GROMMETS
49893-17	18" X 18" RED JERSEY MESH FLAG
49893-18	18" X 18" FLUORESCENT ORANGE MESH FLAG
49893-19	18" X 18" ORANGE JERSEY MESH FLAG
49894-11	18" X 84" WIDE/OVERSIZED LOAD BANNER W/SEWN-IN ROPES
49894-13	18" X 84" OVERSIZE LOAD BANNER W/GROMMETS & 44" ROPES
49896-10	1/2" FORGED STEEL HEAVY-DUTY D-RING W/BOLT-ON CLIP
50019-22	GRADE 70 3/8" SLIP HOOK W/SAFETY LATCH
50430-10	MAGNETIC SAFETY FLAG HOLDER
50532-12	HIGH-VISIBILITY YELLOW/GREEN TEAR-AWAY SAFETY VEST
50532-13	HIGH-VISIBILITY ORANGE/RED TEAR-AWAY SAFETY VEST
52210GL	BULK GOLDLINE EPDM RUBBER 10" TARP TIE
52215GL	BULK GOLDLINE EPDM RUBBER 15" TARP TIE
52221GL	BULK GOLDLINE EPDM RUBBER 21" TARP TIE
52231AE	EPDM 31" TOP PREMIUM BRAND TARP TIE
52231C	NATURAL RUBBER TARP TIE-31" TOP PREMIUM BRAND TARP TIE
52231GL	BULK GOLDLINE EPDM RUBBER 31" TARP TIE
SL01	1" X 10' S-HOOK CAM BUCKLE TIE-DOWN, CLAMSHELL
SL91	1" X 15' S-HOOK RATCHET TIE-DOWN, PLASTIC FRAME, 4 PACK
XR015-4P	1" X 15' COMMERCIAL GRADE S-HOOK RATCHET TIE-DOWN, 4 PACK



TRAILER CARGO & SAFETY



www.peerlesschain.com

Tech: 1-(800)-873-1916

CHAINS, HOOKS AND LOADBINDERS



PART #	DESCRIPTION
5200355	BXR 310 RATCHET LOAD BINDER SIZE 5/16"
5200455	LOAD BINDER SIZE 5/16"
5234424	10MM X 16' G43 BINDER 25 DRUM
5261155	5/16" X 16' G43 CHAIN W/ HOOKS
5261455	5/16" X 25' GRADE 70 TRANSPORT CHAIN
5262155	5/16" X 16' GRADE 70 TRANSPORT CHAIN
5262163	10MM X 16' GRADE 70 BINDER 25 DRUM
5262455	3/8" X 25' CHAIN W/ HOOKS
6202207	1/4" X 150' WELDED G43 CHAIN
6224307	1/2" X 200' WELDED G43 CHAIN
6246407	10MM(3/8") HP HT ZN 75'/PAIL
8013330	5/16 G43 CLEVIS SLIP HOOK
8022330	5/16" TRANSPORT G70 CLEVIS GRAB HOOK
8022415	3/8" TRANSPORT G70 CLEVIS GRAB HOOK
8022430	3/8" TRANSPORT G70 CLEVIS GRAB HOOK
8022655	1/2" P7 CLEVIS GRAB HOOK GOLD
8023230	1/4" G43 CLEVIS GRAB HOOK
8023330	5/16" G43 CLEVIS GRAB HOOK
8023430	3/8" G43 CLEVIS GRAB HOOK
8605182	TIE DOWN CHAINS CLEVIS GRAB HOOK
H0111-0311	GRADE 30 PROOF COIL CHAIN, 3/16" X 250'
H0111-0411	GRADE 30 PROOF COIL CHAIN, 1/4" X 141'
H0111-0511	GRADE 30 PROOF COIL CHAIN, 5/16" X 92'
H5023-4052	RATCHET LOADBINDERS GR70 -1/4", GR43 - 5/16"
H5023-4152	RATCHET LOADBINDERS GR70 -5/16", GR43 - 3/8"
H5023-4252	RATCHET LOADBINDERS GR70 -5/16", GR43 - 3/8"
H5123-4052	RATCHET LOADBINDERS GR70 -1/4", GR43 - 5/16"
H5123-4152	RATCHET LOADBINDERS GR70 -5/16", GR43 - 3/8"
H5123-4252	RATCHET LOADBINDERS GR70 -3/8", GR43 - 1/2"
H5123-4452	RATCHET LOADBINDERS GR70 -1/2", GR43 - 5/8"
H5125-0658	QUIKBINDER GR70 -5/16"OR 3/8"
H5125-0858	QUIKBINDER GR70 -3/8"OR 1/2"
H5125-0958	QUIKBINDER GR70 -1/2"OR 5/8"



Battery &
Electrical

Body &
Cabin

Brake &
Wheel End

Valve Hoses
& Fittings

Driveline
Suspension

Engine &
Cooling

Exhaust

Temperature
Control

Lighting

Tools &
Accessories

Trailer,
Cargo
& Safety

TRAILER CARGO & SAFETY



www.haldexproductcatalog.com

Tech: 1-800-247-2725

GLADHAND SEAL & BRACKET MOUNT



DA909005

11440



11441

PART # DESCRIPTION

DA909005	GLADHAND SEAL 1 1/4"
11440	HOSE COUPLER GLADHAND BLUE
11441	HOSE COUPLER GLADHAND RED

(MUD)

MUD FLAPS, HANGERS & FENDERS

19x24P



2424PSB



2430PSB



2424PSW



www.bettshd.com

Tech: 1-559-226-9049

PART # DESCRIPTION

19X24P	MUD FLAP 19" X 24" DUAL WHEEL 5/16" RUBBER
2424PSB	MUD FLAP 24" X 24" DUAL WHEEL 3/16" POLYETHYLENE
2424PSW	MUD FLAP 24" X 24" DUAL WHEEL POLYGUARD WHITE
2430PSB	MUD FLAP 24" X 30" DUAL WHEEL POLYGUARD BLACK STANDARD
2430PSW	MUD FLAP 24" X 30" DUAL WHEEL POLYGUARD BLACK STANDARD
2436PSB	MUD FLAP 24" X 30" DUAL WHEEL POLYGUARD WHITE STANDARD
24X24BTB	MUD FLAP 24" X 24" DUAL WHEEL RUBBER BTB LOGO
24X24P	MUD FLAP 24" X 24" DUAL WHEEL RUBBER
24X30BTB	MUD FLAP 24" X 30" DUAL WHEEL RUBBER BTB LOGO
24X30P	MUD FLAP 24" X 24" DUAL WHEEL RUBBER
24X36BTB	MUD FLAP 24" X 36" DUAL WHEEL RUBBER BTB LOGO
24X36P	MUD FLAP 24" X 36" DUAL WHEEL RUBBER
B25-S	STRAIGHT BAR TYPE MUD FLAP HANGER SQUARE SPRING STEEL
B33	ANGLED BAR TYPE MUD FLAP HANGER
B35	ANGLED BAR TYPE MUD FLAP HANGER SQUARE BAR
B573025NTBK	STRAIGHT SPRING LOADED TYPE MUD FLAP HANGERS
B673025NTBK	ANGLED SPRING LOADED TYPE MUD FLAP HANGERS
PL24X24R	MUD FLAP 24" X 24" DUAL WHEEL RUBBER 1/4" THICK CHEVRON STYLE
PL24X30R	MUD FLAP 24" X 30" DUAL WHEEL RUBBER 3/16" THICK CHEVRON STYLE
BS212PA2	STANDARD TUBE MOUNT QUARTER FENDERS, 8" CARBON STEEL
PS212PA2	STANDARD TUBE MOUNT QUARTER FENDERS, 8" POLY
SS212PA2	STANDARD TUBE MOUNT QUARTER FENDERS, 8" STAINLESS STEEL



B673025NTBK



B573025NTBK




SS212PA2




PS212PA2



B25-S



B33



B35



BS212PA2

TRAILER CARGO & SAFETY

LIGHTING



www.eccoesg.com
Tech: 1-800-635-5900



3510A



3811C



3931A



3965B



5580A



5813A



6262A



6410A-MG



6550A



6550C



6650A



ED3701C



ED3702AC



ED3766AB



R6200FT



9001C



R6501FT



EW2403

EW2461-NA



EW2471

PART #	DESCRIPTION
3510A	LED WARNING LIGHT, AMBER, 3.3" LENGTH
3510C	LED WARNING LIGHT, CLEAR, 3.3" LENGTH
3510G	LED WARNING LIGHT, GREEN, 3.3" LENGTH
3811A	DIRECTIONAL LEDS, AMBER, 6.1" LENGTH
3811AC	DUAL COLOR DIRECTIONAL LEDS, AMBER/WHITE, 6.1" LENGTH
3931A	WARNING LIGHT, 18 LEDS, AMBER, 2" X 4" SURFACE MOUNT
3931C	WARNING LIGHT, 18 LEDS, CLEAR, 2" X 4" SURFACE MOUNT
3965B	GROMMET MOUNT LED DIRECTIONAL LIGHT, BLUE, 7.5" LENGTH
5580A	REFLEX, 15" LED MINIBAR, AMBER 4 BOLT MOUNT
5580AVM	REFLEX, 15" LED MINIBAR, AMBER VACUUM MOUNT
5813A	ROTATOR 3 BOLT, AMBER, LOW PROFILE SAE CLASS I
5813A-MG	ROTATOR MAGNET, AMBER, LOW PROFILE SAE CLASS I
6262A	INDUSTRIAL APPLICATION LED, 2 BOLT, AMBER
6410A-MG	STROBE LIGHT, AMBER, FLASHING, 3 BOLT MOUNT
6465A	LED STROBE LIGHT, AMBER, FLASHING 3 BOLT MOUNT
6550A	SAE CLASS II STROBE LIGHT, LOW PROFILE, AMBER, 3 BOLT MOUNT
6550C	SAE CLASS II STROBE LIGHT, LOW PROFILE, CLEAR, 3 BOLT MOUNT
6570A	SAE CLASS II STROBE LIGHT, MED PROFILE, AMBER, 3 BOLT MOUNT
6650A	STROBE LIGHT, LOW PROFILE, AMBER, FLASHING, 3 BOLT MOUNT
7945A	LED BEACON, LOW PROFILE, AMBER, PULSE II, 3 BOLT/ 1" PIPE
7965A	SAE CLASS I LED BEACON, AMBER, PULSE II, 3 BOLT/ 1" PIPE
7965C	SAE CLASS I LED BEACON, CLEAR, PULSE II, 3 BOLT/ 1" PIPE
7975A	LED BEACON-SEVERE VIBRATION, AMBER, 3 BOLT / 1" PIPE
9001C	REMOTE FLASH TUBE, 1" PLUG IN, CLEAR
9014A	HIDE A LED CONCEALED WARNING LIGHT, 6 LEDS ON HEAD, AMBER
E92004	SIX 3-WATT LEDS WORKLIGHT, FLOOD, ROUND, 1 BOLT MOUNT
ED0004A	STICK-A-LED WARNING LIGHT, AMBER, 2.1" L, SELF ADHESIVE MOUNT
ED0004C	STICK-A-LED WARNING LIGHT, CLEAR, 2.1" L, SELF ADHESIVE MOUNT
ED3701C	DIRECTIONAL VEHICLE LIGHT, 5 1/2" X 1 1/2", CLEAR LED
ED3702AC	DUAL COLOR LIGHT, 12 LEDS, AMBER/CLEAR, SURFACE MOUNT
ED3766AB	DUAL COLOR LIGHT, 12 LEDS, AMBER/BLUE, SURFACE MOUNT 6.4" L
ED3766AC	DUAL COLOR LIGHT, 12 LEDS, AMBER/CLEAR, SURFACE MOUNT 6.4" L
EW2403	THREE 3-WATT LEDS FLOOD BEAM, SQUARE, 1 BOLT MOUNT
EW2461	FIVE 3-WATT LEDS FLOOD BEAM, SQUARE, MAGNET MOUNT
EW2461-CAMO	CAMO FIVE 3-WATT LEDS FLOOD BEAM, SQUARE, MAGNET MOUNT
EW2471	FIVE 3-WATT LEDS FLOOD BEAM, SQUARE, 1 BOLT MOUNT
R6200FT	FLASHTUBE LINEAR INDUSTRIAL 360° STROBE
R6501FT	FLASHTUBE HELICAL 360° STROBES

Battery &
Electrical

Body &
Cabin

Brake &
Wheel End

Valve Hoses
& Fittings

Driveline
Suspension

Engine &
Cooling

Exhaust

Temperature
Control

Lighting

Tools &
Accessories

Trailer,
Cargo
& Safety

TRAILER CARGO & SAFETY



www.foxfirelites.com

LOGGER LIGHT



T-HANDLE



FLLK-A



FLLK-R

PART #	DESCRIPTION
--------	-------------

FLLK-A	LOGGER LIGHT KIT AMBER
--------	------------------------

FLLK-R	LOGGER LIGHT KIT RED
--------	----------------------

T-HANDLE	REPLACEMENT HANDLE FOR LOGGER LIGHT
----------	-------------------------------------

TRIANGLE FLARE KIT

449



(MUD)

GT8500



PART #	DESCRIPTION
--------	-------------

GT8500	TRIANGLE SAFETY KIT
--------	---------------------

449	WARNING TRIANGLE COMPLETE KIT - PETERSON
-----	--

SLIK DISK RETAINERS

KPSD32



GT7100R

PART #	DESCRIPTION
--------	-------------

GT7100R	5TH WHEEL SLICK DISC RETAINER RING
---------	------------------------------------

KPSD32	LUBE DISC 32" (AUTOMANN)
--------	--------------------------

PROTECTIVE MASKS



PART #	DESCRIPTION
--------	-------------

571.DPM3-50	DISPOSABLE PROTECTIVE MASKS 50 PACK
-------------	-------------------------------------

5TH WHEEL LUBRICANT



www.automann.com
Tech: 1-888-288-6626



PART #	DESCRIPTION
--------	-------------

01010	5TH WHEEL LUBRICANT PACKET
-------	----------------------------

WHEEL CHOCK



PART #	DESCRIPTION
--------	-------------

M203043	WHEEL CHOCK, 9.5" WIDE, 7.5" HIGH, 5.5" DEEP RUBBER
---------	---

TRAILER CARGO & SAFETY



www.automann.com
Tech: 1-888-288-6626

LEVER CHAIN BINDER



PART #	DESCRIPTION
573.NLCB38	5/16" TO 3/8" LEVER CHAIN BINDER

G70 CHAIN



573.KG7051620

PART #	DESCRIPTION
573.KG703820	3/8" X 20' G70 CHAIN
573.KG7051620	5/16" X 20' G70 CHAIN

AIR HORN KIT AND ACCESSORIES

170.1630



532.H00900CAOE



532.1315



PART #	DESCRIPTION
532.H00900CAOE	AIR HORN KIT BULLY DUAL AIR HORN KIT 15.5" HORNS
532.1315	ELECTRIC AIR HORN SOLENOID
170.1630	MANUAL AIR HORN VALVE

HEAVY DUTY TARP MOTOR

PART #	DESCRIPTION
577.99701HD	HEAVY DUTY 600W TARP MOTOR 12V



Battery &
Electrical

Body &
Cabin

Brake &
Wheel End

Valve Hoses
& Fittings

Driveline
Suspension

Engine &
Cooling

Exhaust

Temperature
Control

Lighting

Tools &
Accessories

Trailer,
Cargo
& Safety

TRAILER CARGO & SAFETY

(PSL)

FIRE EXTINGUISHERS AND BRACKETS

700270

700287

25614R



13415D

11340R

13315DAUT

PART #	DESCRIPTION
700270	FIRE EXTINGUISHER BRACKET, STRAP 4 1/4" METAL
700287	FIRE EXTINGUISHER BRACKET, STRAP 3 3/8" METAL
11340R	FIRE EXTINGUISHER, DRY CHEMICAL 10LB, MONOAMMONIUM PHOSPHATE
13315DAUT	FIRE EXTINGUISHER DRY CHEMICAL 2 1/2LB, MONOAMMONIUM PHOSPHATE
13415D	FIRE EXTINGUISHER DRY CHEMICAL 2 1/2LB, SODIUM BICARBONATE
25614R	FIRE EXTINGUISHER DRY CHEMICAL 5LB, RECHARGABLE

POWER BLOCK OUTLET



PART #	DESCRIPTION
2177	METAL POWER BLOCK W/ 4 OUTLETS AND LIGHTED SWITCH 4' CORD

LONG NOSE PLIERS



PART #	DESCRIPTION
E318	CHANNELLOCK COMBINATION LONG NOSE PLIERS WITH CUTTER


WORK LIGHTS



L16

L1924

PART #	DESCRIPTION
L13	TWIN HEAD WORK LIGHT, 42" TALL 16,000 LUMEN
L16	WORK LIGHT REPLACEMENT 500 WATT QUARTZ HALOGEN LIGHT BULB
L1797	FLUORESCENT WORK LIGHT, 13 WATTS, 825 LUMENS
L1923	LED PORTABLE WORK LIGHT, 72 LEDS, 120V OUTLET
L1924	LED RECHARGEABLE LITHIUM BATTERY WORK LIGHT, 36 LEDS
L20	PORTABLE HALOGEN WORK LIGHT, 500 WATT



L1797

L13

L20

WORK CLEAN AND GRIT-FREE WITH PIG.

PIG Universal Mat — No mess, faster cleanups!

- Multiple layers of thermally bonded 100% polypropylene make PIG Mat the strongest mat on the market; **won't rip, tear or fray**, even when saturated
- Highly absorbent material traps liquids, so it **won't drip or leave behind fibers**
- **Safely absorbs and retains** oils, coolants, water, grease, gasoline, solvents, auto fluids, paint overspray, battery acid and most other liquids

PIG® Universal Absorbent Mat Pads

Item #	Weight	Size	Unit	Abs. Up To
25300	Medium	15" W x 20" L	100 pads	17 gal./box

PIG® Universal Absorbent Mat Rolls

Item #	Weight	Size	Unit	Abs. Up To
25201	Light	15" W x 50' L	1 roll	3 gal./roll
25400	Medium	30" W x 150' L	1 roll	32 gal./roll



PIG Water-Repellent Mat — Soak up oil, not water.



- **Safely absorbs and retains** oils and oil-based liquids, lubricants and fuels, while repelling water; floats to clean up spills on water
- **Bright white color** makes oil stand out; draws attention to leaks and clearly shows saturation level of mat



PIG® Water-Repellent Oil-Absorbent Mat Pads

Weight	Item #	Size	Unit	Abs. Up To
Medium	26300	15" W x 30" L	100 pads	17 gal./box



Shaped to fit on drum tops to soak up pump drips and keep barrel tops clean.

PIG® Universal Drum-Top Absorbent Pads

Weight	Item #	Size	Unit	Abs. Up To
Light	25102	22" Dia.	5 pads	90 pt./box



Stash this kit behind or under your truck seat for fast spill response.

PIG® Universal Spill Kit

Kit #	Item #	Size	Unit	Abs. Up To
45300	45300	15" W x 30" L	100 pads	17 gal./box

Available Lubricants From PWI Distribution Centers



PART	DESCRIPTION	UOM
12125	HYD R&O TRC-G	5 gal
12150	HYD R&O	55 gal
12502	HD APT (DEXUS)	5 gal
12632	AW 32 HYDRAULIC OIL	5 gal
12632	AW 32 HYDRAULIC OIL	55 gal
12688	AW 48 HYDRAULIC OIL	5 gal
12546	AW 46 (15W)	55 gal
12688	AW 68 HYDRAULIC OIL	5 gal
12688	AW 68 (20W)	55 gal

PART	DESCRIPTION	UOM
12572	GLS 85W140	105lb
12629	GLS 80W90	105lb
12650	TRCTR HYDRAULIC OIL	1 gal
12652	TRCTR HYDRAULIC OIL	5 gal
12655	TRCTR HYDRAULIC OIL	55 gal
12656	PREM TRCTR HYDRAULIC OIL	5 gal
12658	PREM TRCTR HYDRAULIC OIL	55 gal
12805	DELTA PRIDE AG SMOKE OIL	5 gal



PART	DESCRIPTION	UOM
6140	5W20	6/1 QT
6142	HD 30	6/1 QT
6144	5W30	6/1 QT
6145	10W30	6/1 QT
6146	10W40	6/1 QT
6147	20W50	6/1 QT
6240	EDGE SYN 0W20	6/1 QT
6245	EDGE SYN 10W30	6/1 QT

PART	DESCRIPTION	UOM
6247	EDGE SYN 5W20	6/1 QT
6248	EDGE SYN 5W30	6/1 QT
6249	EDGE SYN 5W40	6/1 QT
6250	EDGE SYN 5W50	6/1 QT
6450	HIGH MILEAGE SYN BLEND 10W30	6/1 QT
6470	HIGH MILEAGE SYN BLEND 20W50	6/1 QT
6480	HIGH MILEAGE SYN BLEND 5W30	6/1 QT



PART	DESCRIPTION	UOM
1474	400 30	3/1 GAL
1476	400 30	5 GAL
1484	400 40	3/1 GAL
1491	400 15W40	3/1 GAL

PART	DESCRIPTION	UOM
1494	400 15W40	5 GAL
1542	400 15W40	12/1 QT
1692	400 30	6/1 QT



PART	DESCRIPTION	UOM
56546	GL-1-90W	5 GAL
59478	GL-1-90W	1 GAL
59494	GL-1-140W	1 GAL
56477	HD30	6/1 QT
59427	GLS-80W90	1 GAL

PART	DESCRIPTION	UOM
56542	GL-1-140W	5 GAL
59431	GL-1-90W	1 GAL
56535	GL-1-140W	5 GAL
59431	BAR & CHAIN OIL	6/1 GAL
59480	GLS-80W140	1 GAL



PART	DESCRIPTION	UOM
3630	HD 30	6/1 QT
3630	5W30	6/1 QT
3619	10W30	6/1 QT
3653	15W40	6/1 QT
5063875	MARINE 4CYC 15W30	12/1 QT
50638541	PLATINUM SYN 5W30	6/1 QT

PART	DESCRIPTION	UOM
5063884	PLATINUM SYN 5W20	6/1 QT
5063885	PLATINUM SYN 5W30	6/1 QT
5063886	PLATINUM SYN 10W30	6/1 QT
52538	PEN 1QT 5W30	6/1 QT
33013	ULTRA EURO L SYN 5W30	6/1 QT
40656	PLATINUM 0W40	6/1 QT



PART	DESCRIPTION	UOM
93088	UNIV 2 CYCLE	24/8 4OZ
93024	TYPE A TRANS	12/1 QT

PART	DESCRIPTION	UOM
93088	UNIV 2 CYCLE	48/2 8OZ



PART	DESCRIPTION	UOM
401248	10W30	6/1 QT
403648	HD 30	6/1 QT

PART	DESCRIPTION	UOM
436248	5W30	6/1 QT
436348	10W40	6/1 QT



PART	DESCRIPTION	UOM
57697	ROTELLA 10W30	3/1 GAL
65401	SHELL TELLUS OIL T32	5 GAL
22442	AEROSHELL W100	12/1 QT
4061	ROTELLA T30	6/1 QT
4071	ROTELLA T 15W40	6/1 QT
4076	ROTELLA T 15W40	55 GAL
4117	AEROSHELL 15W50	12/1 QT
5071354	ROTELLA 15W40	5 GAL

PART	DESCRIPTION	UOM
56896	ROTELLA 15W40	3/1 GAL
56931	ROTELLA T-30	3/1 GAL
56936	ROTELLA T-40	3/1 GAL
550015890	ROTELLA T-40	5 GAL
57302	ROTELLA SYN 5W40 C4-4	6/1 QT
75555	ROTELLA SYN 5W40	3/1 GAL
550015958	ROTELLA TS SYN 10W30	3/1 GAL
550045348	ROTELLA TS SYN BLEND 15W40	3/1 GAL
550050467	ROTELLA SYN 15W40	3/1 GAL



PART	DESCRIPTION	UOM
4332	HAVOLINE 10W30	12/1 qt
4333	HAVOLINE 15W40	12/1 qt

PART	DESCRIPTION	UOM
4336	HAVOLINE 5W30	12/1 QT

MISC. PRODUCTS

PART	DESCRIPTION	UOM
60110	LUBRIPLATE ASSEMBLY LUBE	12/10 OZ
658000	QUICKSILVER OUTBOARD TC-W3	16 OZ
658022	QUICKSILVER OUTBOARD TC-W3	3/1 GAL

Available Lubricants From PWI Distribution Centers



PART	DESCRIPTION	UOM
797578	Valvoline Premium Conventional SAE 10W-30	12/1 Quart
881156	Valvoline Premium Conventional SAE 10W-30	3/5.1 Quart
822344	Valvoline Premium Conventional SAE 20W-50	12/1 Quart
797671	Valvoline Premium Conventional SAE 10W-40	12/1 Quart
881157	Valvoline Premium Conventional SAE 10W-40	3/5.1 Quart
797978	Valvoline SAE 30	12/1 Quart
822400	Valvoline SAE 40	12/1 Quart
822402	Valvoline SAE 50	12/1 Quart
797975	Valvoline Premium Conventional SAE 5W-30	12/1 Quart
779461	Valvoline Premium Conventional SAE 5W-30	3/5.1 Quart
797974	Valvoline Premium Conventional SAE 5W-20	12/1 Quart
822388	Valvoline VR1 Racing Formula SAE 10W-30 (Turbo Approved)	12/1 Quart
822347	Valvoline VR1 Racing Formula SAE 20W-50 (Turbo Approved)	12/1 Quart
822401	Valvoline VR1 Racing Formula SAE 30 (Turbo Approved)	12/1 Quart
822390	Valvoline VR1 Racing Formula SAE 40 (Turbo Approved)	12/1 Quart
822350	Valvoline VR1 Racing Formula SAE 50 (Turbo Approved)	12/1 Quart
822403	Valvoline VR1 Racing Formula SAE 60 (Turbo Approved)	12/1 Quart
679082	Valvoline Synthetic Racing 20W-50	6/1 Quart

PART	MAXLIFE DESCRIPTION	UOM
797976	Valvoline MaxLife SAE 10W-30	12/1 Quart
797977	Valvoline MaxLife SAE 10W-40	12/1 Quart
609506	Valvoline MaxLife SAE 5W-20	12/1 Quart
VV1556	Valvoline MaxLife SAE 5W-30	12/1 Quart
822381	Valvoline MaxLife SAE 20W-50	12/1 Quart

PART	MAXLIFE SYNTHETIC DESCRIPTION	UOM
VV179	Valvoline MaxLife Synthetic 5W-30	6/1 Quart

PART	SYNTHETIC MOTOR OILS DESCRIPTION	UOM
878400	Valvoline Advanced Full Synthetic 0W16	6/1 Quart
VV916	Valvoline SynPower SAE 0W-20	6/1 Quart
VV927	Valvoline SynPower SAE 5W-20	6/1 Quart
VV935	Valvoline SynPower SAE 10W-30	6/1 Quart
VV945	Valvoline SynPower SAE 20W-50	6/1 Quart
VV955	Valvoline SynPower SAE 5W-30	6/1 Quart
VV966	Valvoline SynPower SAE 5W-40	6/1 Quart

PART	SPECIALITY PRODUCTS DESCRIPTION	UOM
773735	NMMA (BIA) TC-W3 Certified 2Cycle Outboard Marine Oil	3/1 Gal
822386	NMMA (BIA) TC-W3 Certified 2Cycle Outboard Marine Oil	12/1 Quart
VV469	NMMA (BIA) TC-W3 Certified 2Cycle Outboard Marine Oil	12/16oz

PART	TRANS FLUID PRODUCTS DESCRIPTION	UOM
822389	Valvoline Import ATF	6/1 Quart
811095	Valvoline Synchronesh MTF	12/1 Quart

Available Lubricants From PWI Distribution Centers



FLEET GEAR OIL		UOM
PART	DESCRIPTION	
70028	SAE Synthetic 75W-90	5 Gallon Plastic


FLEET TRANSMISSION OIL		UOM
PART	DESCRIPTION	
VV325	Drive Train Trans Oil SAE 30 TO-4	5 Gallon
VV329	Drive Train Trans Oil SAE 50 TO-4	5 Gallon
887980	Syn Guard Trans TES295	5 Gallon
887972	Syn Guard Trans TES295	1 Gallon

FLEET OIL		UOM
PART	DESCRIPTION	
773780	Valvoline Premium Blue 15W-40	3/1 Gallon




PART	DESCRIPTION	UOM
10-9129	DEXOS 2 5W30	12QT CASE
10-9246	DEXOS 5W30	12QT CASE
10-9289	5W30	12QT CASE
10-9292	10W30	12QT CASE
10-9236	DEXOS 0W20	6QT CASE
10-9277	DEXOS D 0W20	6QT CASE

OIL



PART	DESCRIPTION	UOM
XO0W20QFS	0W20 Synthetic Blend	12 QT CASE
XO5W20Q1SP	5W20 Synthetic Blend	12 QT CASE
XO5W205Q3SP	5W20 Synthetic Blend	3, 5QT JUGS
XO5W20DSP	5W20 Synthetic Blend	55 GAL DR
XO5W20Q1FS	5W20 Full Synthetic	12QT CASE
XO5W30Q1SP	5W30 Synthetic Blend	12QT CASE
XO5W305Q3SP	5W30 Synthetic Blend	3, 5QT JUGS
XO5W30DSP	5W30 Synthetic Blend	55 GAL DR
XO5W30Q1FS	5W30 Full Synthetic	12QT CASE
XO5W50QGT	5W50 Full Synthetic	12QT CASE
XO10W30Q1SP	10W30 Synthetic Blend	12QT CASE
XO10W40Q1P	10W40 Conventional	12QT CASE
XO10W30QSDF	10W30 Conventional Super Duty	12QT CASE
XO15W40QSDF	15W40 Conventional Super Duty	12QT CASE
XO15W405Q3SD	15W40 Conventional Super Duty (diesel)	3, 5QT JUGS
XO15W40DSD	15W40 Conventional Super Duty (diesel)	55 GAL DR
XO5W405Q3SD	5W40 Full Synthetic Diesel	3, 5QT JUGS

ATF



PART	DESCRIPTION	UOM
XT1Q1F	Type FATF	12 QT CASE
XT5QMC	Mercon V	12 QT CASE
XT55Q3M	Mercon V	4, 5-QT JUGS
XTM5QS	Full Synthetic Manual Trans Fluid	12QT CASE
XT6QSP	Mercon SP	12QT CASE
XT7QCFT	CVT ATF	12QT CASE
XT8QAW	Premium ATF	12QT CASE
XT5QMC	FNR5 ATF	12QT CASE
XT10QLVC	Mercon LV	12QT CASE
XT10DLV	Mercon LV	55 GAL DR
XY75W140QL	75w-140 Syn Rear Axle Lube	12QT CASE
XY80W90QL	80w-90 Prem Rear Axle Lube	12QT CASE
XT12QULV	MERCON ULV	12QT CASE

Available Lubricants From PWI Distribution Centers

GEAR OIL AND GREASE



PART	DESCRIPTION	UOM
VV279	DuraBlend Grease	50/14.1 Oz Cart.
VV281	DuraBlend Gear Oil SAE 85W-140	12/1 Quart
VV606	General Multi-Purpose Grease (for Auto & Industrial Use)	35lb. Pail
VV608	General Multi-Purpose Grease (for Auto & Industrial Use)	12/1 lb.
VV609	General Multi-Purpose Grease (for Auto & Industrial Use)	50/14.1 Oz Cart.
VV612	Multi-Purpose Grease (for GM, Chrysler, European & Japanese Vehicles)	35lb. Pail
VV614	Multi-Purpose Grease (for GM, Chrysler, European & Japanese Vehicles)	12/1lb.
VV615	Multi-Purpose Grease (for GM, Chrysler, European & Japanese Vehicles)	50/14.1 Oz Cart.
VV616	Multi-Purpose Grease (for GM, Chrysler, European & Japanese Vehicles)	6/4lb.
VV632	Moly Fortified Multi-Purpose Grease (For Ford, Lincoln, & Mercury Vehicles)	12/1lb.
VV633	Moly Fortified Multi-Purpose Grease (For Ford, Lincoln, & Mercury Vehicles)	50/14.1 Oz Cart.
VV820	High Performance Gear Oil SAE 75W-90	12/1 Quart
VV825	High Performance Gear Oil SAE 85W-140	12/1 Quart
VV829	High Performance Gear Oil SAE 85W-140	5 Gallon Pail
VV831	High Performance Gear Oil SAE 80W-90	12/1 Quart
VV975	SynPower Full Synthetic Gear Oil SAE 75W-90	12/1 Quart
VV981	SynPower Full Synthetic Gear Oil SAE 75W-140	5 Gallon Pail
VV982	SynPower Full Synthetic Gear Oil SAE 75W-140	12/1 Quart
VV985	SynPower Synthetic Grease (For All US, European, & Japanese Vehicles)	50/14.1 Oz Cart.

TRANSMISSION FLUIDS

PART	DESCRIPTION	UOM
822405	Valvoline DEXRON VI	12/1 Quart
822345	Valvoline MERCON V (DEXRONIII)ATF	12/1 Quart
VV3246	Valvoline MaxLife DEX/MERC	12/1 Quart
822348	Valvoline ATF+4	12/1 Quart
822387	Automatic Transmission Fluid Type F	12/1 Quart
VV349	Automatic Transmission Fluid DEX/MERC	5 Gallon
798153	Automatic Transmission Fluid DEX/MERC	12/1 Quart
773636	Automatic Transmission Fluid DEX/MERC	3/1 Gallon
804751	Valvoline CVT	12/1 Quart

FLEET GREASE

PART	DESCRIPTION	UOM
VV70112	Palladium #2 Grease With Moly	50/Carts.
VV70124	Crimson #2 Grease	50/ Carts.
VV70133	Cerulean Blue #2	50/ Carts.

MOTORCYCLE & ATV PRODUCTS

PART	DESCRIPTION	UOM
798151	MC 4-STROKE 10W-40	12/1 Quart
798152	MC 4-STROKE 20W-50	12/1 Quart
817263	ATV 4-STROKE 10W-40	12/1 Quart

DIESEL EXHAUST FLUID

PART	DESCRIPTION	UOM
DEF001	Diesel Exhaust Fluid	55 Gallon
DEF002	Diesel Exhaust Fluid	2.5 Gallon



VB2003	Diesel Exhaust Fluid	2.5 Gallon
VB4002	Diesel Exhaust Fluid	55 Gallon
HD1000	Diesel Exhaust Fluid	6/1 Gallon
HD1000-55	Diesel Exhaust Fluid	55 Gallon
PM27GAL	Diesel Exhaust Fluid	6/1 Gallon
PM27JUG	Diesel Exhaust Fluid	2.5 Gallon
PM27D	Diesel Exhaust Fluid	55 Gallon
10-4022	Diesel Exhaust Fluid	4/1 Gallon
10-4023	Diesel Exhaust Fluid	2.5 Gallon

Available Lubricants From PWI Distribution Centers



PART	DESCRIPTION	UOM
5174	PARTS MASTER 5W20	12/1 QT
53174	PARTS MASTER 5W20	3/5 QT
5177	PARTS MASTER 5W30	12/1 QT
PM5172	PARTS MASTER 5W30	55 GAL
53177	PARTS MASTER 5W30	3/5 QT
5129	PARTS MASTER 10W30	12/1 QT
PM5124	PARTS MASTER 10W30	55 GAL
53129	PARTS MASTER 10W30	3/5 QT
5141	PARTS MASTER 10W40	12/1 QT
PM5136	PARTS MASTER 10W40	55 GAL
53141	PARTS MASTER 10W40	3/5 QT
5135	PARTS MASTER 20W50	12/1 QT
5389	PARTS MASTER FLEET 15W40	12/1 QT
53387	PARTS MASTER FLEET 15W40	3/1 GAL
PM5386	PARTS MASTER FLEET 15W40	5 GAL
PM5385	PARTS MASTER FLEET 15W40	55 GAL
851585	PARTS MASTER HIGH MILEAGE 5W30	12/1 QT
851586	PARTS MASTER HIGH MILEAGE 10W30	12/1 QT
851587	PARTS MASTER SYNTHETIC 5W40	12/1 QT
851588	PARTS MASTER SYNTHETIC 75W90	12/1 QT
70-900	POWER STEERING FLUID	12 OZ
8159	PARTS MASTER SAE 30	12/1 QT
5165	PARTS MASTER SAE 40	12/1 QT
5353	PARTS MASTER DEXIMER	12/1 QT
872084	PARTS MASTER DEXIMER	1 GAL
PM5348	PARTS MASTER DEXIMER	55 GAL
5730	DEXRON VI	6/1 QT

PART	DESCRIPTION	UOM
884508	PARTS MASTER ATF	1/8 GAL
5340	PARTS MASTER ATF #4	12/1 QT
884822	PARTS MASTER MULTI VEHICLE ATF	12/1 QT
5360	PARTS MASTER MERCON V	12/1 QT
5831	PARTS MASTER 80W-85W-90 GEAR OIL	12/1 QT
PM5838	PARTS MASTER 80W-85W-90 GEAR OIL	5 GAL
882728	PARTS MASTER SYNTHETIC 0W16	12/1 QT
5916	PARTS MASTER SYNTHETIC 0W20	12/1 QT
866970	PARTS MASTER SYNTHETIC 0W20	5 QT
5927	PARTS MASTER SYNTHETIC 5W20	12/1 QT
866892	PARTS MASTER SYNTHETIC 5W20	5 QT
5955	PARTS MASTER SYNTHETIC 5W30	12/1 QT
866850	PARTS MASTER SYNTHETIC 5W30	5 QT
891344	PARTS MASTER EURO SYNTHETIC 5W40	1/8 GAL
5935	PARTS MASTER SYNTHETIC 10W30	12/1 QT
86893	PARTS MASTER SYNTHETIC 10W30	5 QT
891384	PARTS MASTER SYN 75W140 GEAR OIL	12/1 QT
879354	PARTS MASTER 10W30 BOX	1/8 GAL
879356	PARTS MASTER 5W20 BOX	1/8 GAL
879358	PARTS MASTER 5W30 BOX	1/8 GAL
879391	PARTS MASTER SYN 5W20 BOX	1/8 GAL
879402	PARTS MASTER SYN 5W20 BOX	1/8 GAL
879393	PARTS MASTER SYN 5W30 BOX	1/8 GAL
879394	PARTS MASTER FLEET 15W40 BOX	1/8 GAL
879355	PARTS MASTER DEX/MERC ATF BOX	1/8 GAL
892490	PARTS MASTER HIGH MILEAGE 5W20 BOX	1/8 GAL
892484	PARTS MASTER HIGH MILEAGE 5W30 BOX	1/8 GAL



PART	DESCRIPTION	UOM
10001	OIL STABILIZER	QT
10002	OIL STABILIZER	GAL
10003	FUEL TREATMENT	QT
10005	RED & TACKY GREASE	14OZ TUBE
10006	GUN LUBE	20OZ
10008	POWER STEERING STOP LEAK	12OZ
10009	TRANSMISSION FIX	24OZ
10011	POWER STEERING STOP LEAK	QT
10013	FUEL TREATMENT	GAL
10016	HYD OIL BOOSTER W/ STOP LEAK	GAL
10019	HYD OIL BOOSTER W/ STOP LEAK	QT
10020	FUEL TREATMENT	3.25OZ
10026	OCTANE BOOSTER	15OZ
10030	5TH WHEEL LUBE	PNT
10042	85/140 PLUS HD GEAR OIL	QT
10043	SAE 80W90 GEAR	QT
10047	SYNTHETIC 75/90 TRANS	QT
10063	ENGINE BREAK IN ADDITIVE	16OZ
10075	15W40 MAGNUM MOTOR OIL	QT
10076	15W40 MAG MOTOR	GAL
10088	HUB OIL	32OZ

PART	DESCRIPTION	UOM
10110	SEMI SYNTHETIC 2 CYCLE	QT
10120	SEMI SYNTHETIC 2 CYCLE	PNT
10121	SYN 75W140 TRANS & DIFF LUBE	QT
10130	SYNTHETIC BOOSTER	QT
10131	SYN HD OIL STABILIZER	GAL
10160	SLICK MIST	24OZ
10513	SLICK MIST TIRE & TRM	24OZ
10558	SLICK MIST ASSORTMENT	KIT
10262	20/50 PLUS RACING OIL	QT
10278	ENGINE OIL STOP LEAK	QT
10279	ENGINE OIL STOP LEAK	GAL
10301	GREASE CART	14 50Z
10512	DEEP CLEAN FUEL SYS CLEANER	16OZ
10514	SLICK MIST INTR DETAILER	24OZ
10576	SAFEGUARD ETHANOL FUEL TREATMENT	18OZ
10393	CHAIN LUBE AEROSOL	11OZ
10700	20-50 M/CYCLE OIL	QT
10702	25-50 SYN CYCLE OIL	QT
10320	MARINE GREASE	14OZ
10872	DIESEL DEEP CLEAN	19OZ
10873	DIESEL DEEP CLEAN	84OZ



PART	DESCRIPTION	UOM
12891	JT-8 SHD 15W50	5 GAL
12892	JT-8 SHD 15W50	3/2 GAL
13002	JT-8 SHD 15W40	3/2 GAL
13003	JT-8 SHD 15W40	4/1 GAL
13005	JT-8 SHD 15W40	12/1 QT
15701	SK-7000 75W90 - SYN	5 GAL
16171	JT-7 GL 80W90	35 LB
16175	JT-7 GL 80W90	12/1 QT
16181	JT-7 GL 85W140	35 LB
16185	JT-7 GL 85W140	12/1 QT

PART	DESCRIPTION	UOM
54381	JT-6 HIGH TEMP #2	35 LB
54384	JT-6 HIGH TEMP #2	12/1 LB
54385	JT-6 HIGH TEMP #2	30/14 OZ
54386	JT-6 HIGH TEMP #2	120 LB
54841	JT-6 MP#2	35 LB
54845	JT-6 MP#2	30/14 OZ
58305	JT-6 HIGH TEMP 35MOLY	30/14 OZ
21171	TURBINE DRIP OIL	5 GAL
21172	TURBINE DRIP OIL	3/1 GAL
53261	COTTON PICKER GREASE	5 GAL



PART	DESCRIPTION	UOM
124321	MOBIL 1 0W16	5/1QT
124184	MOBIL 1 0W20	5/1QT
124185	MOBIL 1 0W20	5QT
124547	MOBIL 1 0W30	5/1QT
112628	MOBIL 1 0W40	6/1QT
120760	MOBIL 1 0W40	5QT
193008	MOBIL 1 5W20	6/1QT
120763	MOBIL 1 5W20	5QT
124315	MOBIL 1 5W30	5/1QT
124317	MOBIL 1 5W30	5QT
122319	MOBIL 1 10W30	5/1QT
122326	MOBIL 1 12W30	5QT
122377	MOBIL 1 15W50	5/1QT
112630	MOBIL 1 V-TWIN 20W50	6/1QT

PART	DESCRIPTION	UOM
112960	MOBIL 1 ATF	6/1QT
122062	MOBIL DELVAC SYN ATF	4/1GAL
124403	MOBIL SUPER 10W30	6/1QT
124402	MOBIL SUPER 10W40	6/1QT
122492	MOBIL DELVAC 1300 SUPER 15W40	4/1GAL
122491	MOBIL DELVAC 1300 SUPER 15W40	5 GAL
124404	MOBIL SUPER 5W30	6/1QT
124715	SYN LV ATF HP	6/1QT
124118	MOBIL 1 0W20 BOX	8 GAL
124121	MOBIL 1 0W40 BOX	8 GAL
124124	MOBIL 1 5W20 BOX	8 GAL
124128	MOBIL 1 5W30 BOX	8 GAL
125386	ESP X2 0W20 - DEXOS D	6/1QT
122260	MOBIL 1 DSL TRUCK 5W40	3/1GAL

Available Antifreeze From PWI Distribution Centers



PART	DESCRIPTION	UOM
VC13G	YELLOW CONCENTRATED ANTIFREEZE / COOLANT	1 GAL
VC13DLG	YELLOW PREDILUTED ANTIFREEZE / COOLANT	1 GAL
VC5	PREMIUM COOLANT W/ BITTERING AGENT	1 GAL
VC7B	PREMIUM GOLD W/ BITTERING AGENT	1 GAL
VC7DILB	GOLD PREDILUTED ANTIFREEZE/COOLANT	1 GAL



PART	DESCRIPTION	UOM
EL003	PEAK GLOBAL LIFE TIME ANTIFREEZE	1 GAL
EL5050	PEAK GLOBAL LIFE TIME 50/50 ANTIFREEZE	1 GAL
PXAW51	PEAK GLOBAL LIFE TIME 50/50 ANTIFREEZE	55 GAL
FCA003	FLEET CHARGE ANTIFREEZE (PINK)	1 GAL
FC5050	FLEET CHARGE 50/50 ANTIFREEZE (PINK)	1 GAL
FXA053	FINAL CHARGE 50/50 ANTIFREEZE (RED)	1 GAL
PER0A3	PEAK RV ANTIFREEZE	1 GAL
PER0A1	PEAK RV ANTIFREEZE	55 GAL
SEP003	SIERRA ANTIFREEZE (ENVIRONMENTALLY SAFE)	1 GAL
11886	PEAK WINDSHIELD WASH 0 DEG	1 GAL
11887	PEAK WINDSHIELD WASH -20 FORMULA	1 GAL
PWNOG1	PEAK WINDSHIELD WASH -20 FORMULA	55 GAL
PGN0K3	PEAK WINDSHIELD WASH W/ HEAVY DUTY BUG CLEANER ECO +32 FORMULA	1 GAL
34607	FEBREEZE SPRAY	
PEP0B3	PEAK OET EURO PINK	1 GAL
PEB0B3	PEAK OET EURO BLUE	1 GAL
PEV0B3	PEAK OET EURO VIOLET	1 GAL
PAR0B3	PEAK OET ASIAN RED/PINK	1 GAL
PAG0B3	PEAK OET ASIAN GREEN	1 GAL
PAB0B3	PEAK OET ASIAN BLUE	1 GAL



PART	DESCRIPTION	UOM
PMA0Q3	PARTS MASTER EXTENDED LIFE	1 GAL
FLA0B1	PARTS MASTER EXTENDED LIFE	55 GAL
003	PARTS MASTER ANTIFREEZE	1 GAL
055	PARTS MASTER ANTIFREEZE	55 GAL
5050	PARTS MASTER 50/50 ANTIFREEZE	1 GAL
FFAW51	FULL FORCE GREEN AF 50/50	55 GAL



PART	DESCRIPTION	UOM
ZXEL1	VALVOLINE/ZEREX DEXCOOL	1 GAL
ZXG051	VALVOLINE/ZEREX G05 HOAT	1 GAL



PART	DESCRIPTION	UOM
10-101	DEXCOOL COOLANT - FULL STRENGTH	1 GAL
10-5027	DEXCOOL COOLANT - 50/50	1 GAL
10-125	DEXCOOL COOLANT	55 GAL







PART	DESCRIPTION	UOM
AF3000	ALL VEHICLE	1 GAL
AF3100	ALL VEHICLE 50/50	1 GAL
AF3400	DEX-COOL COMPATIBLE	1 GAL
AFC11100	HD EXTENDED LIFE 50/50	1 GAL
AFC11000	HD EXTENDED LIFE	1 GAL
AS857	BUG WASH	1 GAL
AS250	DE-ICER WASHER FLUID	1 GAL
AS253	DE-ICER WASHER FLUID	1 GAL

Available Freon From PWI Distribution Centers

PART	LINE CODE / DESCRIPTION	UOM
R134A-12OZ	FRE - 134A FREON	30LB
R134A-30LB	FRE - 134A-12 FREON	12/12OZ
R1234YF-8OZ	FRE - R1234YF FREON	8OZ
19260234	DEL - R1234YF FREON	10LB
YN33A	MTC - R1234YF FREON	10LB

HEAVY DUTY

PARTICIPATING VENDORS



HEAVY DUTY

REFERENCE GUIDE



ALABAMA, ARKANSAS, FLORIDA, GEORGIA, ILLINOIS,
INDIANA, KENTUCKY, LOUISIANA, MISSISSIPPI,
MISSOURI, OKLAHOMA, TEXAS

 BumpertoBumperAutoParts  BumpertoBumperAutoParts  bumper-to-bumper-auto-parts
 Bumpertobum0116  Crowburlingame

The products promoted in this publication are available at participating Bumper To Bumper Auto Parts Stores
Prices may vary at some store locations and are subject to availability.